

26.4.2021

General Manager  
Rous County Council  
PO Box 230,  
Lismore NSW 2480

Dear Sir

Water Security Plan 2060

Groundwater – I do not support  
There is not enough, it will drain the aquifers.

Desalination – I do not support  
Victoria has abandoned their project.

Direct portable recycled water – I do not support  
I think drinking toilet to tap water is not healthy.

Indirect portable recycled water – I do not support  
Outdoor/Garden usage I agree but not for Showers/Washing Machines.

View on how we should provide water security for our region  
Build a Dunoon Dam.

Key aspects  
Economic.

Other views – I want to have a Dunoon Dam built.  
Please do not sell the land that has been purchased for the building of the Dunoon Dam.  
In the drought the Rocky Creek Dam was almost dry.  
Our dam is old and the population is increasing.  
The Dunoon Dam would be full now if it had been built  
The Dunoon Dam is the healthiest and only option.

You are asking about the Water Security for the North Coast during a very high rainfall period of time, which I think is inappropriate.

Yours Faithfully



received over the counter

20 MAY 2021

Keith Williams

Chair RCC.

Dear Keith,

Ref. Future Water Supply - Northern Rivers.

You said in the booklet that the "extended Public exhibition" period that the Council decided not to proceed with the dam, I hadn't even heard about it. The "extended exhibition period" was while Covid was on a lock down was in place & only 1000+ responders is very poor, on your behalf as there are 47,000 properties & why were they not told?

Please ask people to Vote at the Local gov, elections in September on a referendum for Yes or No Dam & get a true Vote.

The dam costs are the Cheapest in the long run & enough water for the next 100 yrs at little cost to run water over the 4 councils.

The costs of all the proposed underground

water, recycled water, & Desalination water  
will be very expensive to the consumers in  
the long run.


Tell the people the true facts of costs.

What happens after 2060. The Dam will  
still be going till 3000 & more.


So we are asking you to reconsider to  
Build the dam now.

Awaiting your Reply.

Yours Faithfully





  
The General Manager  
Rout County Council.


Dear Sir.

We, ratepayers of Lismore County Council, are concerned with the on-going discussion regarding the construction of the Duncan Dam and the negativity being voiced.

In our opinion, the only way to secure future and long term water security for the Far North Coast, is to build the dam.

The silent majority in favour of the construction of the dam, need to be acknowledged and their opinion to be taken into account.

Future development for agriculture, industry and housing is increasing at a rapid rate and guaranteed water security is vital.

Yours sincerely,  






General Manager  
Rous County Council  
218-232 Molesworth Street,  
Lismore, NSW 2480

Dear Sir,

**RE: Future Plans for the Provision of Regional Water**

**Overview**

I attended an April meeting of the Australian Macadamia Society at Summerland House and listened to the presentation from Rous Water engineers on proposed water supply 'Options' to meet an expected increase in regional population growth . I am also in receipt of the Rous Water publication: 'Future Water Project – 2060'.

While the presenters did their best, I came away thinking that the 'Options' presented fell short of being a comprehensive solution to adequately providing regional water requirements for future generations - based on the limited data provided together with the large and preliminary cost estimates of the proposed Options compared to Dam capture and supply.

The impression gained was that the Proposed Options had been cobbled together with a 'fill-the-gap' mentality – rather than to present all the Options and supporting and/or discarding them based on sound analysis. Of course, the gap between water supply and demand would be significantly greater if the community had not been forced to learn how to use water more efficiently during the unusually dry wet season (summers) of 2018 and 2019 on the Northern Rivers. Still this region receives in the order of two metres of natural rainfall annually and for this and other reasons - capturing and supplying it for the benefit of the whole community cannot, in my view, be ruled out as a properly researched Option.

It is also the view of the writer that taxpayer funding of the Project deems that all water supply 'Options' must initially be viewed through the lens of cost per megalitre and therefore due consideration of dam water storage –even if subsequently discounted.

Seemingly, the mooted 50gigalitre dam option would likely offer the potential to generate renewable hydro power provided it is under consideration from the start of the project.

Discussed in more detail below, the Options as currently presented by Rous Water are considered a complementary stand-by and would not seriously address a significant turn for the worse in climatic weather events which at the very least the scientific community expects to be more intense (wet as well as dry).

### **Population Growth**

While we must start somewhere in terms of estimated regional population growth, I think it is essential from the outset to focus on 'unforeseen' water demand and implied limits to water availability that the proposed Aquifer, Water Purification and Desalination Options convey. Although we can be reasonably confident of the current population growth projections, they are at best a starting point because (if nothing else) COVID has demonstrated how quickly aspirations surrounding sea and tree change living can change due to unforeseen factors.

Therefore, the aim in a 40 year timeframe should be to provide a water supply capability that over-delivers on expected demand – applying an approach that gets it right the first time.

### **Aquifer Mining**

As a former EO of the Australian Macadamia Society (AMS) and current owner of a macadamia farm on the Alstonville Plateau for more than 20 years, I have been aware and generally supportive of a broad regional government policy to limit the unnecessary exploitation of not easily replaced aquifer water – irrespective of the level below ground.

As stated during the Summerland House meeting, over-issue of bore licences (especially) has been common in Australian agriculture – and the consequences of doing so evident to all. Surely this known past experience must be of concern with this project given increased climatic uncertainty. More recently there has been the added community concern surrounding water harvesting of aquifer water in this region by industry as a business venture. The uncertain availability from this source including those who are commercially minded, was the main concern.

However, the aquifer mining path also seems to me to be inconsistent with the national and international scientific debate – given the relative medium term uncertainty of aquifer water. Put another way, I believe the science is already in on aquifer water not being a reliable (underpinning) future water supply Option for the region.



## **Toilet to Tap**

Water re-use (or purification as I prefer to call it), is a reliable Option in terms of the science, practise around the world and known quantity/volume available. Further, in terms of making better use of a limited resource it also makes economic sense given its availability is known. However, Town Planning has generally not catered (provided the capacity) for the clean-up and re-use of water in existing property estates and to do so is likely to come at significant cost. However, provision for it when creating new living and working estates would seem to make economic sense and provide some insurance against uncertainty. Even if not for human consumption as applies under most current regulation, such water could expand availability for agricultural and/or landscape management. But, probably as a back-up Option in the current circumstances.

## **Desalination**

This is a wonderful Option when the capital cost does not matter, there is no imperative to use the plant capital invested efficiently (essentially stand-by capability) and there is no water capture and supply capability from nature. In this region the Desalination Option seems to me to fails all tests – especially when we can foresee and facilitate the Option of water capture and storage from the natural environment. Very fortunately, we do not live in a coastal desert environment to which this Option seems to me to have a much better fit. The reverse is more accurate; we live in a coastal region where people increasingly want to live and a huge amount of water falls as rain and flows out to sea.

## **Options - Support Infrastructure**

Not adequately discussed at the AMS meeting presentation – partly because most of us could not get our heads around it, was the new pipe and pump infrastructure required to support the Options identified. It seems to me that the step-up Options plan can be likened to the poles and wires dilemma that has become apparent when seeking to replace coal fired power with renewable (solar and wind) power in its transmission. The issue here is integration capacity and connectivity. As the Options are proposed for installation according to an unknown timeline, linking them all with pipe and pumping infrastructure – in the face of required regulatory changes, is not generally achieved without added and unforeseen capital cost.

In contrast new dam and connecting pipe infrastructure is tried and tested engineering technology and capability and would be expected build on the existing Rocky Creek Dam water resource.

## **Benefit – Cost of Options**

In the first instance all available Options need to be able to deliver for a growing regional - coastal community and subject to benefit/ cost analysis – from the start.

The step-wise process of initially expanding water availability from a range of aquifer sources through time by developing and mining from Maram Creek, Woodburn and later Tyagarah areas and progressively hooking up different technical approaches as population grows seems an inherently inefficient approach. According to cost estimates provided to me (preliminary as they are) aquifer sourcing from the above areas/ systems will cost not less than \$40k/megalitre but which may vary between \$110k/meg, \$73k/meg and \$40k/meg depending on the aquifer source and location from proposed end-use.

As this is Stage 1 of the Rous Water plan, it is necessarily interim – subsequently needing to link in with 'toilet to tap' at a significant estimated cost of \$60k/meg (in the face of existing regulatory barriers) and somewhat later - a possible Byron Bay desalination Option at a cost of at least \$50k/meg as population grows.

It is noted that all of the above may subsequently be supported by wind energy located on adjacent - seemingly high value land. In relation to the latter, it is important to consider whether over the life cycle of the plan there will be change to the current heavy subsidisation of wind and solar installation as well as the relatively short life of such renewable infrastructure compared to known dam capture and storage - which has a much longer life. This said, it is acknowledged that there are likely to be technical efficiency gains that reduce costs –including for battery storage through time. But under such a plan, there can be no certainty.

Although my tertiary qualifications are in economics rather than engineering, this seemingly cobbled together approach (as termed above) to delivering the supply of such a critical resource in a region of growing demand, does not appear rational – given the abundance of naturally available rain water that can be collected and harvested from a geologically appropriate water storage located in the vicinity of Dunoon.

At an estimated cost of less than \$20k/meg – depending on the size of the proposed Dunoon Dam, the new capacity supported by pipe infrastructure can build-on and enhance Rocky Creek water supply longevity by upwards of four years. Utilising the existing Rocky Creek pump station infrastructure, new dam water is likely to be pumped up to it.



But of greater relevance to me, dam construction will be based on known engineering quantity and cost and this is considered important where funded by the taxpayer. It is anticipated that construction would facilitate some flood mitigation capability – with at the very least - benefit to the environment by allowing better management of water run-off in severe weather events.

I noted above that this system would likely facilitate the generation of hydro- electricity if planned from the start. A review of what is possible is evident from the new water catchment and hydro generating systems installed in Tasmania over the past 10 years. Against the background of supportive State Government Policy and assisted by Federal Government funding, more than 10 dams have been built since 2010 – in a region/ state which has much to protect environmentally and achieved in a manner consistent with aims and objectives of the tourism industry – the largest revenue earner in the state of Tasmania.


### **Cultural Issues**

All cultures in the Australian community are beneficiaries of Dam capture and storage and have been for many decades.

### **Summary**

In a country where water is the life-blood of the nation and water capture and storage for human consumption, food production and amenity has delivered for all of us, I believe this Option must remain on the table for further consideration along with Options currently proposed by Rous (Water) County Council.

Yours faithfully,



**Andrew Heap**

28 MAY 2021

General Manager,  
Rous County Council,  
218-232 Molesworth Street,  
LISMORE, NSW. 2480

24<sup>th</sup> May, 2021

**RE: Comment on "Integrated Water Cycle Management Strategy" (draft)**

Dear Sir/Madam,

We are writing to you in relation to your intention to investigate the use of aquifers, further groundwater schemes, direct purified recycled water schemes and seawater desalination, rather than to build a dam at Dunoon to store water for present and future stakeholders. As homeowners whose water is provided by Rous County Council, we are not in favour of moving forward in any way with these largely ill-conceived and uncosted potential options, when the construction of the long-planned dam at Dunoon would achieve all of our water needs both residential and agricultural for the next forty years at least.

Any further exploitation of mentioned aquifers in the Alstonville Plateau region would only exacerbate water supplies that are already showing reduced output due to current agricultural demand coupled with seasonal drought conditions.

Further exploitation of existing groundwater sources (water supply bores) is in danger of further lowering groundwater supplies and water levels.

We very strongly oppose the use of direct, purified, recycled water to use as our drinking water. The myriad of engineering barriers that need to be implemented in any form of human effluent reuse is hugely costly to ensure that the potable water is treated against biological, chemical, heavy metal and virus contamination and guaranteed against human and technical failures.

Further, with an area blessed with such abundant rainfall which will keep a Dunoon Dam filled to capacity using known and tried technology coupled with the use of sound catchment management practices would definitely be a superior plan to adopt. Shame on you Council members to even suggest that our community would need to rely on drinking our own and other people's sewage – how shocking!

Furthermore, the use of seawater desalination in future planning could possibly be seen as an emergency stop-gap during extremely dry periods when the water levels in dams are severely reduced.

Finally, we are appalled at the fact that Rous Water has been so arrogant claiming that its draft 'Integrated Water Cycle Management Strategy' (which does not include assessment of a Dunoon Dam) has been endorsed by the thousands of water consumers served by Rous County Council. The claim by your Council that their present actions were endorsed by an assessment process during 2020 lacks any credibility and any form of due, honest practice in that during this period of time the majority of your customers were recovering from traumatic bushfires and plunged into Covid-19-pandemic response and lockdowns.

We would implore Rous County Council to revisit future water strategies including a Dunoon Dam and this time around, provide to their customers full costing and resilience analysis for all proposed strategies including a dam, and that each customer be asked for an opinion on this whole issue via a postal ballot or a similar response.

Yours truly,

Greg and Christine Bell.




28 MAY 2021

General Manager  
Rous County Council  
218-232 Molesworth Street  
Lismore NSW 2480

**Submission to Rous County Council for Future Water Project 2060**

Submission by

Jasper Kent  


I wish to express my objection to the Rous County Council Revised 2021 Future Water Project 2060

When, in December 2020, it was announced that Rous County Council had moved to abandon its previously announced decision to proceed with the construction of an additional dam to meet projected water needs in the Rous Water supply area, I was perplexed.

This decision appears to be an irresponsible move by the Council to abandon the dam option, in view of the fact that no comparable proposal for a sustainable supply of water to meet future needs has yet been developed.

To meet that anticipated shortfall, the 2014 Future Water Strategy recommended an approach to significantly improve water conservation over 10 years and investigate new water sources. Specifically, to:

- *maximise water efficiency through demand management and conservation;*
- *investigate increased use of groundwater as a new water source;*
- *investigate the suitability of water re-use as an additional new water source;*

Since 2014 the initiatives taken by Rous Water to improve water use efficiency are commendable.

Waste water re-use strategies which have been adopted are also commendable.

These measures have been very effective in managing our water resources as the population of the area has increased.

However, as the population of the area continues to increase, further efficiency measures will have a declining marginal return, and in some cases result in other unintended inefficiencies.

For example: maximising water efficiency through demand management and conservation through the increased use of private rainwater tanks using roof top catchments.

This can certainly be beneficial as a supplementary supply.

It has the advantage of collecting water from very low rainfall events during dry periods when surface runoff in a dam catchment does not occur.

However, as most urban rainwater tanks, if used as an alternative water supply to mains water, would in most cases require an electric pressure pump, making water access dependent upon electricity, which would result in an increase in demand for electricity.

This is problematic at a time when electricity costs are increasing and the community is endeavouring to develop an ecologically sustainable power supply.

Rain water tank dependent households are also often dependant on Rous Water for supplementary water during extended dry spells.

*The increased use of groundwater as a new water source* may also have some limited benefits.

However, investigations so far have already identified high ongoing costs of treating the water as well as the environmental impact resulting from a sustained drawdown of these water resources.

*Water re-use as an additional new water source* may provide some limited potential. However Rous Water has already acknowledged that this potential is limited as recycling of waste water for parks, gardens and other non- potable water uses is already under implementation.

*More recent suggestions of desalination as a source for future needs* is also an option which comes with very high costs in terms of initial investment costs as well as operational costs and environmental impacts.

This area is fortunate to be one of the higher and more reliable rainfall areas on this continent. The people of this area and visitors to this area have benefited from the existing water infrastructure which has been built to provide a reliable source of quality water at an affordable cost with minimal environmental impact.

The Dunoon Dam proposal is the most efficient extension to the existing infrastructure making the most efficient use of that existing infrastructure.

Utilising water through natural desalination which occurs by means of solar energy and the natural processes of the water cycle which brings regular rainfall to the Nightcap Range makes a lot more ecological sense than a high cost high maintenance desalination factory on our coastline.

The proposed Dunoon water storage occupying 253ha has the smallest environmental footprint of any of the proposed alternatives. The resulting water body could actually be a very attractive open space: a new and enhanced habitat with enhanced community amenity.

The Environmental Impact Assessments commissioned by Rous Water do show that there will be some impact.

However, all of these impacts can be minimised and indeed most of these negative impacts can be alleviated and as the **Terrestrial Ecology Impact Assessment** states:

‘.....there are also large areas within the study area (*proposed dam location*) and around it that were once rainforest or wet sclerophyll forest but are now infested with weeds. These areas could benefit from improved management as part of offsets for the project. This has the potential to reduce the significance of the impact of the dam, if managed appropriately.’



As with any endeavour which seeks to provide community benefit there will be members of our community who will be challenged by a personal cost, a loss of amenity or change which they struggle to accept or come to terms with. These costs need to be acknowledged and appreciated by our community. For some in our community, their willingness to accept these personal costs will be a major contribution to the success of the project, providing lasting benefit to our community for generations to come.

In the case of our existing infrastructure, many members of our community have lost amenity or land use options to make way for water mains which have been constructed to provide a reliable water supply to our urban communities.

None of us own the water. None of us can make water, but it is essential to all of us and our children. If we work together and play our part in sharing this wonderful resource we will grow to be a stronger and more united community.

Thank you for your consideration.



Jasper Kent



# PETITION

10th April 2021

**Re: Revised Draft Integrated Water Cycle Management (IWCM) Strategy**

1. DO NOT SUPPORT THE AQUIFERS (Groundwater) at Tyagarah, Newrybar, Alstonville and Woodburn being used as a permanent water source for the regional population into the future
2. DO NOT SUPPORT DESALINATION as a permanent water supply for our region
3. DO NOT SUPPORT TOILET TO TAP (Potable Recycled Water) as a permanent water supply for our region
4. DO NOT SUPPORT THE PROPOSED DUNOON DAM LAND DISPOSAL
5. DO SUPPORT THE RECOMMENCEMENT OF WORK ON THE PROPOSED DUNOON DAM OPTION, SO THAT REPORTS MAY BE COMPLETED WHICH MAY RESULT IN THE DAM PROPOSAL BEING IDENTIFIED AS A NEW WATER SUPPLY SOURCE TO ENSURE LONG-TERM WATER SUPPLY SECURITY

[illegible]

Keith Williams

[REDACTED]

[REDACTED]

[REDACTED]

## 2021 RCC Water Strategy - Opposition

Dear Keith,

I am writing to you as a representative of several organisations. I am very concerned about the County Council's 2021 Regional Water Supply Strategy. The 1995 Dunoon Dam proposal, and later 2012 report, showed that the dam was a technically viable option, with good water quality. This demonstrated considerable forward planning for our region. **Why now completely discard this option?**

The current water strategy which acknowledges population growth, a reduced surface water flow and a demand exceeding reliable supply by 2024 does nothing to address these issues except to rely on demand management and bores into the aquifer on the Alstonville Plateau and at Woodburn. The bore options were addressed in 2020 and they were considered non-viable due to poor water quality, reliability and costs. **So why are bores now an option?** Also they were considered a short term solution.

Our region needs infrastructure for the future (particularly Ballina Shire with its high growth rate) and our representatives have a duty to investigate all options. As you well know all options will have positive and negative effects but dams have proved effective and efficient for many hundreds of years. Rocky Creek Dam, for example, now supports a mature rainforest with a diverse bird population attracting many bird watchers and supplies us with water as well!

In conclusion, I oppose the 2021 strategy and ask that RCC conducts further detailed investigations into the Dunoon dam and the short-term use of bores (if this option is now viable).

I think that the Dam option should be retained, so that full assessments can be completed, without ruling anything out.

Yours sincerely

Jane Gardiner

[REDACTED]



**From:** [Gardiner](#)  
**To:** [Records](#); [Cr Keith Williams](#)  
**Subject:** 2021 RCC Water Strategy Submission  
**Date:** Tuesday, 25 May 2021 2:13:21 PM  
**Attachments:** [2021 Keith Williams Dam.docx](#)

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Chairman Keith Williams

Attached is my submission on the above Water Strategy which supports a the view that all options concerning our water should be investigated.

Sincerely  
Jane Gardiner

19<sup>th</sup> May 2021



Phillip Rudd  
General Manager  
Rous County Council  
PO Box 230  
LISMORE NSW 2480

Dear Phil

**Future Water Project 2060**

The Casino Food Co-op (The Co-op) is Australia's largest meat processing Co-operative, proudly 100% farmer owned. Our members are Australian farmers and businesses excelling in the paddock to plate philosophy. Since 1933, we have established ourselves as an industry leader in meat processing, providing a unique opportunity to process livestock in world class processing facilities. We are focused on an innovative and sustainable tomorrow and have an emphasis on teamwork, mutual respect and are constantly striving for excellence in everything we do. Our facilities are perfectly positioned in Casino, Northern Rivers NSW and employ over 1000 employees across our three facilities.

The Co-op's Board and management are supportive of Richmond Valley Council's position and the need to secure future water supply for the region.

We see it important that Rous' Future Water Project 2060 includes continuation of investigations into the proposed Dunoon Dam including cultural heritage, landholder views, environmental impacts, ecological offset requirements, geotechnical assessments and the potential for State and Federal Government funding assistance for its construction.

Due to the serious importance of the Future Water Strategy and the need for future water security for the entire Northern Rivers region, the Co-op will make representation to the Federal and NSW Governments to seriously consider their position on this matter in the interests of the future of the region.

We look forward to Rous County Council showing leadership for the Northern Rivers Region by re-visiting its decision, so that it completes the investigation of all options, to enable it to make fully informed decisions in the best interests of the entire community in its water supply area.

We would appreciate this letter being made available to all delegates, so they are aware of the views of The Casino Food Co-op.

[REDACTED]  
Simon Stahl  
Chief Executive Officer



**From:** [REDACTED]  
**To:** [Jillian Egroff](#)  
**Subject:** Attached Image  
**Date:** Friday, 28 May 2021 11:23:18 AM  
**Attachments:** [1189\\_001.pdf](#)

---



**From:** [REDACTED]  
**To:** [Jillian Egroff](#)  
**Subject:** Attached Image  
**Date:** Friday, 28 May 2021 11:23:18 AM  
**Attachments:** [1189\\_001.pdf](#)

---

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** Attached Image  
**Date:** Monday, 24 May 2021 12:38:12 PM  
**Attachments:** [1158\\_001.pdf](#)

---

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** Attached Image  
**Date:** Monday, 24 May 2021 12:37:44 PM  
**Attachments:** [1157\\_001.pdf](#)

---



**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** Attached Image  
**Date:** Thursday, 20 May 2021 9:34:09 AM  
**Attachments:** [1130\\_001.pdf](#)

---

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** Attached Image  
**Date:** Monday, 26 April 2021 9:37:52 AM  
**Attachments:** [1044\\_001.pdf](#)

---

**From:** [REDACTED]  
**To:** [Jillian Egroff](#)  
**Subject:** Attached Image  
**Date:** Friday, 28 May 2021 11:23:31 AM  
**Attachments:** [1190\\_001.pdf](#)

---



**From:** [Annabelle Toohey](#)  
**To:** [Records](#)  
**Subject:** Attention: Phillip Rudd General Manager  
**Date:** Thursday, 20 May 2021 1:15:36 PM  
**Attachments:** [20210519 - Rous County Council Future Water Project 2060 May 2021.pdf](#)


---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Morning

Please find attached correspondence from Simon Stahl, CEO The Casino Food Co-op for Phillip Rudd, General Manager.


We would appreciate acknowledging receipt.



This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the system manager. Please note that any views or opinions presented in this email are solely those of the author and do not necessarily represent those of the company. Finally, the recipient should check this email and any attachments for the presence of viruses. Northern Co-operative Meat Company Ltd accepts no liability for any damage caused by any virus transmitted by this email.

---

Message protected by MailGuard: e-mail anti-virus, anti-spam and content filtering



CHAIRMAN MANAGER

ROUS COUNTY COUNCIL  
P.O BOX 230 LISMORE 2480.

DEAR SIR,

PLEASE EXCUSE THE WRITING AS I HAVE HAD A STROKE & FIND IT HARD TO WRITE. I AM NEARLY NINETY YEARS OLD & HAVE HAD EXPERIENCE WITH WATER ON THE CLARENCE RIVER IN N.S.W. PLUS WITH WATER ON THE MARIANVA RIVER IN QUEENSLAND & BARKLY TABLELANDS IN THE NORTHERN TERRITORY.

WE HAVE RETIRED TO EVANS HEAD. AFTER ARRIVING MY PARTNER GOT STOMACH TROUBLE AFTER BOILING THE ELECTRIC JUG I NOTICED THE INSIDE BECAME DARK COLOUR. SO FROM THEN ON WE ONLY DRANK BOILED WATER. I FOUND OUT THAT THE WATER SUPPLY GETS

ADDED TO FROM A BORE ON THE WAY FROM WOODBURN. I SUPPORT COUNCIL MUSTON BY NOT SELLING THE PROPOSED DUNNOON DAM SITE. IN GERMANY THE PEOPLE DRINKING RECYCLED WATER CANNOT HAVE BABIES.

I HAVE STUDIED WATER ALL MY LIFE & HAVE TOLD ALL POLITICIANS THAT THE PAGE GORGE SCHEME SHOULD HAVE GONE IN BEFORE THE ORD. RIVER. THEN THERE WOULD BE AMPLE WATER FOR ALL THE NORTH COAST. ALSO REDUCE MAJOR FLOODS. MY MOTHER WAS REARED JUST WEST OF CORAKI & SHE SAID THAT A TUNNEL JUST SOUTH OF LISMORE WOULD REDUCE A BIG FLOOD.

I AM WILLING TO SHARE MY EXPERIENCES BEFORE I FALL INTO A BOX.

THANKING YOU

YOURS FAITHFULLY

FROM

DR E ELLIOTT

Dear Ross Connolly

I am a retired doctor, finance activist & landowner, ~~in~~

In this dry land, water management should be diversified and rely heavily on REFORESTATION (upwelling aero-bacter initiate rain) and ORGANIFICATION of SOIL (creating a sponge to absorb & steadily release water). Also decentralized water supplies (tanks, small dams & double reticulation) provides more resilience in times of drought, fire and hardship.

Debt levels everywhere are soaring, we need a NATIONAL INFRASTRUCTURE Bank to provide jobs & water systems. Big dams are yesterdays technology, drown forests & farms.

Let's think again about Dunoon Dam and viable, cheaper, decentralized alternatives! Your Dr. [REDACTED]

12<sup>th</sup> May 2021.

To.  
Rauri County Council.

I am a person who was born in Lismore  
& have lived in this area for 93 years.

So I would like to see this Council  
build another dam to secure the supply  
of clean water for the residents of this  
area.

Thank You.

Yours Faithfully





27/4/21

Rous Water,

I wish to express my serious concern about some of the alternatives to construction of the Dunoon Dam to supply water to local shires. The Dunoon Dam option needs to be put back on the table. You do not have my support for alternate water sources.

I think the use of groundwater to supply some of the shires' water needs is environmentally damaging. The area doesn't want CSG extraction here but is happy to use groundwater for shires' water supply. Both of them interferes with whatever is below the surface of the land like groundwater.

A dam I think is the least environmentally invasive of water supply options.

America has considerable problems as a result of groundwater usage. They have groundwater decline and depletion. Some of the problems are: excessive pumping can overdraw the groundwater supply which causes lowering of the water table, reduction of water in streams and lakes, land subsidence, increased cost of pumping and deterioration of water quality. What happens in prolonged droughts? If the water table is lowered what happens to some of the vegetation? Do trees die? Do natural springs dry up? What happens to bores? Do they have to be dug deeper?

I lived in a house that was one of the first built on a housing estate. It had a rather steep slope with a creek flowing along the base of the slope. Over the years when it rained the water soaked into the ground mostly. When most of the houses were built and there was substantial rain it flowed off roofs and into stormwater pipes into the creek. That was when the creek flooded. I hadn't seen it flooded to that extent in all the years I had been there. It was one of the first times the low road over the creek had flooded.

This floodwater would have changed the eco of the creek no doubt scouring it and eroding banks as it made its way eventually into the sea. Wherever the rainwater was going when it soaked into the soil would not be happening now. More houses were built on nearby slopes and I guess the water wasn't soaking into the ground there any more either. A lot of this water now seems to be lost to the sea. It wouldn't be replenishing groundwater either.

To help koalas there would be landowners in more remote areas who would be happy to regenerate areas of bush for koala habitat. Those places may not have as much contact with humans. They might even leave the land for koala protection in perpetuity. The biggest problem koalas have is the lack of funding by the government to keep them from extinction across the nation.

Before you start treating polluted water like sewerage water to make drinking water you would want to be super sure that all microbes etc can in fact be removed from water so it is safe to drink. What about various chemicals like those used around the household and prescription drug residue? Are you able to supply the technology needed to do this? Who will bear the cost of this technology and its maintenance? That would be rate payers wouldn't it? They are already carrying the burden of things council wants to do.

If some substances remain in water after its cleaning will we be expected to see that as acceptable? Present technology cannot remove all substances from various liquids. Will it be treating chemicals with chemicals? People already struggle with fluoride in the water supply.

If desalination of water is used to create clean water what are you going to do with all the salt? Dump it somewhere to upset the balance of nature in that area.

I don't think the issue is well thought out based on methods you intend to use to supply clean water to the population. Put the Dunoon Dam option back on the table.

Thank you for your time and attention.

Julie McLennan



Resident and Ratepayer

**From:** [John Leeson](#)  
**To:** [Records](#)  
**Subject:** Draft Future Water Project 2060  
**Date:** Wednesday, 26 May 2021 6:02:32 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear Phillip Rudd  
General Manager  
Rous County Council

26th May 2021

Thankyou for your letter dated 28th April 2021 .

#### SUBMISSION OF OBJECTION TO FWP 2060

We are very concerned that Rous Water are not considering the construction of a Dam at Dunoon.

The alternatives that Rous CC have put forward for water supply in our region are very costly and will not sustain supply into the future .

The Water Table of the Tyagarah aquifers are just 2 mtrs under the surface .The areas ecosystem is fragile and dependant on ground water.

This type of concept would seriously affect Tyagarah Nature Reserve and Koala corridors.

Desalination is extremely expensive process to produce drinking water . This process needs to be used 12mths of the year wether it is needed or not to keep the equipment operational .

Direct Potable Recycled water is not approved for human consumption by State or Federal Health Depart.

Indirect Potable Recycled Water would not be a viable solution for securing long term water supply .

Therefore the proposed Revised IWCM document solutions are not practical , effective or real solutions for our Region .

Our Future Depends on Real Water Catchment Dam to Harvest Water for all of our Region to use in the Future .

Regards

John and Bronwyn Leeson



**From:** [John Leeson](#)  
**To:** [Records](#)  
**Subject:** Draft Future Water Project 2060  
**Date:** Wednesday, 26 May 2021 6:02:32 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear Phillip Rudd  
General Manager  
Rous County Council

26th May 2021

Thankyou for your letter dated 28th April 2021 .

#### SUBMISSION OF OBJECTION TO FWP 2060

We are very concerned that Rous Water are not considering the construction of a Dam at Dunoon.

The alternatives that Rous CC have put forward for water supply in our region are very costly and will not sustain supply into the future .

The Water Table of the Tyagarah aquifers are just 2 mtrs under the surface .The areas ecosystem is fragile and dependant on ground water.

This type of concept would seriously affect Tyagarah Nature Reserve and Koala corridors.

Desalination is extremely expensive process to produce drinking water . This process needs to be used 12mths of the year wether it is needed or not to keep the equipment operational .

Direct Potable Recycled water is not approved for human consumption by State or Federal Health Depart.


Indirect Potable Recycled Water would not be a viable solution for securing long term water supply .

Therefore the proposed Revised IWCM document solutions are not practical , effective or real solutions for our Region .

Our Future Depends on Real Water Catchment Dam to Harvest Water for all of our Region to use in the Future .

Regards

John and Bronwyn Leeson





**From:** [Barbara Barrett](#)  
**To:** [Records](#)  
**Subject:** Dunoon DAM - BUILD IT NOW!!!  
**Date:** Thursday, 27 May 2021 6:13:41 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

As a permanent water supply source, supporters of this petition:

DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

**Tyagarah will be drawing water overflow from Byron Sewerage Plant? NOT a good option.**

DO NOT support desalination (filtered seawater). **I have experienced greatly increased water rates at a property in the Gold Coast as a result of the desalination plant that was constructed there. A "white elephant"!**

DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally, they:

DO NOT support the proposed Dunoon Dam land disposal.

DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

During a serious drought, Rocky Creek Dam can currently only meet the Northern Rivers' water supply needs for one year while our population continues to grow and demand for water increases. This petition is about planning for our future water supply security. An additional water source must be identified to meet future demand within three years.

For a quarter of a century, Rous County Council has been researching, planning and investing heavily in a proposed new dam at Dunoon, while also considering other options. Without any warning, five of eight Councillors recently withdrew their support for the proposed Dunoon Dam as a possible water supply source prior to several reports being finalised. Their surprising decision meant groundwater harvesting (the Woodburn, Tyagarah, Newrybar and Alstonville aquifers), desalination, and potable water reuse as drinking water (toilet to tap recycled water) were the remaining options to address water supply security.

Barbara Barrett



**From:** [Val Ramsey](#)  
**To:** [Records](#)  
**Subject:** Dunoon Dam  
**Date:** Wednesday, 21 April 2021 6:10:17 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Valerie Ramsey

Address: [REDACTED]

Reasons: Water security is so important at a reasonable cost. I believe other options are too costly and Dunoon Dam must be considered in the mix of options

## **Submission to Rous County Council on its Future Water Project 2060**

I commend Rous County Council and its Councillors for recognising the need to develop a long term strategy to ensure a high quality and cost effective water supply for the area served by RCC.

The Rocky Creek dam has served the area well for almost 70 years and will continue to operate well into the future. However, increasing demand from a wider area than it was originally intended to supply along with significant projected population growth and likely reduced rainfall due to climate change plus other factors means that the need for an increase in water supply has become a pressing issue.

All the options that have been considered for future increased supply have their supporters and detractors and whatever option/s are chosen are not going to be universally supported.

I support the Dunoon dam option because I believe it is the most sustainable and notwithstanding higher initial cost it will be significantly cheaper in the long term. All other options while individually and collectively cheaper in the short term have ongoing costs which may well increase year on year while the dam, once built, will have significantly lower ongoing costs. As with the Rocky Creek dam which will continue to supply water well beyond its current almost 70 years, the Dunoon dam will continue to operate well beyond the period considered in the current study.

I recognise that some persuasive arguments against the Dunoon dam in respect of environmental and indigenous heritage have been raised. I do not suggest that these should be brushed aside. However, I note that on page 34 of the RCC document that “habitat and conservation offsets to compensate for these significant impacts...” are available. With respect to the matter of indigenous heritage issues, further respectful negotiation with affected First Nation people may result in a resolution. One suggestion that has been made is the establishment of an Indigenous Heritage Centre onsite that could be managed and staffed by local indigenous members. Such a centre would acknowledge the original inhabitants of the land and tell their story.

The ABC (digital local news 28 May) has reported the General Manager of RCC saying that alternative options in the mix for 2031 – including desalination plants and indirect potable water – had not been costed and could not be accurately compared to the dam proposal. Mr. Rudd is quoted as saying “We just aren’t at the position of knowing the total whole-of-life cost is until those concurrent investigations are undertaken”.

**No decision should be made until all options, including the Dunoon dam, are fully costed and the information made available to the public.**

In the event of the Dunoon dam not being proceeded with in the immediate future, I would urge that the site not be sold as long term uncertainties regarding population growth; climate change; changes to domestic, commercial and agricultural demand for water; community attitudes and expectations may mean that a Dunoon dam may be a more acceptable option at some time in the future.

**From:** [Karina Dhyani Mereki](#)  
**To:** [Records](#)  
**Subject:** Dunoon Dam  
**Date:** Monday, 26 April 2021 5:49:43 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Karina Mereki

Address: [REDACTED]

Reasons: I have lived in the [REDACTED] region for 30 years. I would like to see better management for future water use in this area as above mentioned.

**Karina Mereki** [REDACTED]  
[REDACTED]  
[REDACTED]  
[REDACTED]



**From:** [Norm Robinson](#)  
**To:** [Records](#)  
**Subject:** Dunoon Dam  
**Date:** Friday, 23 April 2021 8:21:15 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

I strongly recommend that the Dunoon Dam be built because it is the best way to gain water for the future and can be built at have the cost of other plans in the 2060 Project.

Norm Robinson

[REDACTED]  
[REDACTED]  
[REDACTED]  
[REDACTED]  
[REDACTED]

**From:** [David Cowdery](#)  
**To:** [Records](#)  
**Subject:** Dunoon Dam  
**Date:** Wednesday, 28 April 2021 11:21:06 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

We have lived in [REDACTED] for 42 years and have seen the local population increase at an alarming rate.

Based on Rous Water predictions of a reliable supply only up to 2024 from existing resources it is about as obvious as it gets that we need another significant dam and have needed it for many years.

Rous Water have apparently only listened to the apologists for everything and the professional protesters. Whilst they have valid points about the unfavourable impacts of a new dam, they miss the main point entirely. We **MUST HAVE A RELIABLE WATER SUPPLY** as a basic requirement regardless of the associated inconveniences.

It is an indictment on Rous Water that a plebiscite has not been arranged to validly gauge real public opinion instead of caving in to the apologists.

Rous Water management have ignored the obvious at a great potential risk to community welfare.

The large increase in regional population may be a great cause of unhappiness to the apologists, but it is an undisputed fact which cannot be ignored by Rous Water.

Have the courage to ignore the apologists and noisemakers and commit to Dunoon Dam.

Some offsetting work may need to be done to replant rainforest etc but all this is possible if there is a will to accept responsibility.

David Cowdery [REDACTED]

**From:** [Forster Rayward](#)  
**To:** [Records](#)  
**Subject:** Feed back on 2021 Future Water Strategy  
**Date:** Friday, 9 April 2021 8:27:02 AM  
**Attachments:** [FR-Regional water Supply Strategy 2060.docx](#)

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

General Manager RCC.

Dear sir.

Please find attached my feedback on the whole of the 2021 strategy.

I am opposed to this strategy for the reasons detailed in my submission.

Forster Rayward

[REDACTED]  
[REDACTED]  
[REDACTED]  
  
[REDACTED]

**From:** [Daniel PATTERSON](#)  
**To:** [Records](#)  
**Cc:** [Cr Sharon Cadwallader](#); [Cr Keith Williams](#); [Cr Basil Cameron](#); [Cr Simon Richardson](#); [Cr Darlene Cook](#); [Cr Vanessa Ekins](#); [Cr Sandra Humphrys](#); [Cr Robert Mustow](#)  
**Subject:** Feedback Submission Re: Revised Future Water Project 2060 – Integrated Water Cycle Management strategy  
**Date:** Thursday, 29 April 2021 10:15:01 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Attention: General Manager,  
Rous County Council  
PO Box 230, Lismore NSW 2480

Cc'd (at request of Water Northern River Alliance - no name publicly given likely due to their ongoing criminal activities);  
Councillors - Cadwallader, Williams, Cameron, Richardson, Cook, Ekins, Humphrys and Mustow.

From:  
[Daniel Patterson](#) [REDACTED]

Hello,

I would like to write to offer my support for the Dunoon Dam. I also acknowledge the complexity of the Rous County Council's job to provide water for our region.

I am a former paramedic and was a member of the NSW Rural Fire Service as a Firefighter from 09/2013 to 11/2020. I was deployed to the northern rivers for no less than 5 weeks during the 2019/2020 black summer bushfires.

It is intended for me to state why a dam should be put in by covering benefit to Firefighters and benefit to community.

#### **Benefit to firefighters**

Lismore and most northern rivers towns go through a dry year/hot year cycle. In 2019 you learned (I hope) a valuable lesson with multiple fires burning. You had firefighters from the Australian Defence Force, F+R NSW, NSW RFS, ACT, Queensland and the Northern Territory as well as assistance from the NZDF and even with all those resources the fires took months to control. Not only does this show that northern rivers councillors have been impacting fire agencies capabilities for hazard mitigation for decades, it shows that water scarcity is an issue for both the earth and the fire services. We had no accessible water in areas the fires were and the ground was dry. Having a dam to draw from in more areas is an operational advantage as, we were relying on Category 6 and Category 13 appliances (bulk water fire trucks) to transport water from nearby towns (i.e. Casino, Woodburn) directly to the fireground.

At a time water was running low, the fire services had no choice but to drain water directly from your towns drinking water with the use of standpipes.

#### **Recycled water?**

I appreciate some councillors are saying you can sustain recycled water, I don't believe you can. Towns like Tenterfield have such bad water problems they've even had to drink radioactive water, but at no point have they seen recycled water as a viable solution.

Recycled water costs too much money and is not guaranteed to be safe. Northern Rivers councils are not exactly at the forefront of science and all it would take would be one failure to filter water properly (i.e. not checking a reverse osmosis filter) and then you have an entire town/city if not region infected with Escherichia coli. Lismore base hospital can't keep up with the normal workload on a weeknight, let alone a bunch of E. Coli cases coming in at once. I've been involved with the evacuation of nursing homes when they lose accreditation, that puts enough strain on hospitals. Having an entire town rock up to hospital with a disease that has a mortality rate of 5 to 8% would cause a pandemic type response from the health department and likely lead to a royal commission.

Let's use Lismore as an example, I will round the population down to 40,000. If half of the people drinking E. Coli infected recycled water became symptomatic and required hospitalisation, it is fair to assume the deaths would be around 1,000 to 1,600 people.

I know you will have people say "it's been done in other areas safely" - well, it's only been done in one small part of New South Wales (Goulburn Valley) and they still deal with outbreaks of E. Coli - like that of Tatura a few years ago. The only difference is Tatura has a population of 4,669 - not 43,000.

### **Benefit to community**

No independent scientist has come forward to support a claim that building the dam would damage the Ecological Community of Lowland Rainforest. Sadly we have to take what support Dr. Khan and Professor White have offered the Northern Rivers WATER alliance with a grain of salt as the alliance is not a legal Australian entity and either participates in criminal acts such as vandalism or encourages such acts.

The direct benefit to the community is that there will be a safer source of water that is measurable and doesn't pose a risk to the community. It also offers more water for fire services in the event of a major bushfire in the area.

Whilst it is also a small benefit, certainly not a deciding factor though, I conducted dives for both the EPA and Southern Cross University at the Bexhill Quarry in 2020. This was to dispel the rumor the Quarry was toxic and now it is gaining traction as a popular SCUBA diving attraction. This is good for SCUBA divers from Ballina to the Gold Coast who get seasick and can't go on boats but still want to do a 'deep' dive. Depending on the depth and type of dam, the council may even be able to allocate a section of dam for SCUBA diving as Queensland Dams allocate sections for watersports such as rowing.

I think the dam is a fantastic idea for a number of reasons.

Regards,

Daniel Patterson.



**Regional water Supply Strategy 2060-Submission opposed to the 2021 Strategy- Forster Rayward- 16 Gilmore Close, Wollongbar,2477**

I am writing to express my concerns at the approach RCC is taking in fulfilling its charter to provide a safe and secure bulk water supply to its constituent Councils and the communities all represent.

After many years of investigations and studies into what could provide that safety and security, RCC came to the conclusion that the preferred solution needed to be based around a new dam downstream of the existing Rocky Creek Dam that would be filled by overflows from Rocky Creek during wet periods and called on as required to meet demand during dry periods.

The yield provided by the new dam would be combined with ongoing enhanced demand strategies and, in the period required to complete the studies, community consultation, obtain approvals and to construct the new dam (2021 to 2029), the increase would be met by RCC reaching agreement with Ballina Council by Dec'20 to take over that Council's facilities on the Alstonville plateau and to upgrade the Marom Creek WTP and extract groundwater from deeper and enhanced bores.

If that agreement could not be reached with Ballina Council by December 2020, the strategy was to gain the increase in yield between 2021 and 2029 by taking over the Woodburn bore system, constructing a new WTP and enhancing the number and location of the Woodburn bores.

The 2020 strategy made it very clear that in regard to using groundwater-

**Question -** *Will the use of groundwater for town and water supply impact on agriculture and surface water, such as streams and rivers?*

**RCC answer-**

*At this stage, use of groundwater for town supply is not considered a viable option to meet all the region's needs. This is due to water quality, reliability and costs. If groundwater does form part of the region's future water sources, then we will undertake robust local hydrogeological assessments of aquifers and any potential connectivity with Groundwater Dependent Ecosystems (GDEs) and surface water streams and rivers.*

**And-**

*Despite initial thoughts that a groundwater scheme was a viable and cost-effective option, the previous 5 years of extensive investigations have determined limitations to the groundwater option. The water quality of most aquifer locations was determined to be poor with high salinity. This means increased costs to treat the water and less water availability. The groundwater scheme would not provide a sufficient volume of water to meet demand in 2060.*

*If by December 2020 the Marom Creek Water Treatment Plant option is not able to be secured, the development of the Woodburn coastal sands groundwater scheme will progress.*

The impression given by RCC to those who may have read the strategy was that using the Alstonville plateau or Woodburn bores was a stop gap measure until the new dam was in operation.

RCC would be aware that this concern about the viability of groundwater options is why Kempsey Council and Mid Coast Water are currently considering increasing their dam capacity by raising the Stuart McIntyre Dam (Kempsey) and building a new dam on Peg leg Creek (Mid Coast Water) as yield from their respective bore systems is no longer achieving expectations in dry periods.

RCC sought feedback on its 2020 strategy but gave its community no indication that any negative comments could result in the proposed strategy being changed before the required additional studies and a region wide community consultation process could be put into play to address any concerns the feedback may raise.

RCC sought this feedback knowing that a new dam had been a contentious issue in the region for more than 30 years, so such negative feedback should have been expected and the strategy RCC presented appeared to understand that as it was based on getting all feedback and addressing that as it moved forward to complete studies towards gaining the required approvals.

One of the challenges for any organisation in determining whether or not it has broad community acceptance to a proposal is being able to attract their interest sufficiently to get them to even respond to what is being proposed.

Often the 80/20 rule applies- 80% of the community don't even know what is being proposed while 20% will have different levels of understanding of what it might be with those who support the proposal remaining mostly silent while those opposed take the opportunity to reject the strategy.

RCC's decision to stop any further work on the new dam based on the negative feedback to their 2020 strategy has set a very dangerous precedent.

The overwhelming majority of Alstonville plateau residents had no idea that the groundwater resources on the plateau were even a part of the 2020 strategy, and, without any consultation, now find that they are the centre piece of the 2021 strategy even though all of the concerns RCC expressed about the use of groundwater in 2020 still apply in the 2021 strategy.

In fact, RCC appear to have moved from using the groundwater until a new dam is operational to now proposing the use of groundwater as a permanent supply for the next 40 years and beyond.

By appeasing one group of opponents to its 2020 strategy, RCC have created the same problem with the Alstonville plateau community who can be expected to express strong opposition to a proposal that simply cannot guarantee what the effects will be on the plateau even after extensive further studies and trials.

Will RCC consider this new opposition and, as it did with the opposition for the new dam, will it accept that opposition as making the use of the Alstonville plateau unviable and develop a new strategy based only on the Woodburn groundwater and the proposed new Tyagarah groundwater source as the primary way of increasing the required yield and bring forward the need for desalination and potable reuse?

Did RCC achieve the agreement with Ballina Council required by Dec'20 to take over the plateau water supply infrastructure as required in the 2020 strategy or is that no longer a constraint to the new strategy?

As stated by the RCC in the 2020 strategy-

*'Building a new dam is not a decision to be taken lightly so we want to ensure we effectively explore and understand the social, environmental and economic factors.  
If a decision is made to build a dam, planning, design, design, approvals and construction may take up to nine years to complete.'*

These are wise words and indicated the start, not the finish, of the hard road ahead for RCC to reach a level of knowledge and understanding, including the views of its whole community, to enable a decision for or against a new dam.

As stated in the 2020 strategy-

*"The first step of the plan is to maximise the benefit of the existing Ballina Shire Council owned Marom Creek Water Treatment Plant and better utilise the existing groundwater resources on the Alstonville plateau.*

*While these **short-to-medium-term** demand needs are being met through groundwater sources, the planned second step, the Dunoon Dam project, **will be** progressed through further detailed investigations to determine its prospects for approval."*

RCC had the opportunity to follow its own words and progress the further detailed investigations but, for whatever reasons, has chosen a new course which does not provide any certainty beyond 2040 and which is reliant on unproven groundwater sources that will be required to operate for the next 40 years and beyond.

**I oppose the 2021 strategy and ask that RCC revert to what they said they would do in their 2020 strategy and allow the “further detailed investigations to determine its prospects for approval.”**

Those studies must be supported by a proper Community Consultation Program with dedicated resources and availability to meet with all community groups who want to hear about the ongoing developments and to ensure all “alternatives” raised are properly and transparently examined and reported back progressively to the community.

**2021 RCC Preferred option can be described as-**

**Current** -2021 to 2025 – demand management (continues up to and beyond 2040).

**Stage 1** – 2025 to 2029- Marom Creek WTP and Alstonville groundwater (continues up to and beyond 2040).

**Stage 2** -2030 to 2040 – Tyagarah Groundwater Scheme 1. (continues up to and beyond 2040).

**Stage 3** – 2040 and beyond- Stage 1 and 2 continue but from 2040 on the preferred solution is based on a flexible approach that will consider any option that is environmentally acceptable, socially acceptable and affordable.

In essence, RCC will have 20 years to see if it can find solutions that its community is prepared to live with.

This assumes that the groundwater solutions will achieve sustainable quantities of groundwater while climate change continues and there will be less surface water runoff for recharging the aquifers.

There are no indications of costs to end users apart from the RCC GM advising on radio that all options in the 2021 strategy would be more expensive than the 2020 strategy.

**Conclusion**

The only RCC option that has a high chance of being successful is the ongoing demand management strategy.

The groundwater options rely on it being found and extracted in the volumes required over extensive periods of time assuming they will be recharged (either naturally or in part in the future using treated wastewater).

At the moment that is unproven and will only be proven when it is put into operation and can be monitored over a long period of time. As a long-term solution, it should be classified as “high risk”.

After 2040, 20 years from now when all current decision makers are no longer present, RCC have the task of finding further yield quantities to meet the next 20 years to 2060 and then beyond

During all of this, each constituent Council has the challenge of only approving further development if it can guarantee a secure and safe water supply to new developments and the first trigger point appears to be no later than 2026 when the increased yield from Demand Management can be demonstrated as real or otherwise.

RCC knows that under Basix and, in the case of Ballina Council their efforts to install highly treated wastewater for non-potable use, that its constituent Councils have a key role in reducing demand from the RCC bulk supply.

That should fall under Demand Management and constituent Councils should be funding and installing such systems to best satisfy their communities.

That is a high cost and high impact on rate payers but unless the constituent Councils start that in earnest, increases in yield from Demand Management will not achieve what is expected by 2040.

The communities that RCC serves need to be told that as a part of the RCC 2021 strategy so the real cost impacts of not building a new dam can be properly understood and be considered by the whole community.

It is difficult not to conclude that RCC has chosen to “kick the can down the road” and leave future generations to struggle with either finding new sources or limiting/stopping development.

And the fact that previous decision makers “bit the bullet” and decided building Rocky Creek Dam was the best outcome for not just their generation but for future generations, allows today’s decision makers the opportunity to start with a known base yield in planning for the next 40 years.

Our grandchildren in 40 years from now may well wish they were starting with a known yield from both Rocky Creek and Dunoon Dam as they try and resolve the years beyond 2060 with whatever technology can help at that time and when the need for more storage will arise yet again.

The 2020 preferred option was based on sound scientific reasoning developed over many years and deserved to be explored through further development and proper consultation with all affected stakeholders.

The 2021 preferred option now asks the community to accept what was not considered the right solution in 2020 but, a year later, now provides a way forward that may or may not work and cannot guarantee a secure water supply for the Region RCC serves.

The opposition to the new dam expressed in the 2020 survey may well be equalled by opposition to groundwater schemes at Alstonville, Tyagarah and Woodburn in this latest survey.

**I conclude by stating again - I oppose the 2021 strategy and ask that RCC revert to what they said they would do in their 2020 strategy and allow the *“further detailed investigations to determine its prospects for approval.”***

Forster Rayward

[REDACTED]

[REDACTED]

**From:** [Chris Moran](#)  
**To:** [Records](#)  
**Cc:** [Marian Pentecost](#)  
**Subject:** Future Water Project 2060 plan.  
**Date:** Tuesday, 27 April 2021 11:54:17 AM  
**Attachments:** [Submission to Rous Water re.doc](#)

---

**CYBER SECURITY WARNING** – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Please accept this as a submission regarding the above plan.

Chris Moran





I am fully and unconditionally supportive of the proposed Dam at Dunoon. I think it is wonderful that we are having discussions about what is best for our future community. According to the North Coast 2036 regional plan 2017 we are looking at a population growth of 76,200 and an additional 46,000 houses and this information pre-dates the influx of population to the area since the global Pandemic.

I do not see why we cannot be water conservative and also provide water security for our region through an environmentally constructed dam at Dunoon.

It is greatly concerning to me initially that when I look on the <https://rous.nsw.gov.au/future-water-for-our-region> website. Under the subheading : What has been done?

“In line with recommendations, RCC has adopted, and has commenced implementing, an enhanced Demand Management Plan?”

Then when I click on the link: [Demand Management Plan](#). The link goes nowhere!

It also states on the website:

*“Since 1995, our region has reduced individual water consumption by 50%. Our plan incorporates a continuation of that reduction via a suite of measures. Moving forward, these ongoing efficiency measures can go on to secure a further 15% reduction across our communities in the long term.”*

In this time frame we have been through three major droughts where high level water restrictions have been in place including “Odds and Evens”. If it is assumed that this level of water conservation is considered acceptable by the community. I believe that the decision makers have unfortunately lost touch with our Community of water users. To exasperate this, there is an expectation that users will reduce their water use further. Now I am an active member of our community and at no time has it been stated that for the next 40 years we will have these restrictions in place. I believe if this was announced then you would see how uncomfortable our local community is with water restrictions unrealistic long term water restrictions.

When I read the ‘Dunoon Dam Terrestrial Ecology Impact Assessment’ I find under the subheading: Whether or not the proposal is likely to accelerate the extinction of the species, population or ecological community or place it at risk of extinction:

*“Given the occurrence of many of the species and communities identified within nearby conservation areas, the proposed dam is unlikely to accelerate the potential for extinction for these threatened entities within the region. Given that the proposed dam, should it proceed, may also improve the existing habitat within the buffer area and linkages to conservation areas, it may also provide some benefits to promote the movement and available habitat for such species.”*

This fills me with enthusiasm for the process by which we can improve our local environment to specifically target improved habitats for our local Flora & Fauna.

I also believe firmly that if we are to instil a passion for our local environment in our local community as well as inspire the future community members. It is vital that the community actively engaging with it.

I quote Richard Rogers:

*"The only way forward, if we are going to improve the quality of the environment, is to get everybody involved."*

You only have to spend some time at the Dorroughby Environmental Education Centre to know the wonderful impact Rocky Creek Dam has on educating our community on the environment. This could become insignificant when we see the potential engagement and education that could take place at Dunoon Dam. This could exponentially impact on improving our environmental future in the Northern Rivers.

I would like to conclude with a simple thought:

Since the 1990's all councils regardless of their political allegiance have worked together to get us into a position where we can secure water for our future community. Just knowing that should tell you that this is a worthwhile purpose. Please ask yourself what the innumerable number individuals, who have worked so hard to get us to the position we are in today, would say to know that for lack of vision we stumble and fall. I would ask you to consider what you would like your legacy to be. As a public servant I believe you should have a legacy where people look back in time and marvel at what was you have done in their past to put us in such a wonderful position today. Please make the right decision for all our future selves.

**From:** [Phillip Meehan](#)  
**To:** [Records](#)  
**Subject:** Future Water Project 2060  
**Date:** Wednesday, 28 April 2021 4:09:13 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear Rous Council,

My husband and I have 13 years of experience as elected Local Government Councillors in Ballina Shire. Myself for 8 years and my husband for 5 years. Phillip continues as a current Councillor for Ballina Shire Council. While a Councillor I was also elected to the board of Rous Water for 4 years and was Chairperson for two years.

We **REJECT** The Future Water Project as exhibited currently.

We write, greatly concerned about water security in our Rous County Council region, Ballina, Lismore City, Byron and Richmond Valley.

Extensive professional studies have shown, with our burgeoning population and climate change, water security is in immediate peril. Although, ironically we live in the wettest area of NSW.

Since 1995 and reaffirmed by 4 successive Rous County Councils **Dunoon Dam** has been considered part of consideration for water security for the region along with demand management, (already down by 50%), groundwater, recycled water and desalination.

Councillors say their decision was based upon a response of 1200 people to the exhibition of the Future Water Plan (where staff recommended including Dunoon Dam) for consideration.

Our current population serviced by Rous water is 120,000 people.

When offered a plebiscite or referendum at the NSW Local Government election in September to truly gauge the populations opinion the Rous Councillors declined.

Currents studies show that demand will exceed supply by 2030!!!

This is SO important.

While some preliminary studies are complete, the body of investigation remains. This is including liaison with the peak Indigenous group Ngulingah

Land Council. We should at least try to negotiate some extremely positive outcomes which would benefit the wider Indigenous community.

The land for the dam, (already purchased) mainly using the Headworks Contributions Plan under EP&A Act S.64. is generally degraded ex-dairy farm. It does however include a small % section of rainforest and some koala thoroughfare trees.

The compensatory and offset planting caters for a 10 fold improvement in habitat for all flora and fauna. Indeed Rocky Creek Dam, our current major water supply is testament to Indigenous people and the regeneration commitment of our community.

The dam is sited below Rocky Creek Dam on the same water course and would collect the overflow in times of rain for storage. It is relatively small at 50 gigalitres and will cover an area of 50 square kilometres.

We urge you to understand and respond responsibly to what is happening in our area and ask you ensure that you listen to Rous staff when researching and learning about what is happening and what is at stake.

We need WATER SECURITY

Yours Sincerely

Mrs Susan Meehan  
Cr Phillip Meehan

[REDACTED]  
[REDACTED]

**From:** [Phillip Meehan](#)  
**To:** [Records](#)  
**Subject:** Future Water Project 2060  
**Date:** Wednesday, 28 April 2021 4:09:13 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear Rous Council,

My husband and I have 13 years of experience as elected Local Government Councillors in Ballina Shire. Myself for 8 years and my husband for 5 years. Phillip continues as a current Councillor for Ballina Shire Council. While a Councillor I was also elected to the board of Rous Water for 4 years and was Chairperson for two years.

We **REJECT** The Future Water Project as exhibited currently.

We write, greatly concerned about water security in our Rous County Council region, Ballina, Lismore City, Byron and Richmond Valley.

Extensive professional studies have shown, with our burgeoning population and climate change, water security is in immediate peril. Although, ironically we live in the wettest area of NSW.

Since 1995 and reaffirmed by 4 successive Rous County Councils **Dunoon Dam** has been considered part of consideration for water security for the region along with demand management, (already down by 50%), groundwater, recycled water and desalination.

Councillors say their decision was based upon a response of 1200 people to the exhibition of the Future Water Plan (where staff recommended including Dunoon Dam) for consideration.

Our current population serviced by Rous water is 120,000 people.

When offered a plebiscite or referendum at the NSW Local Government election in September to truly gauge the populations opinion the Rous Councillors declined.

Currents studies show that demand will exceed supply by 2030!!!

This is SO important.

While some preliminary studies are complete, the body of investigation remains. This is including liaison with the peak Indigenous group Ngulingah



Land Council. We should at least try to negotiate some extremely positive outcomes which would benefit the wider Indigenous community.

The land for the dam, (already purchased) mainly using the Headworks Contributions Plan under EP&A Act S.64. is generally degraded ex-dairy farm. It does however include a small % section of rainforest and some koala thoroughfare trees.

The compensatory and offset planting caters for a 10 fold improvement in habitat for all flora and fauna. Indeed Rocky Creek Dam, our current major water supply is testament to Indigenous people and the regeneration commitment of our community.

The dam is sited below Rocky Creek Dam on the same water course and would collect the overflow in times of rain for storage. It is relatively small at 50 gigalitres and will cover an area of 50 square kilometres.

We urge you to understand and respond responsibly to what is happening in our area and ask you ensure that you listen to Rous staff when researching and learning about what is happening and what is at stake.

We need WATER SECURITY

Yours Sincerely

Mrs Susan Meehan  
Cr Phillip Meehan

[REDACTED]  
[REDACTED]

**From:** [Ed and Denise Bennett](#)  
**To:** [Records](#)  
**Subject:** Future Water Project 2060  
**Date:** Friday, 28 May 2021 1:53:40 PM  
**Attachments:** [Dunoon dam.docx](#)

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

**From:** [Helen](#)  
**To:** [Records](#)  
**Subject:** Future Water Project Feedback  
**Date:** Thursday, 27 May 2021 3:58:26 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear Rous County Council folk,

first, thank you for beautiful clean water. I don't consume your water often as I live on a farm and we harvest our own water but when I do it's great.


Also thank you for the many years and much effort in revegetating the existing dam surrounds.

Regarding future water supplies. Obviously it would be great if everyone could capture and their own water in sufficient quantities to provide for their needs but realise the many constraints that come with this including the limitations that people cause.

I am totally against further extraction of ground water and also destination. Both of which are likely to cause sever long term environmental problems.

Yes, there are environmental considerations with the below Dunoon dam but these are not huge. The great majority of vegetation to be drowned is Camphor laurel and other weed infested forest, grazing and and pecans. It may be that a small amount of native forest, including some which is rare in this area but common just down the road but the plantings that have already taken place above the water level and will continue to be expanded will more than make up for this.

Yours sincerely  
Helen Robinson



Future Water Project Feedback  
PO Box 230  
Lismore NSW 2480

13 May 2021

RE: Submission against Future Water Strategy 2060

We are writing to express our strong objection to the exhibited Rous Water *Future Water Project 2060*, for the reasons outlined below. In particular, we object to the removal of the Dunoon Dam as an option for future water security.

It is understood that four successive Rous County **Council's** voted for, and reaffirmed, the Dunoon Dam policy between the years 1995 and 2014. Yet in 2020, the current Councillors have vetoed any further consideration of the dam as a part of the future water strategy for the region; a decision apparently based largely on 950 submissions received against the proposal. This number of people is not representative of the 110,000 people who are serviced by Rous Water currently and it is well-known that those against a proposal are far more likely to respond than those in favour.

It is important to note the Tweed Shire example where public submissions against a new dam at Byrill Creek resulted in removal of this option from consideration for securing the Tweed future water supply, yet the current proposal to raise Clarrie Hall Dam wall will result in greater ecological impacts than would have occurred at Byrill Creek. **It is considered that impacts from RCC's proposed groundwater extraction is likely to invoke equal or greater ecological impacts than the Dunoon Dam.**

Exhibition documents indicate that a new water source will be required for the region from 2024, yet still more reports and documents continue to be commissioned by RCC at great expense, with no action forthcoming toward this goal, while all options continue to increase in capital costs.

We are in favour of demand management, greater use of rainwater tanks and potential for reuse water for outdoor and toilet use, with potential use of groundwater as an emergency measure. However, none of these options will secure a suitable clean drinking water supply of sufficient quantity to meet the future demand.


#### 1. Terrestrial Ecology and protected land at Byron Bay

The terrestrial ecological report (SMEC 2011) has shown that approximately 80% of the land which would be inundated by the Dunoon Dam is cleared former farmland and areas with a very high density of weeds, with only 20% being vegetated. No indication of how much of this vegetated area is of High Environmental Value is given. The report concluded that a Significant Impact is likely to occur for nine threatened rainforest species of lowland rainforest and the habitat of threatened fauna species, including the Koala, and this is not disputed. However, since the report was commissioned in 2011, the analysis against relevant environmental legislation is out-of-date, referring to the *Threatened Species Conservation Act 1995*, which has now been replaced by the *Biodiversity Conservation Act 2016* (BC Act). Triggers to refuse developments are now based on Serious and Irreversible Impacts under the BC Act, yet no assessment of the relevant criteria is available.

It is irresponsible to consider in detail potential ecological impacts at the proposed Dunoon Dam site yet omit any consideration of impacts at the preferred groundwater extraction site at Byron Bay. The proposed siting of extraction and desalination facilities adjacent to the Wastewater Treatment Plant (WWTP) in Wallum Place must consider that:

- All of the Byron WWTP land adjacent the existing (and now proposed) infrastructure is a designated Biobank Site (now known as a Biodiversity Stewardship site under the BC Act), protected for conservation in perpetuity on the land title (see Figure 2 below). This land was set aside as compensation for loss of wetlands resulting from the Byron Bay Bypass project. All of the vegetation to

be protected, restored and monitored in perpetuity on the Biobank site consists of Freshwater Wetlands, Swamp Oak and Swamp Sclerophyll communities, known to be dependent on groundwater for their continued survival and health. These communities also include Swamp Mahogany *Eucalyptus robusta*, a known Preferred Koala food tree listed under state policies and in the *Tweed Koala Plan of Management*. Insufficient information is available to determine what impacts will occur to these communities as a result of groundwater extraction, particularly in dry times when the extraction is most likely to be required. Over-extraction is highly likely to lead to saline intrusion of oceanic water into the sand-based aquifers and consequential deleterious effects on these important Endangered Ecological Communities. Along with NSW BC Act listings of these three communities, Swamp Sclerophyll Forest has recently been nominated for Commonwealth protection under the EPBC Act.



- Tyagarah Nature Reserve is a protected area of National Parks estate, containing the above-listed communities as well as wet heathland, regarded as over-cleared in the relevant Mitchells Landscape. The drawdown effect of groundwater extraction in drier times must be modelled and considered in relation to the impact on these communities. Overall, the ecological impacts of the proposed groundwater extraction in the preferred location are considered likely to be equal or greater than those listed for the proposed Dunoon Dam.



- The report takes no account of proposed offsets and their ecological value in replacing values lost to flooding. Well-managed rainforest plantings with the correct local mix of species can form sufficient cover to significantly reduce weed maintenance within two years and form a low canopy at five years with values increasing over time. Rocky Creek Dam was originally largely cleared land, yet rainforest planting and restoration efforts initiated by Ralph Woodford have resulted in the area now classified as **High Environmental Value 'Identified Rainforest'** on the Biodiversity Values Map, with the renowned Big Scrub Rainforest Day held there over many years. Victoria Park is another similar example. Planting of Koala habitat on the Tweed and Byron Coasts has provided documented Koala use of the planted trees at 2 years (in some cases one year), since Koalas are seeking fresh pick. Should the Dunoon Dam proceed, planting and restoration of offset and buffer areas could commence immediately so that minimum habitat values are replaced before loss is incurred.
- The report does not consider the habitat values provided by a large body of water for aquatic species such as freshwater turtles and water birds and waders such as the threatened Comb-crested Jacana. Dead trees provide important perch sites for waders as well as raptors.

## 2. Groundwater extraction

As discussed under the previous heading, groundwater-dependent ecosystems require detailed consideration prior to selecting a suitable groundwater extraction site. For this reason, the preferred Byron Bay site is considered unsuitable. Restricting the extraction volumes would largely defeat the purpose of the infrastructure and not result in sufficient available additional water to meet future demand. Other sites such as Wardell have shown water quality to be an issue, with high levels of iron and carbon dioxide to be dealt with. Extraction from the Alstonville plateau means competing with agriculture such as our highly successful Macadamia industry.

While the Dunoon Dam would require a high initial capital cost, the water treatment and reticulation infrastructure is largely available in the locality, and significant additional capital and ongoing maintenance costs are unlikely to be high once the dam is constructed. Capital costs for groundwater extraction and to remove salt or other substances out of the water are high and ongoing for a resource that is unlikely to supply the required quantity of water needed for future growth to 2060. Desalination brings the additional expense of brine disposal, a pollutant if released back into the environment.

## 3. Potable Reuse

Reuse water for use in flush toilets, on the garden or such areas as golf courses is supported. Locally, uptake to date has been low due to our high annual rainfall, less water being available (due to water restrictions) in times of drought when it would be most beneficial, and the cost of piping the water to suitable sites.

Potable reuse water for drinking and showering would be a hard sell to the local community because of the danger of a pollution event and the inability to filter out endocrine disruptors such as antibiotics and hormones. Covid19 has been found in sewerage treatment plants and the ability of technological innovations suitable to filter out such viruses is unclear. Toowoomba was offered potable reuse water some eight to ten years ago and was resoundingly refused by the community.

## 4. Cultural Heritage

From the documentation available, Aboriginal Cultural Heritage matters do not appear to have been sufficiently studied to **provide concrete information as to the particular importance of the Dunoon Dam site for first nation's peoples**. Similarly, this has not occurred for other sites with potential impacts. Whilst this is a very important issue, preservation of the surrounding catchment and potential for collaboration with Aboriginal people to provide educational and custodian roles on the site should be explored.

## Conclusion

**It is recognised that provision of a reliable, safe, clean water supply for the region's** growing population is a complex issue, made more difficult by differing views of stakeholders and the community, including the inability to engage everyone potentially affected.

All the vital information has been completed for the Dunoon Dam proposal, including engineering, geotechnical, ecological and hydrological studies, at a substantial cost. All the studies indicate the dam is feasible and could be commenced in the short term. We consider that the once-off impact of the Dunoon Dam, if carefully managed, and with large offset areas protected in perpetuity and revegetated prior to construction, along with minor groundwater extraction, continuing demand management and reuse water used outside and for toilets is the only viable option for securing sufficient water and water quality for the future.

Signed

Sandy Pimm, Ecological consultant B.App.Sc, MEnvPlan, GradCert IWM, Cert IV CLM (NAR) .  
Monica Pimm, former member of the Future Water Strategy 2060 Project Reference Group 2011 to 2014.

**From:** [richard and maree white](#)  
**To:** [Records](#)  
**Subject:** Future Water Project  
**Date:** Wednesday, 26 May 2021 9:39:52 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Hi,

As Robert Mustow has pointed out there are still further details regarding a dam to be considered.

This region has already rejected gas exploration, one reason being the threat to the aquifers. Along the coastlines of certain countries, such as [Libya](#) and Israel, increased water usage associated with population growth has caused a lowering of the [water table](#) and the subsequent [contamination of the groundwater with saltwater](#) from the sea.


Some future climate models predict longer dry periods and more intense but shorter wet periods. Capturing these deluges will be important.

New housing, commercial and industrial developments should be able to capture storm runoff and also utilise recycled water and councils should react more quickly to introduce water restrictions

**Overall I believe the evidence is pointing to a combination of recapture, recycle, a dam to capture reduced water periods and land acquisition for possible desalination plants.** - It should NOT touch the aquifers, and we should definitely NOT even consider forcibly recharging aquifers

regards

Richard White



**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** Future Water Strategy - Objection to desalination site  
**Date:** Thursday, 27 May 2021 8:26:04 AM  
**Attachments:** [image001.png](#)  
[Future Water Project Feedback\\_submission.pdf](#)

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Sandy Pimm  
Director



EarthScapes Consulting Pty Ltd



**From:** [Records](#)  
**To:** [Phillip Rudd](#)  
**Cc:** [Noeline Smith](#)  
**Subject:** FW: Attention: Phillip Rudd General Manager  
**Date:** Thursday, 20 May 2021 1:18:02 PM  
**Attachments:** [20210519 - Rous County Council Future Water Project 2060 May 2021.pdf](#)

---

Records

*Rous County Council is a supporter of flexible working arrangements. If you receive an email from me outside of normal business hours, it is not my expectation that you read, respond, or follow up on this email outside your hours of work.*

---

**From:** Annabelle Toohey [REDACTED]  
**Sent:** Thursday, 20 May 2021 1:15 PM  
**To:** Records [REDACTED]  
**Subject:** Attention: Phillip Rudd General Manager

**CYBER SECURITY WARNING** – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Morning

Please find attached correspondence from Simon Stahl, CEO The Casino Food Co-op for Phillip Rudd, General Manager.

We would appreciate acknowledging receipt.



This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the system manager. Please note that any views or opinions presented in this email are solely those of the author and do not necessarily represent those of the company. Finally, the recipient should check this email and any attachments for the presence of viruses. Northern Co-operative Meat Company Ltd accepts no liability for any damage caused by any virus transmitted by this email.

---

Message protected by MailGuard: e-mail anti-virus, anti-spam and content filtering.

[REDACTED]



**From:** [REDACTED]  
**To:** [REDACTED] [Records](#)  
**Subject:** Fwd: Fwd: Fwd: DUNOON DAM SUPPORT PETITI  
**Date:** Friday, 23 April 2021 1:55:19 PM

---

Revised Draft Integrated Water Cycle Management (IWCM) Strategy

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Thelma Doody

Address: [REDACTED]

Reasons:

We desperately need water now and for the future. Stop listening to the minority greenies

**From:** [Phillip Silver](#)  
**To:** [Records:](#) [REDACTED]  
**Subject:** Fwd: Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 25 May 2021 12:03:02 PM

---

Resent because first message did not send

Sent from my iPad

Begin forwarded message:

**From:** Phillip Silver [REDACTED]  
**Date:** 24 May 2021 at 9:49:22 pm AEST  
**To:** council@rou.s.nsw.gov.au  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Phil Silver

Address: [REDACTED]

Reasons:

Ground water is a scarce, over allocated resource with massive ecological impacts on surface streams and ecology.

The other stated sources of reuse are not environmentally or financially possible.

We were told in the Public Exhibition last year that water demand will exceed supply by 2060 ( now 2024).

Phil Silver

**From:** [Pete Irwin](#)  
**To:** [Records](#)  
**Subject:** Fwd: Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 28 May 2021 2:16:26 AM

---

Get [Outlook for Android](#)

---

**From:** Pete Irwin [REDACTED]  
**Sent:** Saturday, 24 April 2021, 05:23  
**To:** council@rous.nsw.gov.au  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Peter Irwin

Address: unit [REDACTED]

Reasons: as above

Get [Outlook for Android](#)

General Manager  
Rous County Council

[REDACTED]  
[REDACTED]

Dear Sir

**Re: Revised Draft Integrated Water Cycle Management (IWCM) Strategy**

I wish to register my objection to the Revised IWCM document which promotes the use of aquifers, desalination and toilet to tap recycled water as a permanent water supply source for the Rous grid population into the future.

Our region is the wettest area in the NSW and Lismore the most flood affect town in Australia. Following the devastation of the 2017 flood and the 2018/19 drought I have had considerable interest in all aspects of water within our Richmond and Wilsons river catchments.

Each of the proposed options has challenges, issues and a variety of timelines such as Environmental, Indigenous Cultural Heritage, Regulatory Approval, Logistical Constraints, Social License, Political Will, Intergenerational Equity & Costs. Some are harder to overcome than others.

**AQUIFERS:** It is inconceivable that groundwater use at Tyagarah, Newrybar, Alstonville and Woodburn is being considered as a permanent water source for a growing population. It is well known that the Alstonville aquifer is already stressed and the environmental and ecological damage that would occur in and around the Tyagarah Nature Reserve and Simpsons Creek area would be environmentally devastating should a bore field be established.

It is surprising that the anti CSG protestors, Knitting Nannas etc. who were so vocal and demanding just a few years ago regarding the damaging aquifer impact in gas mining are now silent on the issue. How hypocritical that water mining of the aquifers across the region now seems to be quite acceptable to their ideological agenda.

**DESALINATION:** Any consideration of a desalination plant in the wettest area of NSW where almost 3 metres of rain falls annually is beyond imagination. The establishment and maintenance costs are considerable and the thought that it would be acceptable to place the inlet and outlet pipes into and out of the Byron Marine Park beggars belief.

And then the so called "environmentalists" propose that the plant could be run by solar and wind. A solar farm on some of the most expensive land in Australia and

windmills along Byron Bay beaches and near the Tyagarah nature reserve where birds nest..... I don't think so. Discussions with the Byron population show that there is no way that the desalination solution will be acceptable as an option.

DIRECT AND INDIRECT POTABLE RECYCLED WATER ie Toilet To Tap. The use of indirect recycled water is appropriate for agricultural, sporting and recreation fields etc. and certainly worthwhile in new residential developments. However, the cost and disruption caused by trying to develop such a system in existing urban areas would be prohibitive and almost impossible to achieve. Additionally it is my understanding that there is no storage facility currently available for this recycled water within the Rous grid. Does that mean that a dam would have to be built to store it???

Direct recycled water is not licensed to be used anywhere in Australia currently. During this community consultation period I have seen first hand the response of the community to this option. There is no doubt that it does not "pass the pub test" in the eyes of the community and is definitely not acceptable to the Rous population.

Meanwhile whilst these discussions have been taking place, with the amount of rain that has fallen locally over the past four months, the overflow from Rocky Creek dam was sufficient to fill the proposed 50 gigalitre Dunoon Dam, effectively supplying sufficient water for at least a four year prolonged drought period.

## COSTS

If not funded by State and potentially Federal Governments, then the chosen option must be paid for entirely by Rous itself. This means all costs will be directly passed on to our regional community.

Currently Rous charges each council \$1.78 per mg/l for water from the Rous supply sources. Each council then adds "costs" to charge water ratepayers:

Lismore:	\$4.09 kl (about to go up 8.5% making it the dearest water in Australia)
Byron:	\$2.80 kl
Richmond Valley:	\$2.57 kl
Ballina:	\$2.29 kl

The Revised IWCM document includes costings for aquifers, desalination and the dam but there are no costings for the recycled water option.

Using Rous and industry documents an approximate recycled water cost comparison gives the community an indication of the combined infrastructure and water production whole of life cost comparison of the four options to 2100.

- Toilet to tap recycled water      \$63,000 /ML
- Desalination      \$50,000/ML
- Aquifers      \$40,000/ML
- Dam      \$19,000/ML

No community will voluntarily be prepared to treble their water bill in the future.

#### GOVERNMENT FUNDING REQUIREMENTS

In recent weeks the following document [https://www.industry.nsw.gov.au/\\_\\_data/assets/pdf\\_file/0006/146931/integrated-water-cycle-management-strategy.pdf](https://www.industry.nsw.gov.au/__data/assets/pdf_file/0006/146931/integrated-water-cycle-management-strategy.pdf) has been brought to my attention. In particular the following checklist of dot points from the document should be noted by Rous councillors:

- #9 - consideration of all options including previously dismissed options
- #10 - evaluation and assessment of feasible options including lifecycle costs
- #12 - ranking of options
- #14 - seeking broad community feedback

Separately, reading of [https://www.industry.nsw.gov.au/\\_\\_data/assets/pdf\\_file/0009/282699/Safe-and-Secure-Funding,-Assurance-and-Reporting-requirements.pdf](https://www.industry.nsw.gov.au/__data/assets/pdf_file/0009/282699/Safe-and-Secure-Funding,-Assurance-and-Reporting-requirements.pdf) will clearly show what is required to secure funding for any major water security project into the future. It is very evident that failure to demonstrate the inclusion of all options will mean there is no chance of the funding of any project moving forward.

#### CONCLUSION

For water security into the future the dam must be returned as a option and the land retained so investigation of all four options can continue. Please pass on my sincere thanks to the three councillors who voted for the dam to remain as an option.

The motion proposing to dispose of the Dunoon Dam land can only be described as an act of bastardry showing the level to which the five councillors who voted for it are prepared to stoop to achieve their personal, political and ideological agenda. They are elected and paid to make decisions regarding water security that are the most cost effect and in the best interest of the entire community. The dam must be returned as an option.

Yours sincerely



BETH TREVAN



26.05.21



**From:** [K Griff](#)  
**To:** [Records](#)  
**Subject:** I do not support parts of the Revised Draft Integrated Water Cycle Management Strategy  
**Date:** Friday, 30 April 2021 5:30:48 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville. Aquifer water levels change in similar ways to water flows like rivers so in periods of dry when more is being pumped out levels are bound to go down. And water quality in these systems will change over time. From a few people who have put in bores this ground water is very deep in some areas on the plateau making costs to access much higher.

I DO NOT support desalination (filtered seawater). I am concerned about how the salt removed is disposed of and the localised environmental effects. These kind of facilities are also power hungry and I haven't heard of any plans to convert power grids to renewable energy options locally?

But I DO support potable water reuse (toilet to tap) as drinking water. This is a massive resource that is currently wasted, the scientific advances in filtering and water treatment are well advanced for more widespread adoption and i am glad to hear this is being considered.

Additionally, town water is so cheap that it is no wonder most households don't take significant steps to reduce consumption.

Electricity and infrastructure costs to run rainwater into houses will also generally cost more that what it does to turn on town water.

Name: Karina Griffin

Address:



**From:** [Paul Farrington](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 11:47:11 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Paul Farrington

Address: [REDACTED]

Reasons: As above

**Paul Farrington**

CFP. Dip FP. JP.

**From:** [Office Our Future](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 10:59:46 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Richard Trevan

Address: [REDACTED]

Reasons: After considerable time spent looking in to implementing the proposed solutions in the revised draft IWCM Future Water Strategy it is my assessment they simply will not work. Once taken off paper and when real world constraints are applied these proposed solutions are non starters. Now and into the future.

In the December 2020 meeting that set this course in motion Rous County Councillors are on public record using “hope” and “burning the bridges behind us so there is no retreat” as justifications to propose this revised draft strategy.

The objective of this project is to fulfil the charter of Rous County Council and ensure the long term future Water Security of this region. The proposed solutions fail in this objective. It is of great disappointment that the expertise of the highly specialised technical consultants and the recommendations of the Rous County Council staff have been ignored by Councillors.

In consulting with many thousands of people from right across the region, from all walks of life and from across the entire political spectrum during this public consultation period it has become evident that the vast majority of people in the Northern Rivers overwhelmingly support the further investigation of the Dunoon Dam. Any attempt to listen to the broader regional community would amply demonstrated this fact.

That would require Councillors getting past delusions of grandeur, party politics, myopic perspectives and the confirmation biases that have distorted the Councillors perception of this issue.

The good hard working people of our region who are perennially forced to weigh up the pros and cons of each and every aspect of the decisions they make in life deserve much better.

**From:** [nitefall.nitefall01](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 10:52:19 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Brian

Address: [REDACTED]

Reasons: A dam is the most common sense option for water security. The landscape flows down with natural run-off but it could be walled up and provide a beautiful waterway for parks, tourism, as well as providing the region with additional water. Please reconsider this option in any future plans.

**From:** [marit schallert](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 10:08:11 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name: Marit Schallert

Address: [REDACTED]

Reasons: we need to protect Tyagarah Reserve as natural habitat.

Kind regards  
Marit Schallert

**From:** [Susan McDonald](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 9:47:32 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Susan McDonald

Address: [REDACTED]

Reasons: Letting precious fresh rain water run into the sea is ludicrous when we are constantly told to save water.

When will people understand that animals are a lot smarter than we are. As the dam fills with water the animals move to higher ground.

Water is the source of all life.

Sent from my iPhone



**From:** [Joel](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 9:30:15 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: J Kingston

Address: [REDACTED]

Reasons: We need to be able to sustainably grow and have a reliable water source, particularly in times of drought.

Sent from my iPhone

**From:** [Lesley Edwards](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 9:25:12 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Lesley Edwards

Address: [REDACTED]

Reasons:

As a community we need to be able to supply water to our town & surrounding areas.

Sent from my iPad

**From:** [Hayley Mclean](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 9:24:22 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Hayley Mclean

Address: [REDACTED]

Reasons: We need a long term solution to supply adequate water to our homes.

**From:** [angie.plint](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 9:19:04 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent on the go with Vodafone

**From:** [Douglas Haigh](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 9:16:10 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Douglas Haigh

Address: [REDACTED]

Reasons:

Water issues will become a priority resource in the future and we need to ensure a safe Water environment long term for our region

Regards

Douglas Haigh

**From:** [Brendan Hannigan- Fastspread](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 9:06:08 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Sharon Hannigan

Address: [REDACTED]

Reasons:

Get [Outlook for Android](#)



**From:** [PHIL Hilliard](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 8:53:54 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: phil Hilliard

Address: [REDACTED]

Reasons:

Sent from my iPhone

Sent from my iPhone

**From:** [Jaime Bowler](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 8:43:23 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:Jaime Bowler

Address:

Reasons: we need to secure our water future !!!!!?

**From:** [Lindy Hartley](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 8:37:47 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:Lindy Hartley

Address:



Reasons: This country needs more dams to collect free clean water to ensure water supply for drought times.

**From:** [Andrew](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 8:33:58 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Andrew Purtle

Address: [REDACTED]

Reasons: The new dam is the best option to provide water security for future generations.

Get [Outlook for Android](#)

**From:** [Nathan O'Brien](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 8:31:09 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Nathan O'Brien

Address: [REDACTED]

Reasons: Build the Dam to ensure our long term water supply it's that simple.

As a third generation farmer it is in everyone best interest. Do the right thing build dam

**From:** [Den Cutting](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 8:00:23 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Dennis Cutting

Address: [REDACTED]

Reasons: Best thing for the future of our area .

Sent from [Mail](#) for Windows 10



**From:** [Cavoodles Bordoodles](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 7:54:19 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Margaret Redford

Address: [REDACTED]

Reasons: The dam is the best option and probably the cheapest option.  
Ok

**From:** [Kayla White](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 7:49:54 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Masta Balkema](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 6:18:16 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Andrew le Noury

Address [REDACTED]

Reasons:

**From:** [Micheal Lynch](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 6:08:58 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Micheal Daniel Lynch

Address: [REDACTED]

Reasons: my grandparents are desperate for more water for there cattle and other livestock animals

**From:** [John Carroll](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 6:02:29 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

John carroll

Address:

[REDACTED]

Reasons:

The future of this area will greatly depend on fresh water

Not recycled water

And the growth of the area

Get [Outlook for Android](#)

**From:** [Renee Rickard](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 5:27:34 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: gavin snow

Address: [REDACTED]

Reasons: I don't agree with the rest of the options

Get [Outlook for Android](#)



**From:** [Gary Johnstone](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 5:13:00 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Gary Johnstone

Address: [REDACTED]

Reasons:

IMO

**From:** [Garry Handford](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 4:50:53 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from [Mail](#) for Windows 10

**From:** [Peter Boyle](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 4:30:35 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Peter Boyle

Address: [REDACTED]

Reasons: we need water

Sent from my iPhone

**From:** [Diane Cotroneo](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 4:16:51 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Diane Cotroneo

Address: [REDACTED]

Reasons: water is a most important commodity and should be in plentiful supply.

Sent from my iPhone

**From:** [Helen Maher](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 4:13:45 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Helen Maher

Address:



**From:** [Michael Try](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 4:05:12 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Michael Try

Address: [REDACTED]

Reasons:

Should of been done a long time ago for Lismore growth and drought plan

Sent from my iPhone

**From:** [Lisa Griffiths](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 3:59:10 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name: Lisa Griffiths

Address: [REDACTED]

Reasons: From my readings I believe harvesting the Tyagarah aquifer would completely destroy the Tyagarah Nature Reserve and with it the loss of habitat for so many of our endangered species of both flora and fauna and with that will come the loss of indigenous sites and heritage.



**From:** [Tyagarah Community Association](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 28 May 2021 3:55:10 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name: Mark Cass  
PUBLIC OFFICER  
Tyagarah Community Association

Address: [REDACTED]  
[REDACTED]

Reasons:  
TO WHOM IT MAY CONCERN!

I represent the vast majority of the Tyagarah Community

We do not support water harvesting of our Aquifers!

We do not support Desalination!

We do not support toilet to tap!

The Tyagarah area including Tyagarah Nature Reserve is an important part of Country to the Arakwal and to other Bundalung because it is a place of spiritual and cultural significance.

Please refer NSW National Parks & Wildlife Service Tyagarah Nature Reserve Plan of Management <https://www.environment.nsw.gov.au/-/media/OEH/Corporate-Site/Documents/Parks-reserves-and-protected-areas/Parks-plans-of-management/tyagarah-nature-reserve-plan-of-management-200158.pdf>

**From:** [Joe Howard](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 3:43:18 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Joe Howard

Address: [REDACTED]

Reasons: Cheapest and most environmentally friendly option for water security.

**From:** [Julie Youngberry](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 3:43:00 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Julie Youngberry

Address:



Reasons:

**From:** [Connor McDougall](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 3:33:17 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Connor McDougall

Address: [REDACTED]

Reasons:

**From:** [Alison Punch](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 3:30:29 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Alison Punch

Address: [REDACTED]

Reasons: I live in [REDACTED] and want to preserve the aquifer.

Thank you,

Alison

[REDACTED]

**From:** [Ben Lamont](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 3:29:27 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ben Lamont

Address: [REDACTED]

Reasons: Those set out by Richmond Valley Mayor Robert Mustow which I support

Sent from my iPhone  
Ben Lamont



**From:** [Mark Cass](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 3:28:43 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Mark Cass

Address: [REDACTED]  
[REDACTED]

Reasons: I live in [REDACTED] and I know how sensitive the ecological systems are in this area - particularly the National Park.

I think Rous will be playing with fire if they decide to mine the aquifers anywhere!

I do not support any of the above options and I would propose that the dam option be revisited.

NO AQUIFER HARVESTING IN TYAGARAH - PLEASE!

**From:** [Trudy Lamont](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 3:22:19 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

My husband and our family are Richmond Valley residents of 40+ years. We are a household of 5. We are also business owners in the town of Lismore and own our business premises there. Please take note of our support of the continuation of the use of Dunoon Dam above all other proposals.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Trudy Lamont

Address: [REDACTED]

Reasons: For those reasons set out by Richmond Valley Mayor Robert Mustow and published recently, of which we fully support.

Trudy Lamont  
[REDACTED]



**From:** [Luke Hoolihan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 3:19:05 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).


I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Luke Hoolihan

Address: 

Reasons: It is the right option.

**From:** [Chris Monckton](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 3:04:59 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Chris monckton

Address: [REDACTED]

Reasons: build the dam !!!!

Sent from my iPhone

**From:** [kzorzo56](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 3:00:40 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kevin Zorzo

Address: [REDACTED]

Reasons: Water security for our area and our community. Seems a handful of people seem to determine the future of our region, I've lived here all my life all I've seen is the minority groups (new comers) dictate our future

Sent from my Galaxy

**From:** [Hainee Pengelly](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 2:10:11 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Hainee Pengelly

Address: [REDACTED]

Reasons: Water being a precious resource, if we have the opportunity to capture it for our use & for future generations, we should be exploring the sensible option of building the dam in Dunoon.

Sent from my iPhone

**From:** [David Allan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 1:43:39 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:David Allan

Address:

Reasons:I WANT TO SEE

MORE EATER RETAINED BY DAM WATER NOT RECYCLED WATER THAT  
COULD BE HARMFUL TO MYFAMILY. I WANT NATURAL TASTING WATER

**From:** [Lucy Larsson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 1:35:14 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: lucy larsson

Address: [REDACTED]

Reasons:

Sent from my iPhone

**From:** [Lena](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 1:26:18 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Lena Wehrheim

Address: [REDACTED]

Reasons: I am very fortunate to live in a beautiful nature reserve with an abundance of wildlife and Native bush. Using the groundwater as a Permanent water supply will have enormous effects for the nature above it. Every option will have to meet some form of sacrifices but the impact of the current Options as alternatives are way bigger than the ones of a dam. Especially in the wet tree at region of the state and it's history of floods.



**From:** [edwina.hanrahan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 1:09:17 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Edwina

Address: [REDACTED]

Reasons:

Sent from my iPhone

**From:** [Danica Taylor](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 1:03:34 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Danica Taylor

Address: [REDACTED]

Reasons: supporting a new water source to sustain water security for the future.

--

DANICA :)

**From:** [Anthony Quinn](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 12:54:03 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Anthony quinn

Address: [REDACTED]

Reasons:

Sent from my iPhone

**From:** [Rita Field](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 12:42:54 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ronald Field

Address: [REDACTED]

Reasons:

So we have our water supply managed , not going out to sea.

Sent from my iPhone

**From:** [Rita Field](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 12:40:28 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Rita Field

Address: [REDACTED]

Reasons:

To make sure we manage our water supply

Sent from my iPhone

**From:** [bluediamonds](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 12:40:03 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Melissa Rizzo

Address: [REDACTED]

Reasons: Dams are essential for drought times. I refuse to drink recycled water.

Sent from my Galaxy

**From:** [Nae Nae](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 12:36:46 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager, Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy. As a permanent water supply source: I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville. I DO NOT support desalination (filtered seawater). I DO NOT support potable water reuse (toilet to tap) as drinking water. Additionally, I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region. Name: Address: Reasons: Build the bloody damm!

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 12:23:55 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jamie Priestley

Address: [REDACTED]

Reasons: common sense

Sent from my iPhone



**From:** [JAMIE Lavis](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 12:16:48 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: jamie Lavis

Address:

Reasons:

The area has grown the water supply need to grow. It pretty simple

Sent from my iPhone

**From:** [Tina Stephens](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 12:12:41 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Tina Stephens

Address: [REDACTED]

Reasons:

We need Dunoon Dam!

**From:** [Jennifer Allen](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 12:06:38 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name: jennifer allen

Address:

[REDACTED]

Reasons:

I disagree with the proposed water cycle management, all these proposals are not in the public health interest or environmentally sound.

Public health and environmental preservation need to be the primary focus of all Australian councils.

We the public who live here, work here and pay our rates need you to be heard.

Kind regards

Jennifer

Sent from my iPhone

**From:** [Julie Hannigan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 11:52:21 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Julie Hannigan

Address: [REDACTED]

Reasons: need more water back up for when in drought

**From:** [Matt Hanlon](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 11:40:44 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Matt H

Address: [REDACTED]

Reasons: we need better water security

Sent from my iPhone

**From:** [John Brown](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 11:39:57 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: John Brown

Address: [REDACTED]

Reasons: removing the option is absurd

Get [Outlook for Android](#)

**From:** [Maxine Mapperson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 11:24:53 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Maxine Mapperson

Address: [REDACTED]

Reasons: Build more Dams for future uses commercially and domestic.

**From:** [allan.monti](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 10:49:46 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

AllDear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Allan Monti

Address: [REDACTED]

Reasons: Future water security for a rapidly expanding population in our local area.

Sent from my iPad



**From:** [Stuart George](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 10:48:37 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Cheers Stu

Sent from my iPhone

**From:** [Kyle Mitchell](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 10:32:41 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

[Sent from Yahoo Mail on Android](#)

**From:** [gyan Moyes](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 10:31:06 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Christopher (Gyan) Moyes

Address: [REDACTED]

Reasons: I believe the proposed Dunoon Dam to be the best resolution to ongoing water needs. I do not think the environmental damage will be that large and will be offset by enhanced environmental controls in the catchment area. I do not want to see the aquifers tapped and think many problems will arise in that area. I also believe much of the opposition to the dam is from people who want to limit essential infrastructure in the area so as to be able to slow down development.

**From:** [Scott Walters](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 9:57:41 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Scott Walters

Address: [REDACTED]

Reasons: All options should be on the table when considering the best solution. Removal of the Dam based on voice of a vocal minority is idiotic and has major financial impact on all ratepayers.

**From:** [BHVC](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 9:37:58 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Catherine Choat

Address [REDACTED]

Reasons: I will not support this integrated Water Cycle Management Strategy, this will no doubt cause permanent environmental damage for this and surrounding areas.

**From:** [Denise Hughes](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 9:33:28 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Denise Hughes

Address: [REDACTED]

Reasons: this seems to be the best option to have the dam which was always the plan.

Sent from my iPhone

**From:** [BHVC](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 9:27:22 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name: Erina Leech

Address: [REDACTED]

Reasons: I do not agree with this this project as it will damage the the surrounding area for wild life

**From:** [Mike Blake](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 9:06:02 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Mike Blake

Address: [REDACTED]

Reasons:

I believe "Our Future Northern Rivers" have taken a sensible, pragmatic and a practical approach to this matter and I unequivocally support their partition to have work recommence on the Dunoon Dam option.



**From:** [Rod Sproule](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 8:50:34 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Rod Sproule

Address: [REDACTED]

Reasons:

Groundwater reserves are continually diminishing and are under severe pressure at today`s useage rates

We are a high rainfall area with much runoff at peak times during the year which would easily replenish dam supply rather than just letting water run out to sea

A new dam could potentially mitigate major flood impacts on Lismore generally if water levels in the dam were monitored and flow controlled

In the long term the dam option would definitely be the most cost effective option with the least ongoing cost to maintain infrastructure and effective operations

**From:** [Raelene Hopper](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 8:34:54 AM

---

**CYBER SECURITY WARNING** – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Raelene Hopper

Address: [REDACTED]

Regards  
Raelene

Raelene Hopper Managing Director

[REDACTED]

**From:** [Mal Eyeington](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 8:10:21 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Mal

Address:

Reasons:

Sent from my iPhone

**From:** [Wayne Huntley](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 8:10:11 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Wayne Huntley

Address [REDACTED]

Reasons: Future

Sent from my iPhone

**From:** [Sandra Walsh](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 7:50:44 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:Sandra Walsh

Address: [REDACTED]

Reasons:

PLEASE build the DUNOON DAM.

Do not sell the land that was bought for the DAM.

We did not have enough water in the Rocky Creek DAM during the drought.

Our region needs fresh clean water from the DUNOON DAM.

**From:** [Wes Hambly](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 7:49:34 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Norman Hambly

Address:



Reasons:

We need water reliability for the growing influx of new people to our area, doing nothing is insane

**From:** [suemcrae3](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 7:45:38 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Sue McRae

Address: [REDACTED]

Reasons: I believe the Dunoon Dam is the best option especially given the rainfall received in our area. I also feel more can be done by council by subsidising rain water tanks for each home to use for watering of gardens etc to preserve this precious commodity. Aquifers are not the best option. The dam is a renewable resource.

Sent from my Galaxy

**From:** [lindsay armstrong](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 7:40:06 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: lindsay armstrong

Address: [REDACTED]

Reasons:

Flood control and population increase water available

Sent from my Huawei Mobile



**From:** [Dee Bateman](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 7:38:54 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:  
Dee Bateman  
Address:



Reasons:

[Sent from Yahoo Mail on Android](#)

**From:** [Rankin Clocks And Watches](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 12:46:43 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Michelle Seiffert](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 28 May 2021 12:06:41 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Michelle Seiffert

Address: [REDACTED]

Reasons: Our population is increasing ten fold. We need a larger water supply & not desalination, bore water or recycled water.

Natural pure water from the sky is the healthiest & we deserve it.

**From:** [Ben Witton](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 11:29:24 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager, Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy. As a permanent water supply source: I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville. I DO NOT support desalination (filtered seawater). I DO NOT support potable water reuse (toilet to tap) as drinking water. Additionally, I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region. Name: Ben Witton Address: [REDACTED]  
[REDACTED] Reasons: Utilise and harvest what falls from the sky. Don't pay the ongoing costs associated with desal.

Get [Outlook for Android](#)

**From:** [Dereck Payne](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 11:01:34 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: D Payne

Address: [REDACTED]

Reasons: rain water is always the best option

Sent from my iPad

**From:** [Gai Newell](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 9:58:58 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Gai Newell

Address: [REDACTED]

Reasons: I believe the Dunoon Dam is needed for this area.

Get [Outlook for Android](#)

**From:** [SOL SOL](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 9:53:42 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from [Mail](#) for Windows 10

**From:** [Edda Witchard](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 9:43:41 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Edda Witchard

Address: [REDACTED]

Reasons: We need water security as more and more people are coming into the area.



**From:** [Kelven Singh](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 9:29:12 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kelven Singh

Address: [REDACTED]

Reasons:

**From:** [Stephen Allen](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 9:24:06 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: steve Allen

Address: [REDACTED]

Reasons:

The population is growing but the water supply is not we need more water storage

Sent from my iPhone

**From:** [jarred.wilson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 9:21:19 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jarred Wilson

Address: [REDACTED]

Reasons: I'm a 29 year old born and bread northern nsw and I grew up between, The Channon, Nimbin and Lismore, our current water source is possibly one of the most pristine and cleanest mains waters in Australia and to not increase the capacity for larger storage to reduce the amount of water shortages would be the wrong move, but to also increase the rebates supplied to tank water residents so that when we have the event of an extended drought the economic stress is decreased by people's means for clean, drinking water, thanks.

Sent from my iPhone

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 9:07:55 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager, Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy. As a permanent water supply source: I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville. I DO NOT support desalination (filtered seawater). I DO NOT support potable water reuse (toilet to tap) as drinking water. Additionally, I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region. Name: Address: Reasons: Sent from my OPPO A57 on the Telstra Mobile Network

**From:** [brett.porra](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 8:34:15 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Brett porra

Address: [REDACTED]

Reasons: dams work long term

Hi

**From:** [Luke Collings](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 8:30:40 PM

---

CYBER SECURITY WARNING - This message is from an external sender - be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Luke Collings

Address: [REDACTED]

Reasons: An abundance of common sense.

Sent from my iPhone

--

\*The information contained in the above e-mail message or messages (which includes any attachments) is confidential and may be legally privileged. It is intended only for the use of the person or entity to which it is addressed. If you are not the addressee, any form of disclosure, copying, modification, distribution or any action taken or omitted in reliance on the information is unauthorised. Views expressed are those of the individual sender, and not necessarily those of the Catholic Schools Office or Parish Schools within the Diocese of Lismore, NSW, Australia. If you received this e-mail message in error, please immediately notify the sender and delete the message from your computer.\*

**From:** [Nick Jones](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 8:11:16 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Nick Jones

Address: [REDACTED]

Reasons: am very concerned about future water security

Sent from my iPhone

**From:** [Tanya Jones](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 8:06:45 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Tanya Jones

Address: [REDACTED]

Reasons:

I believe that environmental and cost issues prohibit alternative sources of water security at the rate of current growth and future demands in the Northern Rivers.

Sent from Tanya Jones iPhone



**From:** [Darryl Carey](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 8:01:01 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Darryl Carey

Address: [REDACTED]

Reasons: no potable water

Sent from my iPhone

**From:** [Darryl Carey](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 8:00:05 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jessica McMaster

Address: [REDACTED]

Reasons: I do not wish to be drinking recycled toilet water

Sent from my iPhone

**From:** [John Condie](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 7:55:41 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: John Condie

Address: [REDACTED]

Reasons: as above. But look at the de-cel plant issue in SA.. the cost blow out and they don't use it as designed. Huge expensive problem

Sent from my iPhone

**From:** [Warren Garwood](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 7:54:06 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Warren Garwood

Address: [REDACTED]

Reasons: We need a reliable water supply for the growing region. It is my view that a new dam at Dunoon will go a long way to meeting the regions water supply needs

Sent from [Mail](#) for Windows 10

**From:** [Kim Mcleay](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 7:51:58 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: kim mcleay

Address: [REDACTED]

Reasons: We need a long term water solution that will not cost the already stretched and stressed rate payers in the rous water district. Water stability is the one thing this country needs to survive.

[Sent from Yahoo7 Mail on Android](#)

**From:** [Kym Bambrook](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 7:49:19 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kym Bambrook

Address: [REDACTED]

Reasons: our growing population in the area needs a viable solution for water resources.

Get [Outlook for Android](#)

**From:** [Kent Bambrook](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 7:45:59 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kent Bambrook

Address: [REDACTED]

Reasons: We need a real solution for the future water resources to fit with the massive population growth in the region. Desal and water savings options are not a real solution.

**From:** [Dallas Bladen](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 7:43:32 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Dallas Bladen

Address: [REDACTED]

Reasons: I think the dam will be the only way to secure the water demands of the region into the future, and to take it off the table is short sighted and ideologically motivated. I hope you will reconsider your decision.

Cheers  
Dallas



**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 7:38:50 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Bruce Cadwallader

Address: [REDACTED]

Reasons: the Dunoon Dam needs to be put back on the agenda so that the studies can be completed and an informed decision can be made to supply the growing populations water needs.

Sent from my iPhone

**From:** [foxtailhill](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 6:54:37 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Wayne Hepburn

Address: [REDACTED]

Reasons: if you know what a drought is and how devastating it is every Valley should be damned water is life have a look at the Rocky Creek Dam an absolute beautiful re-generated countryside they can do the same thing

Sent from my Samsung Galaxy J1 2016 on the Telstra Mobile Network

**From:** [David](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 6:53:15 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: David SATTLER

Address: [REDACTED]

Reasons:

David Sattler

**From:** [Michael.K](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 6:33:08 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Michael Knight

Address:



Reasons: If our region wants to continually grow we will need the appropriate infrastructure to support our growing population.

**From:** [Allison Knight](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 6:29:53 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Allison Knight

Address: [REDACTED]

Reasons:

**From:** [Samantha Knight](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 6:27:01 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Samantha K

Address: [REDACTED]

Reasons: because

Sent from my iPhone

**From:** [Dean Cameron](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 6:25:52 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Michael McLeod](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 6:20:52 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Michael McLeod

Address: [REDACTED]

Reasons: the dam makes better sense than the other options. we need to have more water storage as the population is growing at a fast rate in northern NSW.

Sent from my iPhone



**From:** [James Donaldson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 6:19:24 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: James Donaldson

Address: [REDACTED]  
[REDACTED]

Reasons: I have already seen the effects of pumping water from the tidal pool at Woodlawn to try and top up the water supply when Rocky creek dam gets to 60%

These measures are just putting fingers in the dyke

The Dunoon dam option is our only choice for long term water security

It may be a bigger upfront cost but in the long run will gives us security of water supply

Sent from my iPad

**From:** [len.farquharson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 6:12:07 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Len Farquharson

Address: [REDACTED]

Reasons:

i think the town needs more water storage

Sent from my iPhone

**From:** [Denis Cummings](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 5:47:15 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Denis Cummings BE

Address: [REDACTED]

Reasons: All other options and even the current use of contaminated river water use second (or third) grade water options which will be nowhere near as pure and as cost effective over time as what a dam option will supply.

This dam should have been built 20-30 years ago. Rous Council has been grossly negligent in not doing so. The present Rous board is IMHO grossly and possibly criminally negligent in not proceeding with the Dunoon Dam option as the top priority. They have no basic understanding of water management in a country which experiences periods of both excessive wets and excessive dries.

**From:** [Daniel Formaggin](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 5:37:12 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Shubham Chauhan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 5:36:49 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

**From:** [Greg Scheibel](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 5:35:33 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Greg Scheibel

Address: [REDACTED]

Reasons: As a Plumber with 49 yrs experience in the Lismore region and having a large customer base the majority of which are connected to the Rous Water Supply both rural and urban areas , never have I had a conversation with a customer that opposed the Dam. In fact the comments I hear are Rous Water have had 25 yrs so far to do their studies of the Dam project. I do understand the processes involved take time but can the current Rous Water Board now say the Dam project is unviable .I'm a practical person and for the good of the greater community and its future I say build the Dam.

Sent from my iPad

**From:** [Liz Gray](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 5:27:23 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [James smith](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 5:19:05 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

I would like to express my concern for water sustainable and supply concerns. I would prefer to see the dam built then other options outlined below.

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: James smith

Address: [REDACTED]

Reasons: long term water sustainability due use of a dam for the northern rivers area. I'm sure a dams long term maintenance cost is less then the upkeep on desalination plants and other options



**From:** [markw](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 4:55:45 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Mark Willoughby

Address:

[REDACTED]

Reasons:

Regards

Mark Willoughby

[REDACTED]

**From:** [Jason Smith](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 4:55:29 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jason Smith

Address: [REDACTED]

Reasons:

**From:** [shirley Aston](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 4:46:59 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name: Shirley Aston

Address:



Reasons: This will destroy the ecology of Tyagarah reserve affecting all the flora and fauna.

I also don't want potable water in the shire.

**From:** [georgekyp](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 4:44:15 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name:

Address:

Reasons:

Sent on the go with Vodafone

**From:** [janis hutton](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 4:08:28 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: JANAYA HUTTON

Address: [REDACTED]

Reasons:

I strongly support the Dunoon Dam as future water storage for our growing area. NO recycling thank you!!!

Sent from my iPhone

**From:** [janis.hutton](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 4:05:33 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name : Jan Hutton

Address: [REDACTED]

Reasons: We need to look to the future growth of the area as a long term solution NOT short term if this doesn't go ahead.

Sent from my iPhone

**From:** [Christine Olsen](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 2:09:40 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO support potable water reuse (toilet to tap) as drinking water.

Name: christine olsen

Address: [REDACTED]

Reasons: I feel passionately about the environment. Groundwater harvesting and desalination plants are top heavy methods which are detrimental to the environment. Let's use water conservation methods.

Sent from my iPhone

**From:** [Rachel Behrens](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 1:08:14 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name:

Address:

Reasons:

Sent from my iPhone



**From:** [Garry Hargrave](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 12:17:36 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Garry Hargrave

Address:

[REDACTED]

Reasons:

It is illogical to even contemplate de-sal / recycling when there is a simple storage option.  
Water falls from the sky - let's use it.

Sent from my iPhone

**From:** [Michele Bauer](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 12:10:44 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name: Michele Bauer

Address: [REDACTED]

Reasons: This will destroy our National environments, bird and species living around the land and water.

Sent from my iPhone

**From:** [vanessa Thomas](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 12:08:25 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name: Vanessa

Address: [REDACTED]

Reasons: don't want it to get into the groundwater

Sent from my iPhone

**From:** [Clint Mallett](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 12:00:19 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Clint Mallett

Address: [REDACTED]

Reasons: In the long term harvested rain/storm water is the most sustainable and most practical way to manage our water supply. Ground water in particular should be reserved indefinitely

Clint Mallett

**From:** [Phillip Perry](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 11:13:29 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Phillip & Barbara PERRY

Address: [REDACTED]

Reasons: In our opinion the Dunoon Dam is the only option for a realistic & constant supply of water for our increasing population at an affordable cost for everyone.

Sent from [Mail](#) for Windows 10

**From:** [Phillip Perry](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 11:13:29 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Phillip & Barbara PERRY

Address: [REDACTED]

Reasons: In our opinion the Dunoon Dam is the only option for a realistic & constant supply of water for our increasing population at an affordable cost for everyone.

Sent from [Mail](#) for Windows 10

**From:** [Peter Jackson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 10:50:47 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Peter Jackson

Address: 

Reasons:

I don't believe aquifer tapping will be sustainable over a long period of drought.

Desalination is expensive and has a high residue of salt waste to be disposed of.

The Dam is the most obvious and sustainable option.

Sent from my iPhone

**From:** [Paul Daniel](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 10:46:06 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name: Paul Daniel

Address: [REDACTED]

Reasons: History had shown repeatedly that once humans interfere with the natural environment it becomes an snowball of environmental degradation. Which ultimately degrades the quality of life for All.

Aquifers along east coast have been drained by Amatil Coco cola for years to sell Australians their own water, and farmers have suffered with lowered water supplies and we have plastics to deal with.

The Tyagrah System is still fairly pristine, in itself priceless in this world.  
Why interfere with it?

This part of Australia has Incredible rainfalls, surely a system can be developed to harvest this without ruining what little sanctuary we have left.



**From:** [HELEN BARNETT](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 10:11:50 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name:

Address:

Reasons:

Sent from my iPhone

Sent from my iPhone

**From:** [Mat Scheibel](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 10:03:29 AM  
**Attachments:** [image001.png](#)

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Mathew Scheibel

Address: [REDACTED]

Reasons:

I/we are long time local residences in the area and own a family plumbing business. I understand the importance of water security to serve the needs of a growing population. I see the proposed Dunoon Dam as the only viable cost effective option moving forward. This would provide a multifaceted approach with not only ensuring water security but adding to a local economy through tourism and trade.

I served as a Lismore City Councillor from 2012-16 and understand the make up of the Rous Council Board.

I do not see the latest decision to not recognise the Dunoon Dam in the IWCM strategy as in the public interest or a decision that is responsible from an elected members board.

The dam must be included in the IWCM strategy and assessed on its merits beside all other options.


Rous has previously failed in the area of recycled water and the provision of it at estates like Perradenya siting extreme costs as reason to not for fill as per approvals.

This has been ear marked as a future water strategy for a long period of time as the land acquisition identifies.

The decision to suddenly change direction on this is purely political and ignores years of planning.

I hope this submission is taken into account when assessing all future directions.

**Mathew Scheibel | Director**



**From:** [Jill Ball](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 9:27:09 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name: jill ball

Address: [REDACTED]

Reasons: to protect Tyagarah aquifers

Sent from my iPhone

**From:** [Karina Dhyani Mereki](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 9:25:40 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Karina Mereki

Address:

[REDACTED]

Reasons:

I feel passionate about saving Tyagarah Nature Reserve which will almost certainly become a place of many dead trees and dead eco systems if the aquifer proposition goes ahead. The nature reserve depends on this low level water basin with many plants and trees with tap root connecting to this precious resource. It will be a very sad day if the powers that be vote against the proposed dam and choose the alternative .

**From:** [Kirsten Black](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 27 May 2021 9:16:01 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name: kirsten black

Address: [REDACTED]

Reasons: Environmental issues destabilising the natural habitat that's been formed over thousands of years.  
Impact on wildlife

Sent from my iPhone

**From:** [Daisy Dumas](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy  
**Date:** Thursday, 27 May 2021 7:16:39 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name: daisy dumas

Address: [REDACTED]

Reasons: destruction of extremely sensitive koala habitat, which is the single most harmful threat to koalas. They need protection.

Protection of our ancient aquifers.

The planned work would also: impact on threatened ecological communities, flora and fauna, Aboriginal heritage and cultural sites, non-Aboriginal heritage sites, acid sulphate soils and sensitive receptors for noise and waterways.

Thank you,  
Daisy Dumas

[REDACTED] [REDACTED]

**From:** [Piper](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 26 May 2021 8:48:00 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name:

Address:

Reasons:

Sent from my iPhone



**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 26 May 2021 8:04:33 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Lois Worlidge](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 26 May 2021 7:32:10 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name: Lois Worlidge

Address: [REDACTED]

Reasons:

This is not a viable option as far as I am concerned. The health of the tyagarah nature reserve will be negatively affected by this proposal. Protect our water aquifers.

Sent from my iPhone

**From:** [Tom Franklin](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 26 May 2021 7:19:22 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name:

Address:

Reasons:

**From:** [mpwiles1](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 26 May 2021 7:19:05 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name:

Margaret Wiles

Address:

Reasons: I don't support any of your proposals as it will cost the communities excessive extra costs to our water rates. They are also environmentally unfair not only to the koala population and the health of our marine park but to human health as well.  
Please listen to and put in place the alternative suggestions stated by concerned residents.

Thank you  
Margaret Wiles

Sent from my Galaxy

**From:** [Jose Rui da Cruz](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 26 May 2021 6:52:16 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name: jose da cruz

Address: [REDACTED]

Reasons: big reason to stop

Sent from my iPhone

**From:** [Maree Pearson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 26 May 2021 6:20:06 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name: maree pearson

Address: [REDACTED]

Reasons: all the above. I love this planet and we need to start helping it

Sent from my iPhone

**From:** [Julia McGill](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 26 May 2021 6:00:57 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Jennifer Wilson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 26 May 2021 5:20:51 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name: jennifer wilson

Address: [REDACTED]  
[REDACTED]

Sent from my iPhone



**From:** [nick Scheibel](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 26 May 2021 5:05:40 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Jim Savins](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 26 May 2021 3:45:37 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jim Savins

Address: [REDACTED]

Reasons:

Water is life we need a readily available water supply

Sent from my iPhone

**From:** [Brad Gilbert](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 26 May 2021 3:42:24 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name: Bradley Gilbert

Address: [REDACTED]

Reasons: I want to protect our environment not ruin it.

Sent from my iPhone

**From:** [Doug Mouncey](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 26 May 2021 3:01:13 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name: Dr Douglas Mouncey

Address: [REDACTED]

Reasons: Leave the environment alone

Sent from my iPhone

**From:** [Nola Sargent](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 26 May 2021 2:09:43 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Allan Sargent

Address:



Reasons: I want to see all the options kept open so that they can be thoroughly discussed and explained to our community.

**From:** [Susan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 26 May 2021 2:07:43 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Nola Sargent](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 26 May 2021 1:55:48 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Mrs Nola Sargent

Address: [REDACTED]

Reasons: I wish for the Dunoon Dam option to be investigated more and reports tabled to give us a better understanding of the Dam option. So I would like the Dam option to be fully investigated. More reading so we as a community can understand what is needed for our future water supply.

**From:** [Lauren Van Staden](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 26 May 2021 12:46:03 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name: Lauren van Staden

Address:



Reasons:



**From:** [Jeff Farrugia](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 26 May 2021 12:01:15 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jeff farrugia

Address: [REDACTED]

Reasons: need water for surrounding towns

Sent from my [REDACTED]

**From:** [Ryan Clarke](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 26 May 2021 11:52:45 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ryan Clarke

Address: [REDACTED]

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 26 May 2021 10:40:43 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah.

I DO NOT support desalination (filtered seawater) operation within the Byron Marine Park.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Luke Hamshaw](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 26 May 2021 10:28:52 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Luke Hamshaw

Address: [REDACTED]

Reasons:

Sent from my iPhone

**From:** [Mark Baker](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 25 May 2021 5:17:46 PM

---

**CYBER SECURITY WARNING** – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source  
Get [Outlook for iOS](#)

**From:** [Greg Pollard](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 25 May 2021 2:20:40 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Greg Pollard

Address: [REDACTED]

Reasons: Whilst other concerns are significant, our future water needs are of most importance, and the Dunoon Dam is, in my opinion, the best option.

**From:** [Linda Perry](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 25 May 2021 2:08:41 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Linda Perry

Address: [REDACTED]

Reasons: A dam is the best and cheapest way to supply clean water for future generations of all living beings of the far north coast of NSW. I am a resident and rate payer and do not want to pay for expensive short viewed options in comparison to the Dam proposal. I also think govt funding in the future, after the building of the dam would be best used to help maintain the forests and camping grounds around the dam by the traditional owners in partnership with parks and wildlife. This would be a wonderful natural asset for the greater community and bring in increased tourism revenue for all.

**From:** [Little Superstar](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 25 May 2021 12:39:22 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Courtney McLean

Address: [REDACTED]

Reasons: Need to find a reliable but safe water supply for our community that will be sustainable for the future.

Sent from my Samsung Mobile on the Telstra Mobile Network  
Get [Outlook for Android](#)



**From:** [Vicki Blundell](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 25 May 2021 12:35:24 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Vicki Blundell

Address: [REDACTED]

Reasons:

All possible solutions to safeguard the water supply in the Northern Rivers area need to be investigated thoroughly.

Vicki Blundell

**From:** [Fabrizio Calafuri](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 25 May 2021 9:57:12 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Fabrizio Calafuri

Address: [REDACTED]

Reasons: I understand that the Dunoon Dam option is perfectly viable and has wide community support. There seems to be no environment impact study been done on the possible effects of drawing water from local aquifers. Lots of vegetation and wildlife habitats could be affected. We don't really know, do we? We had a couple of recent drought years where the land was parched and prone to wild fires in our area. Could that be exacerbated? Do we know?

**From:** [Lesley & Ray](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 25 May 2021 8:50:33 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Lesley Griffiths

Address: [REDACTED]

Reasons:

Long term quality water supply

Dams are long term viability

Was always on the agenda to build the dam .. minimal impacts, land available and already avquired

Recycled water (toilet to tap)... NO WAY

Sent from [BlueMail](#)

**From:** [Lynn Appleton](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 25 May 2021 8:02:49 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:Lynn Appleton

Address:



Reasons:we have so much rain we need to harvest it and not waste it

**From:** [Peter Davis](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 24 May 2021 9:53:59 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Peter Davis

Address: [REDACTED]

Reasons: I support the proposed Dunoon dam to ensure water security for the northern rivers area into the future.

Sent from [Mail](#) for Windows 10

**From:** [Gavin Lee](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 24 May 2021 8:03:19 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Gavin Lee

Address: [REDACTED]

Reasons: Population growth, we will need more water to support our growing needs.

**From:** [Jonas](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 24 May 2021 7:40:06 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:Jonas ross

Address:

Reasons:yes to dam

**From:** [Michelle Fisher](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 24 May 2021 3:10:00 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Michelle Fisher

Address:   


Reasons:

All the DO NOTS

Sent from my iPhone



**From:** [Stephen Rowe](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 24 May 2021 2:10:47 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Stephen Rowe

Address: [REDACTED]

Reasons: we need to capture & harvest the rain we have at our disposal in the wettest part of our catchment & avoid tampering with the water table in the richer farming areas at threat already from increased urbanisation! The dam will offer a wide range of alternative tourist & community engagement not facilitated by the other options. These eco opportunities can serve to further protect the environment in the dam location currently inaccessible.

**From:** [Maria Kelly](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 24 May 2021 1:19:32 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

**From:** [Jurgen Eichler](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 24 May 2021 9:04:24 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).


I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Gwen Eichler

Address: 

Reasons:

I do not agree with water mining.

Sent from my iPhone

**From:** [robert ridley](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 24 May 2021 9:01:10 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Ben Smith](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 24 May 2021 7:46:39 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Sam Ellis

Address: [REDACTED]

Reasons: Most reasonable Water Options

Sent from my iPhone

**From:** [Kathy Carter](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 24 May 2021 7:02:16 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kathy Carter

Address: [REDACTED]

Reasons: potable water reuse, groundwater harvesting

Sent from my iPhone

**From:** [Nicholas Eichler](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 24 May 2021 6:57:03 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Laura chandler

Address: [REDACTED]

Reasons: I don't support ground water harvesting in tyagarah. After much investigation I believe Dunoon Dam is a far better solution with the least amount of impact on neighbouring communities.

**From:** [Trent Bowler](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 24 May 2021 6:25:23 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Trent Bowler

Address: [REDACTED]

Reasons: Secure water for our future generations and provide employment to many people on the Northern rivers area.

Kind regards  
Trent Bowler



**From:** [Masta Balkema](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 11:13:35 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Juliana Balkema

Address: [REDACTED]  
[REDACTED]  
[REDACTED]

Reasons: It seems the most organic natural and cheapest option.  
Thank you .

**From:** [Pete Marsh](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 8:09:47 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Peter Marsh

Address: [REDACTED]

Reasons:

**From:** [Chim Ebner](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 7:42:50 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:chim Ebner

Address:



Reasons:firefighting. Recreational. Habbittat. Water resource. Plan for the future. Build damn now while affordable. Price to build is rising every decade

**From:** [shaji mundattu](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 6:50:52 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Shaji Mundattu



**From:** [Brendan Wells](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 6:23:10 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Brendan Wells

Address: [REDACTED]

Reasons: All of the above... WATER IS OUR FUTURE, and our future is NOW

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 6:08:31 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Allan McCarthy

Address: [REDACTED]

Reasons: Securing resources for our growing future population. Dams...tried and tested.

**From:** [Duane Hurrell](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 5:31:02 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Duane Hurrell

Address: [REDACTED]

Reasons: I strongly oppose any impact on Aquifers, expensive ongoing costs of a desalination plant and will not be drinking recycled waste water.

Sent from my iPhone

**From:** [Michael Pearson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 5:03:01 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Michael Pearson

Address: [REDACTED]

Reasons: We need to plan for our future and water is a must and this Dam is the best option by far ( I have a background of water-well drilling and Irrigation 35yrs + in NZ )



**From:** [Mat Scheibel](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 4:28:07 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Daryl Sten](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 3:50:43 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Daryl Sten

Address: [REDACTED]

Reasons: build the Dam

Sent from my iPhone

**From:** [dorothy.abbott3](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 3:08:23 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager, Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy. As a permanent water supply source: I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville. I DO NOT support desalination (filtered seawater). I DO NOT support potable water reuse (toilet to tap) as drinking water. Additionally, I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region. Name: Address: Reasons: Sent from OPPO Mail

**From:** [Tania Wilton](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 2:18:34 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Tania

Address: [REDACTED]

Reasons: Rocky Creek dam is not big enough for all that it has to support. It was originally for lismore only but now has to support mullum and surrounding areas as well. We need another dam to help sustain us

**From:** [Alison Jux](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 2:07:55 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager, Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy. As a permanent water supply source: I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville. I DO NOT support desalination (filtered seawater). I DO NOT support potable water reuse (toilet to tap) as drinking water. Additionally, I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region. Name: Alison Jux Address: [REDACTED]  
[REDACTED] Reasons: This area is a growing one and we need to look into a sustainable water source for our future.

**From:** [Anthony Patterson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 1:12:19 PM

---

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO support the proposed Dunoon Dam

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Anthony Patterson

Address 

Reasons: A dam would provide water security for the region. The location of the proposed dam and its altitude would allow gravity to do most of the work distributing water supply through out the network.

The other options such as ground water, desalination and direct reuse will require greater energy input to produce and pump water into the network. Solar arrays and wind turbines also have negative impacts, land would also be required for that infrastructure, life cycle and maintenance of that infrastructure also has a cost. The people who will really need the water are the children of today, not the old people that are protesting about the perceived loss of a handful of trees.

Sent from my iPhone

Anthony Patterson  


**From:** [Graham and Jan Fryer](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 12:15:59 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jan Fryer

Address:



Reasons:

We need a sustainable water supply and all options needs to be fully considered and voted for with all the research available for consideration. I do think the dam at Dunoon will be the best option but no doors should be closed until all the cards are on the table.

**From:** [Stephen Riley](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 12:12:32 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Stephen Riley

Address: [REDACTED]

Reasons:

We need a secure water source.

I fully support the new dam.

All the best.

Stephen Riley (Riles)

[REDACTED]



**From:** [Leo McGovern](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 12:06:40 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Leo McGovern

Address: [REDACTED]

Reasons: Dunoon Dam is the better option for locals and downstream

**From:** [Lance Holcombe](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 11:00:43 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Lance Holcombe

Address: [REDACTED]

Reasons: I don't support degrading groundwater, high energy use or high cost options.

I do support retained surface water in dams, continually feeding our streams and environment, and reducing floodwater in our towns.

Sent from my iPhone

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 10:53:31 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:  
Matthew Priddle  
Address:

[REDACTED]

Reasons:

Dam makes sense

Sent from my iPhone

**From:** [Joy Scheeren](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 10:18:08 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Joy Ryan

Address: [REDACTED]

Reasons: We should have clear rain water as our right..Wen we CAN n not 2nd grade recycled water ..yuck how gross when not necessary..

The dam should stay..getting rid of it is NONSENSE!!!!

**From:** [Kevin Ennis](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 10:09:44 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kevin Ennis

Address: [REDACTED]

Reasons: A long term water supply is desperately needed.

Sent from my iPhone

**From:** [Ray Anderson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 9:48:54 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ray Anderson

Address: [REDACTED]

Reasons: A Dam will not effect any ground water or springs in the area or adjoining areas plus it will be a more permanent cheaper clean supply.

Sent from my iPhone

**From:** [goldwing08](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!Shirley Gray  
**Date:** Sunday, 23 May 2021 9:41:29 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Shirley Gray

Address: [REDACTED]

Reasons:we need water

Sent from my SAMSUNG Galaxy Note5 on the Telstra Mobile Network

**From:** [Richard Edwards](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 9:38:56 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:



**From:** [Adam Noble](#)  
**To:** [Records:](#) [REDACTED]  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 9:08:02 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Adam noble

Address: [REDACTED]

Reasons: we need to harvest the huge amount of rain we receive in our area and store it for drought times.

It's very easy to know that and understand that a Dan is the most cost effective way of adding extra water to our region in the long term

Sent from my iPhone--

**Adam Noble**  
[REDACTED]

**From:** [Debbie Kemister](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 8:51:17 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Debbie Kemister

Address: [REDACTED]

Reasons: water security. And definitely don't want to drink recycled water

Sent from my iPhone

**From:** [Laurise](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 8:46:23 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Laurise Latimer

Address: [REDACTED]

Reasons:

Sent from my iPhone

**From:** [Keith Richardson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 8:35:54 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Keith Richardson

Address: [REDACTED]

Reasons:

For future generations.

**From:** [Craig Yates](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 7:18:10 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Craig Yates

Address: [REDACTED]  
[REDACTED]  
[REDACTED]

Reasons: As a rate payer at Broadwater, this effects us too.

Sent from my iPhone

**From:** [Nelda McKee](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 6:45:46 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: nelda McKee

Address: [REDACTED]

Reasons:

See above

Sent from my iPhone

**From:** [Jim & Marea McEwen](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 6:42:32 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Mares McEwen

Address: [REDACTED]

Reasons: I am standing with the ones that showed some common sense here.

**From:** [Katrina O'Leary](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 23 May 2021 5:54:13 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Robyn Garrett

Address: [REDACTED]

Reasons: Dam water will provide a cleaner & continued source of water. The existing dam has worked well unfortunately unable to keep up population growth.

Sent from my iPhone



**From:** [Troy Davis](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 10:48:35 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: troy. Davis

Address: [REDACTED]

Reasons: I support the dam to built. This option cost less on over all to our water prices

Sent from my iPhone

**From:** [Gary Innes](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 10:47:27 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager, Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy. As a permanent water supply source: I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville. I DO NOT support desalination (filtered seawater). I DO NOT support potable water reuse (toilet to tap) as drinking water. Additionally, I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region. Name: Address: Reasons:

Gary Innes

[REDACTED]

The dam is the best way to keep water prices down.

**From:** [Brett Fuller](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 10:34:12 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Brett Fuller

Address

Reasons: to secure our water future

**From:** [Ken and Anne Wallbridge](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 10:16:37 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ken and Anne Wallbridge

Address: [REDACTED]

Reasons: This is a no brainer to store water to meet the increased consumption for our growing population. If the Rocky Creek Dam was needed to provide potable water for our growing population the Dunoon Dam is similarly now needed to increase supply.

Sent from my iPad

**From:** [Ken and Anne Wallbridge](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 10:16:37 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ken and Anne Wallbridge

Address: [REDACTED]

Reasons: This is a no brainer to store water to meet the increased consumption for our growing population. If the Rocky Creek Dam was needed to provide potable water for our growing population the Dunoon Dam is similarly now needed to increase supply.

Sent from my iPad

**From:** [Sandra Vrckoff](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 9:32:47 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Richard Vrckoff

Address: [REDACTED]

Reasons: We need the dam built to drought proof the Northern Rivers for future generations.

Sent from my iPad

**From:** [Jenny Hunter](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 9:25:28 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:jenny hunter

Address:



Reasons:because the dunoon dam option is the only sensible option to secure our long term supply of water

Get [Outlook for Android](#)

**From:** [Shayne Taylor](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 9:12:59 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Shayne Taylor

Address: [REDACTED]

Reasons: Rocky Creek Dam has been providing the local area with clean fresh drinking water for as long as I have been alive, I don't approve or agree with any other way to have drinking water but I do agree we need more water storage for future years.

Kind Regards  
Shayne Taylor



**From:** [lachlan.donnelly15](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 9:05:06 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: lachlan

Address: [REDACTED]

Reasons: water security

Sent from my Galaxy

**From:** [Ruth Morris](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 8:55:26 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager, Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy. As a permanent water supply source: I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville. I DO NOT support desalination (filtered seawater). I DO NOT support potable water reuse (toilet to tap) as drinking water. Additionally, I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region. Name: Address: Reasons: [REDACTED]

[REDACTED]  
We need the dam to make sure there is sufficient water for the area. Expansion of housing and other infrastructure cannot keep growing without a substantial water supply.  
Ruth Morris.

**From:** [Jason Clements](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 8:43:59 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Jason clements

Address:

[REDACTED]

Reasons:

I want water reserves secured for our future

Jason Clements

[REDACTED]

Sent from my iPhone

**From:** [Shaun Fletcher](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 8:03:43 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager, Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy. As a permanent water supply source: I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville. I DO NOT support desalination (filtered seawater). I DO NOT support potable water reuse (toilet to tap) as drinking water. Additionally, I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region. Name: Address: Reasons: Shaun fletcher

[REDACTED]  
Have seen what happens to underground water aquaface when there are droughts, and also how desalination plants are white elephants and huge waste of taxpayers money, on going huge amounts money to pay contractors to operate even if their not being used.....eg....GOLDCOAST.

**From:** [Allan Watt](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 7:40:43 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Allan Watt  
Name:

Address:

Reasons:

Because we bloody need it

**From:** [Sue Green](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 7:14:24 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:Sue Green

Address: [REDACTED]

Reasons: Its the only viable option in my opinion. You already have the land.

**From:** [Suzanne Moane](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 7:13:31 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Suzanne Moane

Address: [REDACTED]

Reasons: See above

Get [Outlook for Android](#)

**From:** [Gwenda Charman](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 6:32:52 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone



**From:** [Jeffrey Birney](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 6:24:34 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jeffrey Birney

Address: [REDACTED]

Reasons: this is the best option for our water supply, it needs to be built to secure a permanent source of water for our growing population/community.

Sent from my iPad

**From:** [Karin Dansie](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 6:15:22 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Karin Dansie

Address: [REDACTED]

Reasons: don't want to use ground water and definitely don't want to drink toilet water. We need this dam as population is only getting bigger. This is the best option in my opinion and best option for the environment.

Sent from my iPhone

**From:** [Errol Williams](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 5:04:09 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Errol Williams

Address: [REDACTED]

Reasons: The whole Far North Coast will benefit from this dam even if they don't directly get water from it as it will reduce consumption on the dams already in place. It was only a very short time ago the whole area was in drought and running low on water. It should have been built years ago.

Sent from my Galaxy

**From:** [Darren Cornale](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 4:18:07 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Darren Cornale

Address: [REDACTED]  
[REDACTED]

Reasons: Dam's are far better & safer for the environment, than taking water from ground water harvesting which could do damage to the artesian water basin, thats why almost everyone is against coal seam gas (FRACKING) because it could pollute the the artesian water basin.

**From:** [Sandra Guthrie](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 3:34:10 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Sandra Guthrie

Address: [REDACTED]

Reasons: future water supply

Get [Outlook for Android](#)

**From:** [Lenore Eastment](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 3:26:34 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Lenore eastment

Address: [REDACTED]

Reasons: water security for the future

Sent from my iPhone

**From:** [C. Santin](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 2:54:54 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Celeste Santin

Address:

[REDACTED]

Reasons:

The Dunoon Dam option is the most reasonable, feasible, cost effective option for secure and sufficient future water source for this area

Sent from my iPhone

**From:** [tayaeli09](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 2:34:23 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my Galaxy



**From:** [Debbie Ward](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 2:28:24 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: deb ward

Address: [REDACTED]

Reasons: as above

Deb Ward

**From:** [Linda Owen](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 2:25:58 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [cinstu69](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 2:18:22 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: cynthia dickson

Address: [REDACTED]

Reasons:

We need water

Sent from my Galaxy

**From:** [Nicole Stone](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 1:58:57 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Nicole stone

Address:

[REDACTED]

Reasons:

To save our environment as we are distorting too much as it is

Sent from my iPhone

**From:** [Hannah Watts](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 1:55:53 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Emily de Maria](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 1:55:41 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Thanks  
Emily De Maria

**From:** [reegan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 1:54:27 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Ellie Mcfadden](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 1:53:09 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone



**From:** [Bob Greig](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 1:50:12 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Bob Greig

Address: [REDACTED]

Reasons: I feel the proposed dam would not only set up water security for the future, it would help reduce flooding in & around Lismore as well as become a tourist attraction for pleasure crafts.

Get [Outlook for Android](#)

**From:** [Christoph Schnelle](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 1:16:20 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

**From:** [Amanda Jones](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 12:34:54 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: amanda

[REDACTED]

Reasons:

**From:** [Adam Debbie Taylor](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 12:34:16 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Debbie Taylor

Address: [REDACTED]

Reasons: I believe this is the best and most cost effective option for our region.

Get [Outlook for Android](#)

**From:** [Ron Iverson Iverson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 12:30:32 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ron Iverson

Address: [REDACTED]

Reasons:

Yes build the dam

**From:** [Nicholas Reeve](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 12:27:40 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Nicholas Reeve

**From:** [Desley Chez Maree](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 11:58:34 AM  
**Attachments:** [w\Emoticon-openmouthedsmile\11.png](#)

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name  Desley Taylor

Address: [REDACTED]

Reasons: Work for locals and much needed water to supply the extra households now being built in this area. The amount of housing for the current water supply is ridiculous and the council need to address this asap.

**From:** [Ellen Rosr Rose](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 11:57:56 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ellen Rose

Address: [REDACTED]

Reasons:

Because I think The Dunoon Dam is the best option, and in the long run, cost effective for us as rate payers.

Ellen Rose



**From:** [Narelle Cole](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 11:53:24 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Narelle Cole

Address: [REDACTED]

Reasons: future water security. All options on the table

**TRINITY CATHOLIC COLLEGE LISMORE: CONFIDENTIALITY & PRIVACY NOTICE**

*The information contained in the above e-mail message or messages (which includes any attachments) is confidential and may be legally privileged. It is intended only for the use of the person or entity to which it is addressed.*

*If you are not the addressee, any form of disclosure, copying, modification, distribution or any action taken or omitted in reliance on the information is unauthorised.*

*Views expressed are those of the individual sender, and not necessarily those of Trinity Catholic College Lismore Ltd.*

*If you received this e-mail message in error, please immediately notify the sender and delete the message from your computer.*

**Disclaimer**

The information contained in this communication from the sender is confidential. It is intended solely for use by the recipient and others authorized to receive it. If you are not the recipient, you are hereby notified that any disclosure, copying, distribution or taking action in relation of the contents of this information is strictly prohibited and may be unlawful.

This email has been scanned for viruses and malware, and may have been automatically archived by Mimecast, a leader in email security and cyber resilience. Mimecast integrates email defenses with brand protection, security awareness training, web security, compliance and other essential capabilities. Mimecast helps protect large and small organizations from malicious activity, human error and technology failure; and to lead the movement toward building a more resilient world. To find out more, visit our [website](#).

**From:** [Sharna Laurie](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 11:30:43 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Sharna Laurie

Address:

[REDACTED]

Reasons:

I want safe water supply for my grandkids in the future.

**From:** [Pam Hughes](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 22 May 2021 7:54:28 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:Pam Hughes

Address:



Reasons: A dam is the logical, natural and most economical long term solution to the water problems of the area.

**From:** [Brad Pollard](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 21 May 2021 10:28:08 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Brad Pollard

Address: [REDACTED]

Reasons: The current proposed solutions for securing water supply into the future are inadequate. We need a Dam. In one of the wettest regions of the country we shouldn't have to build desalination plants and drink treated sewage.

**From:** [Jim Yeo](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 21 May 2021 9:14:04 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: James Yeo

Address: [REDACTED]

Richmond Hill.

N.S.W. 2480

Reasons: 1. On present information the benefits to the community outweigh the cultural and environmental disbenefits to the community.

2. There do not appear to be any reliable and precise reports on the ecological, environmental, cultural and social problems with the alternative proposals. These may turn out to be equally adverse as those of the Dunoon da proposal

3. There does not appear to be a cost/benefit analysis for any of the alternative proposals.

4. As a member of the of the district and user of Rous Water I am disappointed that my Rous Water is considering departing from sound practice by discarding one option before all the data is in. A rational evaluation of the proposals is just plain not possible.

5. Time is running out. Let's stop dithering and get on with the job.

**From:** [Skye Brunton-Rees](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 21 May 2021 5:36:21 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager, Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy. As a permanent water supply source: I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville. I DO NOT support desalination (filtered seawater). I DO NOT support potable water reuse (toilet to tap) as drinking water. Additionally, I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region. Name: Address: Reasons:

**From:** [Frazer Phipps](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 21 May 2021 5:16:43 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:



**From:** [David Hudson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 21 May 2021 3:42:16 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

教牡 湊枋污 渴条枋6ㄥㄣ吊慨崙磁峻映牯琰故漠灰牯畴楮械琰□潤便湊\*湯琰故刪癥獫揚 憫瑤 璫  
来憫整ㄣ慙整 袞次 愠慮敲駁璫 . 垲 璫璫憫整挑ㄣㄣ 数泽渴湊\*憫整 置灰衽猷峻捲 ㄣ! 什  
北呖猷灵漬瑯腴稍湊睥聊枋 . 鍵極敦⇨集牡嗽瑤湮ㄣ璫北潯抗牽ㄣ吠愁慧憫h北脾侵慢 牯 獬猪癰汨  
敬ㄣㄣ : 低\_置灰牯\*駁慙褐慮梯湯 . 榷塗枋揚猷慙憫整⇨ㄣㄣ : 低\_置灰牯\*漬慙汙 憫整 敲  
獵 琨脣敬\*猪琰藹ㄣ寫捌械崙湮ㄣ憫整 摠摠梯湯污衽6ㄥㄣ : 低\_置灰牯\*桴 柚灯獫揚 湊  
潯□慙□僅擎捌獫漬慙 ㄣ! 什猷灵漬瑯琰故耀婉浯駁据浥湊\*景眠牯□湯琰故潞稍漬敦ㄣ油潮湯 淳漠  
瑰湮ㄣ猷□桴聊耀轟牯獫湊紫戢 潤灭敬整ㄣ掬疾ㄣ愁\*敲置塗桀□桴 慙□柚灯獫污戢援柿桀駁璫晚  
敦ㄣ寫愠渠睥眠聊枋猷灵汰\*潯牽散琰□湊置敲氧湯--整泽眠聊枋猷灵汰\*敦倉械械映牯琰故耀来  
湮 慎駁ㄣㄣ 挾敲孺ㄣㄣ刊慙潯獮ㄣㄣㄣ

**From:** [Jennifer Short](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 21 May 2021 3:40:29 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Bec Hay](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 21 May 2021 3:30:17 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: bec hay

Address: [REDACTED]

Reasons: water is life. Water security.

**From:** [Elwyn Paddison](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 21 May 2021 12:20:00 PM

---

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:elwyn paddison  
ens  
Address [REDACTED]

Reasons:to ensure a reliable water supply

**From:** [Moiria S. Moen](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 21 May 2021 12:12:41 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Larry White](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 21 May 2021 11:49:53 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Larry white

Address

[REDACTED]

Reasons:

Yes to build dam

Sent from my iPhone

**From:** [annick fouqueray](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 21 May 2021 8:20:49 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Get [Outlook for Android](#)

**From:** [elachess6](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 21 May 2021 6:48:56 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:  
Lisa Stanistreet  
Address:

[REDACTED]

Reasons:

So we don't run out of water in the future, and to keep our water affordable.

Sent from my Galaxy



**From:** [William](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 20 May 2021 2:14:29 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Rhonda Eyears](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 20 May 2021 2:00:47 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Rhonda Eyears

Address: [REDACTED]

Reasons:

Need the water

Sent from my Galaxy

**From:** [Tammy](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 20 May 2021 7:32:03 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Tammy

Address: [REDACTED]

Reasons:  
As above

Sent from my iPhone

**From:** [Margaret Stanley](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 19 May 2021 7:29:20 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Margaret Stanley

Address: [REDACTED]

Reasons: I believe that this dry country needs more dams not less to provide for our current and future water requirements

Sent from my iPhone

**From:** [Rachel Kennedy](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 19 May 2021 7:23:57 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Rachel Kennedy


Address: 

Reasons: for water security and supply for times of drought.

Get [Outlook for Android](#)

---

This e-mail is intended only to be read or used by the addressee. It is confidential and may contain legally privileged information. If you are not the addressee indicated in this message (or responsible for delivery of the message to such person), you may not copy or deliver this message to anyone, and you should destroy this message and kindly notify the sender by reply e-mail. Confidentiality and legal privilege are not waived or lost by reason of mistaken delivery to you.



**From:** [Travis Egging](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 19 May 2021 4:44:29 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Parts](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 19 May 2021 3:05:20 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Timothy Ring

Address: [REDACTED]

Reasons: to ensure long term water supply

**From:** [Natalie Woodhead-Tiernan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 19 May 2021 12:01:58 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Natalie Tiernan

Address: [REDACTED]

Reasons: Due to continuing growth within the region and uncertain weather conditions resulting from climate change. I believe a dam would offer my children certainty in future water security.

Sent from my iPhone



**From:** [Rhonda Eyears](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 19 May 2021 11:59:49 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Rhonda Eyears

Address: [REDACTED]

Reasons:

Need the water

Sent from my Galaxy

**From:** [violet gregory](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 19 May 2021 10:57:54 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Violet Gregory

Address: [REDACTED]

Reasons: There is so much rain in the northern rivers region that goes to waste, more dams could ensure good clean rainwater for drinking water that could help stabilise the regions water supply through periods of drought, this seems like a very sensible option to me.

Sent from my iPhone

**From:** [Bec Hardwick](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 18 May 2021 6:29:23 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Rebecca Hardwick

Address: [REDACTED]

Reasons: we need a constant water supply

Bec

**From:** [Paul coronakes](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 18 May 2021 5:35:38 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name paul coronakes

Address: [REDACTED]

Reasons:leave the aquifers alone. Desalination as a last resort with too much upkeep. Who wants to drink potable water while we have a sensible option with the dam Time to forget the minority and focus on the majority of the community When rocky creek dam was built it was for Lismore and surrounding villages and when they finished it was mentioned by Dayl Singh to build another one further down the valley He had the foresight to see ahead but nowadays we have short sighted people who have no idea so for all of those people let them drink potable water

Sent from [Mail](#) for Windows 10

**From:** [jacob arthur](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 18 May 2021 3:59:12 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Noel Morgan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 18 May 2021 11:53:58 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Noel Morgan

Address: [REDACTED]

Reasons: it's needed !!

Sent from my iPhone

**From:** [Stewart Enever](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 18 May 2021 11:50:16 AM

---

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Jessica Enever

Address:

[REDACTED]

Reasons:

Other options too costly.

Don't want to drink sewage water.

Stewart Enever

[REDACTED]

**From:** [Anne Storer](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy  
**Date:** Tuesday, 18 May 2021 10:48:20 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Anne Storer

Address: [REDACTED]

Reasons:

A dam is the best long-term option and most cost effective.



**From:** [Stewart Enever](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 18 May 2021 10:43:45 AM

---

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Stewart Enever

Address: [REDACTED]

Reasons:

I don't want to drink reuse water.

Other options to expensive over time.

Stewart Enever

[REDACTED]

**From:** [Jeff LARBalestier](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 18 May 2021 10:27:37 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jeff LARBalestier

Address: [REDACTED]

Reasons: Will Rous reveal the overseas experience of long term aquifer draw down? Or won't that fit the activist agenda!

**From:** [David Higgins](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 18 May 2021 9:51:42 AM

---

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: David Higgins

Address: 12 Charlton avenue Lismore

Reasons: the ongoing costs of maintaining the proposed infrastructure is prohibitive  
To build the dam is a far better option in my opinion

Sent from my iPhone

David Higgins



**From:** [Ben Hildebrand](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 18 May 2021 9:32:52 AM

---

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ben Hildebrand

Address: [REDACTED]

Reasons: excessive long term cost.

Ben Hildebrand  
[REDACTED]  
[REDACTED]

**From:** [Al Barnes](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 18 May 2021 6:39:34 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Alan Barnes

Address: [REDACTED]

Reasons: Secure water for our population growth. Don't sell off land already set aside for the Dam.

**From:** [Linda Owen](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 17 May 2021 6:08:59 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Linda Owen

Address: 19 Sheridan Drive Goonellabah

Reasons:

Sent from my iPhone

**From:** [Wayne & Sue](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 17 May 2021 6:05:25 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Wayne Lambert

Address: [REDACTED]

Reasons:

Absolute common sense. We need the dam to supply the growing population.

Sent from my iPhone

**From:** [Aidan Brendish](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 17 May 2021 5:17:42 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I SUPPORT the Dunoon Dam project.

As secondary supplies of fresh drinking water:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I support desalination (filtered seawater), if managed with renewable resources.

I support potable water reuse (toilet to tap) as drinking water, if stringent quality controls are adhered to.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Aidan Brendish

Address: [REDACTED]



**From:** [Kerin Marsh](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 17 May 2021 1:14:43 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Melissa Marsh

Address: [REDACTED]

Reasons:

**From:** [Kerin Marsh](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 17 May 2021 1:07:30 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kerin Marsh

Address: [REDACTED]

Reasons: Future water security

**From:** [Kevin Poole](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 17 May 2021 12:32:01 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kevin Poole

Address:

[REDACTED]

Reasons: Support the development of the Dunoon Dam

Sent from my iPhone

**From:** [Tim & Eve](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 17 May 2021 11:24:03 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Eve Laurie

Address: [REDACTED]

[Sent from Yahoo Mail on Android](#)

**From:** [michela.santin](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 17 May 2021 9:41:43 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:michela santin

Address:

Reasons:

Look at the other dams builtd in the past years in Australia,they were successful for the human community and the animal community.Maybe the council members who are not in favor of the dam,should listen to the people who paid their wages.

**From:** [Fiona Gregory](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 17 May 2021 8:59:49 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Fiona Gregory

Address: [REDACTED]

Reasons: We need to secure a sustainable water supply for the future needs of the Northern Rivers.

Sent from my iPhone

**From:** [Lexie Compton](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 17 May 2021 8:44:23 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Lexie Compton

Address: [REDACTED]

Reasons: the proposed site is the best place for this venture as it would mean extension of what it is already in place .

Sent from my iPhone

**From:** [nick keen](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 17 May 2021 8:00:38 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Nicholas Keen

Address: [REDACTED]

Reasons: As the recent drought highlighted, we are a land of extremes and always have been. The bush fires being fought with precious water from dams and storage facilities already critically low to now having flooding rains and ground that was cracked and as hard as concrete now to sodden to even walk on without sinking shows that we need to be harnessing this resource. A desalination plant is a joke as cost of running one is ridiculous let alone the fact that our power grid will struggle to cope.

Kind regards,

Nick



**From:** [salina.runge](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 17 May 2021 8:00:22 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Lane

Address:

[REDACTED]

Reasons:

We need water that is not recycled piss

Sent from my iPhone

**From:** [Rob](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 17 May 2021 7:26:14 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Rob Gatt

Address: [REDACTED]

Reasons: It is the most economic and long term option. If done well will grow cultural awareness and replace lost habitat.

Get [Outlook for Android](#)

**From:** [Kerrie Alexander](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 17 May 2021 7:11:44 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kerrie Alexander

Address: [REDACTED]

Reasons: Do not want to use the underground water supply. A dam is a much better solution.

**From:** [T Bowers](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 17 May 2021 6:29:36 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Thomas Bowers

Address: [REDACTED]  
[REDACTED]

Reasons: There are few things more important to our region than water security. We have seen and are continuing to see rapid growth that is not going to abate as more people discover what this area has to offer. I clearly remember the severe water shortages in the early 2000's, where we saved every drop from our showers, etc but still could not wash our vehicles, water our lawns, etc due to the extreme shortages. The Dunoon dam may assist when these times come again, and they certainly will.

Planning for the future is a responsibility that takes foresight, and it seems that is severely lacking in the current decision making process. Perhaps those at the helm weren't here during our dry times, or perhaps they have very short memories, but to remove the Dunoon dam as a resource for our water supply will in time be proven to be an exceedingly ignorant decision.

**From:** [robert short](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 17 May 2021 4:00:39 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: neil short

Address: [REDACTED]

Reasons:

To give water security into the future

Sent from my iPhone

**From:** [Matthew Tall](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 16 May 2021 6:59:05 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Matthew Tall

Address: [REDACTED]

Reasons: All options need to be considered and re-considered.

**From:** [arezed](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 16 May 2021 6:25:18 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

RDear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Robert Zanette

Address: 

Reasons: The new Dunoon Dam studies were not completed comprehensively  
Environmentally is the best option as all wildlife in the area will benefit from the water and it will even draw more species to the area from the water.  
Water birds will use the dam , koalas and kangaroos will use the dam especially in dry periods and all other species will use the water also

Aquifers are potentially altering our water tables with significant and possibly irreversible repercussions

Desal plants will use huge amounts of electricity and add to greenhouse gasses and is very costly to run and maintain

Toilet to tap is not approved for human consumption so should not be a consideration

Sent from my iPhone

**From:** [T. Smith](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 16 May 2021 6:09:25 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Toni Forbes

Address:



Reasons:

I believe the aquifers in alstonville, newrybar etc are too precious to used as a back up water supply. They are needed for our local producers and farmers to provide for our local communities and the much larger population. The current plan/proposal is not a long term solution and will only cause problems for future farming and supply.



**From:** [Tim Armfield](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 16 May 2021 5:37:58 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Tim Armfield

Address:



Reasons:

**From:** [Joanne Armfield](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 16 May 2021 5:16:35 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

**From:** [Naomi Zorzo](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 16 May 2021 4:05:38 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Naomi Zorzo

Address: [REDACTED]

Reasons: secure water infrastructure for future population growth

Sent from my iPhone

**From:** [maxeggins](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 16 May 2021 3:28:57 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my Galaxy

**From:** [Jamie Rowe](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 16 May 2021 2:55:28 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jamie

Address: [REDACTED]

Reasons: personal preference.

Sent from my iPhone

**From:** [Tamika Rhodes](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 16 May 2021 1:03:36 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

With kind regards

A black rectangular redaction box covering the signature of the sender.

**From:** [Luke Rhodes](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 16 May 2021 1:03:28 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

With kind regards  
Tamika Rhodes



**From:** [mandy.bakerpearce](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 16 May 2021 11:58:32 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: David Allan Pearce

Address: [REDACTED]

Reasons: It should've been done years ago when it was first proposed

Sent from my iPhone



**From:** [mandy.bakerpearce](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 16 May 2021 11:57:13 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Mandy Baker-Pearce

Address: [REDACTED]

Reasons: because it should've been done years ago

Sent from my iPhone

**From:** [Jared Watts](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 16 May 2021 10:00:26 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Frank Villegas](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 16 May 2021 8:59:07 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Regards,  
Frank.

**From:** [Sharon Jenkins](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 16 May 2021 8:25:55 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Sharon jenkins

Address: [REDACTED]

Reasons: with growing population we need safe affordable water supply.

Regards  
Sharon

**From:** [Tina Smith](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 16 May 2021 8:19:11 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

**From:** [Veronica Barnett](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 16 May 2021 7:50:57 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Veronica Barnett

Address: [REDACTED]

Reasons: it is the most economical option for now and in the future and will provide an amazing outdoor space for the whole community

**From:** [Sophie Whitehouse](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 16 May 2021 7:23:29 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Sophie Whitehouse

Address: [REDACTED]

Sent from my Galaxy

**From:** [Amanda Oconnor](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 16 May 2021 7:21:39 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Amanda O'Connor

Address: [REDACTED]

Reasons: Better for the community



**From:** [bob](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 16 May 2021 1:13:22 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Robert McClelland

Address: [REDACTED]

Reasons: the only option is build the new dam. The other options are unacceptable

Sent from my Galaxy

**From:** [Joanna Whitney](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 15 May 2021 11:31:08 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Terrance Whitney

Address: [REDACTED]  
[REDACTED]

[Sent from Yahoo Mail on Android](#)

**From:** [Joanna Whitney](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 15 May 2021 11:30:21 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Wendy Whitney

Address:



[Sent from Yahoo Mail on Android](#)

**From:** [Khetala Heuston](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 15 May 2021 10:42:33 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [simone.ell](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 15 May 2021 9:21:40 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Simone Whitehouse

Address: [REDACTED]

Reasons: I grew up in the northern rivers and only moved away in 2018. I do not support this choice. We do not need to destroy something so beneficial to our wildlife just for our own greed!

Sent from my iPhone

**From:** [Andrew Bing](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 15 May 2021 5:28:35 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPad

**From:** [Gaz And Sue](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 15 May 2021 8:55:49 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: gary livotto

Address: [REDACTED]

Reasons: what a cheap effective source of water for our children . We cannot survive on the current supply to see us through a drought

Sent from my iPad

**From:** [Tegan Nottelling](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 14 May 2021 9:32:41 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

I'm a self confessed hippy. I live [REDACTED]

I WANT this dam to go through.

Seems counter intuitive?

I haven't but my partner has walked all the lands where this dam will go and most of it is cattle country with weeds galore the small affected area of critically endangered sand stone gully gorge is unfortunately tiny. I think that the land that will be needed around the dam to be free from chemicals pesticides etc will be a much greater land for wildlife to populate than the tire in the area they have now. Yes there are aboriginal claims on this land but legally most of the land ( I think all of it ) has been subject to private title and doesn't that mean the state doesn't have to had it back or they legally can't claim? Anyway I hardly doubt the state is going to be generous enough with all the land that's included in this and what it's worth to just hand it back to the aboriginal people. Most likely I'll be sold. And around this area, I'm thinking, sold to Macca farmers which includes a lot of pesticides and herbicides that go directly into the water flow that goes down straight from there. Even if it goes back to cattle, a fresh water dam and it's surrounds would be on the whole, worth way more in terms of area and pristine quality to not only the existing population but I believe a growth. Not only in numbers but in Biodiversity.

As for the people that say that Rocky Creek Dam hardly ever overflows and how do we know this dam wall offer any opportunity for water all? All I can say there is cyclone Debbie. And however many north Coast lows we have had in the last day five years, five? Six?"

In the last bushfires here myself my son my partner my animals all had to evacuate. The fire came within 2 km of us that's 2000 m basically most of you wouldn't have to walk that far to get to your local general store. As we are driving away and I'm in tears my partner is trying to comfort me all I can think about is the wildlife that doesn't have somewhere to evacuate to. As we were leaving I saw the chopper with the water bomber on it. There were fires everywhere, the could only do a few runs...

Rocky Creek didn't have the water to be able to use for the water bomber. Those choppers had to come from miles and miles away to refill. Instead of doing 60 loads for example ( I have no idea how many they did ( thank goodness for then &the hippies on the ground ) but they could have done many many more if there was a body of water right there! This dam will. This dam could possibly lives, save homes and towns. This dam could possibly even save thousands and thousands of hectares in the nightcap National Park of Virgin rainforest that may have no other protection in a heating up climate and another bushfire event.

This dam will allow us to have watersports close by. What an opportunity for the local schools to be able to offer sailing as a sport for example.

I totally respect Nan and Hugh Nicolson. I believe in what they believe in. I'm totally deviated one area of this natural rainforest gorge will be destroyed. I just believe if you do it right it doesn't have to in totality be a negative for the wildlife.

I'm scared to stand up in my community and declare my feelings also because I am very green, and I may be disowned from a very close knit community. I just don't believe these two goals dam and wildlife are mutually exclusive from one another.

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).



I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

[REDACTED]

Address:

[REDACTED]

Reasons:

See above

**From:** [Peter Lovett](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 13 May 2021 9:47:31 AM

---

Ok Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name. Peter Lovett :

Address:

[REDACTED]

Reasons:

Sent from my iPhone

Peter Lovett

[REDACTED]

**From:** [Warren Delaney](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 12 May 2021 8:55:03 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Warren delaney.

Address:



Reasons: as above..

.

**From:** [Belinda Diggins](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!  
**Date:** Monday, 10 May 2021 12:42:49 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Belinda Diggins

Address: [REDACTED]

Reasons:

The dam is the most logical solution in this area due to heavy rainfall and less whole of life financial and energy consumption.

I believe the communities involved should be voting on this issue at large as it affects everyone now and long into the future. Relatively few residents of these townships are aware of this decision being made. Inform the whole community and then have them decide, not just the select few who are vocal on this issue.

Belinda Diggins

**From:** [Erika Fischer](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 10 May 2021 7:12:45 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: E. Fischer

Address: [REDACTED]

Reasons: this is the only option to source water for the region on long-term.

**From:** [sharyn.currie](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 9 May 2021 8:40:02 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: [REDACTED]

Reasons:

Dams are needed

Sent from my iPad

**From:** [Robert Campbell](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 9 May 2021 5:53:22 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Robert Campbell

Address: [REDACTED]

Reasons: it's about time those in authority took the bit between their teeth and listened to the silent majority. The actions of the loonies and greens are simply to make a noise and try to be recognised - they are - for the stupidity of not having a safe and long-term water supply. For heavens sake do the sensible thing and stop prevaricating and pontificating!

Sent from my iPad

**From:** [Roger Fuller](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 9 May 2021 5:05:17 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Roger Fuller

Address: [REDACTED]

Reasons:

I believe it dangerous to mess about with aquifers

Desalination is costly and can't be turned on and off easily

Processing sewage is not acceptable, processing storm water maybe

Sent from [Mail](#) for Windows 10



**From:** [Dave Campbell](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 8 May 2021 4:57:44 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Dave Campbell

Address: [REDACTED]

Reasons: We need water.

**From:** [Denise Stammers](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 8 May 2021 11:30:06 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Denise Stammers

Address: [REDACTED]

Reasons: this area was purchased for a dam I am not happy that all the rain water runs away and I definitely will not support water reuse from toilets etc as drinking water I feel strongly that all local councils should be holding a vote on this matter at local council elections in September so all people can vote on this matter thanks

Sent from my iPhone

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 7 May 2021 8:50:13 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Bradley Graham

Address: [REDACTED]

Reasons: The Dunoon Dam proposal is the most cost effective and common sense option for securing long term water supply to our area.

Sent from my iPhone

**From:** [Phillip Makings](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 7 May 2021 8:29:19 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Robyn Darke](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 6 May 2021 8:43:17 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Andrew Leslie](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 6 May 2021 9:19:38 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Beth](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 6 May 2021 4:55:19 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Beth Thomas

Address: [REDACTED]

Reasons: We as a community should have a say whether we drink recycled water. It is disgraceful that we as rate payers don't have a say whether the dam goes ahead. BUILD THE DAM!!

**From:** [Nick Drew](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 5 May 2021 10:39:55 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Nick Drew

Address: [REDACTED]

Reasons: rain water tanks are only usefull when it rains they will not get the region through a drought.



**From:** [s.darke](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 5 May 2021 10:26:11 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Samantha Darke

Address: [REDACTED]

Reasons:

With the every increasing population on the Northern Rivers, especially the influx over the past year, we need a cost effective way of increasing our water availability. Creating another catchment to harness the heavy rainfall periods we experience i.e.the Dunoon dam, is that option.

**From:** [Spoon](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 5 May 2021 8:12:55 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Leah Ogilvie](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 5 May 2021 7:56:43 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Dave Alcock

Address: [REDACTED]

Reasons: Toilet to Tap is a ridiculous concept. Sea water plants are a maintenance nightmare. I live on [REDACTED] fir 3 years maintaining one.

Sent from my iPhone

**From:** [lee.corcoran](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 5 May 2021 6:32:34 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:  
Lee Corcoran



Reasons:

We need a long term

Water supply. Particularly relevant after recent drought.

[Sent from Yahoo Mail on Android](#)

**From:** [keith.alcock](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 5 May 2021 6:24:36 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager, Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy. As a permanent water supply source: I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville. I DO NOT support desalination (filtered seawater). I DO NOT support potable water reuse (toilet to tap) as drinking water. Additionally, I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: keith alcock

Address: [REDACTED]

Reasons: Future NR population require reliable water sources in the future. The present Draft falls way short

Sent from OPPO Mail

**From:** [Kay Alcock](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 5 May 2021 5:13:07 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kathleen Alcock

Address: [REDACTED]

Reasons: common sense solutions to future water needs

Sent from my iPhone

**From:** [keith.alcock](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 5 May 2021 4:39:21 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager, Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy. As a permanent water supply source: I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville. I DO NOT support desalination (filtered seawater). I DO NOT support potable water reuse (toilet to tap) as drinking water. Additionally, I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region. Name: Address: Reasons: Sent from OPPO Mail

**From:** [PETER HENSON](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 5 May 2021 8:42:15 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Peter and Beverley HENSON

Address: [REDACTED]

Reasons: This project needs to be taken to an informed conclusion. We believe that this cannot be accomplished except by further and complete investigation of the Dunoon Dam proposal.

We do not support the concept of sale of land currently owned by Rous County Council. Construction of the Dunoon dam does not prevent research into alternative water supply sources in the future.



**From:** [PETER HENSON](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 5 May 2021 8:42:15 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Peter and Beverley HENSON

Address: [REDACTED]

Reasons: This project needs to be taken to an informed conclusion. We believe that this cannot be accomplished except by further and complete investigation of the Dunoon Dam proposal.

We do not support the concept of sale of land currently owned by Rous County Council. Construction of the Dunoon dam does not prevent research into alternative water supply sources in the future.

**From:** [Cathie Robertson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 3 May 2021 7:19:55 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Cathie Robertson

Address: [REDACTED]

Reasons: This is a growing region and we desperately need more water. We often have water restrictions, building the dam will benefit thousands.

Sent from my iPhone

**From:** [Rhys Daniell](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 3 May 2021 12:32:17 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Rhys Daniell

Address: [REDACTED]

Reasons: No solution can please everyone but the Dunoon dam seems the least worst option by far.

**From:** [Andrew McColl](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 3 May 2021 12:16:39 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Andrew McColl

Address: [REDACTED]

Reasons:

Makes complete sense to dam an already dammed creek, dam storage is the best solution.

Sent from my iPhone

**From:** [cherie.thorman](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 3 May 2021 9:48:43 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

[Sent from Yahoo Mail on Android](#)

**From:** [Amy Frost](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 3 May 2021 6:57:52 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Amy Frost

Address: [REDACTED]

Reasons: I believe the dam being built will be if it our community and water supply. It has to happen.

Sent from my iPhone

**From:** [miriam.poptie](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 3 May 2021 6:50:35 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Miriam Poptie

Address: [REDACTED]

Reasons: We will need the Dam. This is the best option.

Sent from my iPhone

**From:** [kasmart1954](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 3 May 2021 5:57:33 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: KAREN SMART

Address: [REDACTED]

Reasons:

Sent from my Samsung Galaxy Tab S2 on the Telstra Mobile Network



**From:** [Mart Blair](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 10:53:25 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPad

**From:** [monique.palmer](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 9:58:01 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Get [Outlook for Android](#)

**From:** [Donna Holmes](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 9:53:23 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

**From:** [Karen Roberts](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 9:31:16 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Karen Roberts

Address:



Reasons: We need to secure a new dam at Dunoon to provide water for the growing population of this region. I disagree with all other options as stated above.

**From:** [Eddy Maher](#)  
**To:** [REDACTED] [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 8:06:54 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

> Dear General Manager,  
>  
> Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.  
>  
> As a permanent water supply source:  
>  
> I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.  
>  
> I DO NOT support desalination (filtered seawater).  
>  
> I DO NOT support potable water reuse (toilet to tap) as drinking water.  
>  
> Additionally,  
>  
> I DO NOT support the proposed Dunoon Dam land disposal.  
>  
> I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.  
>  
> Name: Eddy Maher  
>  
> Address: [REDACTED]  
>  
> Reasons: All of the above!!!!!!  
>  
>  
> Eddy Maher

**From:** [Jessica Enever](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 7:53:35 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jessica Enever

Address: [REDACTED]

Reasons: Makes perfect sense to me most sustainable, economical, so much rainfall here.

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 7:52:09 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Elizabeth Morrissey

Address: [REDACTED]

Reasons:

Need practical solution, not expensive pie in the sky unrealistic options

Sent from my Huawei Mobile

**From:** [John Glasser](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 7:43:14 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: John Glasser

Address: [REDACTED]

Reasons: A dam is the most logical, safe and economical option.

Sent from my iPad



**From:** [Robert Pilling](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 7:40:27 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Robert Pilling

Address: [REDACTED]

Reasons: if we are to grow our region for our children, we much have reliable water sources to sustain industry of the future. This Dam cannot wait!

Sincerely,  
Robert Pilling

**From:** [Brendan Hannigan- Fastspread](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 7:35:34 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Sharon Hannigan

Address: [REDACTED]

Reasons:

Get [Outlook for Android](#)

**From:** [christine.wilson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 7:33:49 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Christine wilson

Address: [REDACTED]

Reasons: the land was acquired specifically for a dam. We need a dam with such a high demand for water. It will service a big area.

Get [Outlook for Android](#)

**From:** [Phillip Makings](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 7:08:47 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Phillip Makings

Address: [REDACTED]

Reasons: The dam was originally identified as the most appropriate future water supply option then that changed and wasn't even considered why?

Sent from my iPhone

**From:** [Andrew Loughrey](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 7:06:46 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Kind regards  
Andy loughrey.

Sent from my iPhone

**From:** [Kael](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 7:06:33 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kael Faulkner

Address: [REDACTED]

Reasons: Because

Sent from my iPad

**From:** [Narelle Campbell](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 6:32:39 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Matthew Bolton

Address:

[REDACTED]

Reasons:

Fresh water is the best option and water security is a issue

Sent from my iPhone

**From:** [Tammy](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 6:22:39 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Tammy Hitchcock

Address: [REDACTED]

Reasons: there needs to be a long term plan for water supply

Sent from my iPhone



**From:** [Lydia McColl](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 6:11:00 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Lydia McColl

Address: [REDACTED]

Reasons: Population growth that rocky creek unable to sustain. If we had a dam accessible to public to use for fishing it could bring a lot of people to the area.

Sent from my iPhone

**From:** [Jason Knur](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 5:53:06 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jason Knur

Address: [REDACTED]

Reasons: for the future water supply.

I

**From:** [Jade Zwiers](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 5:52:37 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Get [Outlook for Android](#)

**From:** [Ed & Kaz](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 5:37:24 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Karen Maher

Address: [REDACTED]

Reasons: All of the above!!!!!!

Karen Maher

**From:** [Brian Clarke](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 5:36:32 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Brian Clarke

Address: [REDACTED]

Reasons: A Dam will be a better and cheaper option and provide a more secure water source for our future water needs.

Sent from my iPhone

**From:** [ken.standing](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 5:22:02 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).


I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Marlene Standing

Address: 

Reasons: to ensure future water supply

Sent from my Galaxy

**From:** [Joanna Whitney](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 5:03:05 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Joanna Whitney

Address: [REDACTED]

[REDACTED]

[Sent from Yahoo Mail on Android](#)

**From:** [mathew vrckoff](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 5:01:47 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Mathew Vrckoff

Address: [REDACTED]

Reasons: Don't feel like drinking or bathing in toilet water

Sent from my Galaxy



**From:** [matt mccray](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 5:01:13 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: matt

Address: [REDACTED]

Reasons: with high levels of rainfall in this area a big dam is a no brainer.. we need water security

**From:** [Sal Sullivan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 4:54:18 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: s Sullivan

Address: [REDACTED]

Reasons: we need a larger dam to supply everyone and the growing community the original dam is big sufficient for the growing population

Sent from my iPhone

**From:** [Wayne Dobbs](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 4:49:36 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Wayne Dobbs

Address: [REDACTED]

Reasons: COMMON SENSE

Get [Outlook for Android](#)

**From:** [M K Bryen](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 4:46:02 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Michael Bryen

Address: [REDACTED]

Reasons: We need clean water stored in a dam .

It works with Rocky Creek - build another dam and use your common sense.

**From:** [Sandra Vrckoff](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 4:39:05 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Richard Vrckoff

Address: [REDACTED]

Reasons: we need to secure our future water needs and the Dunoon Dam is by far the best and safest option. The amount of rain we get around the area is massive and all it does is go to waste and flood the area.

Sent from my iPad

**From:** [Krystal Moss](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 4:38:05 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Krystal Moss

Address: [REDACTED]

Reasons:

Sent from my iPhone

**From:** [Garry Meredith](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 2:42:48 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Garry Meredith

Address: [REDACTED]

**From:** [Brianna Tomkins](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 11:40:40 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Brianna Tomkins

Address: [REDACTED]

Reasons: Sustainability for the future.



**From:** [di.kirch1957](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 11:25:27 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: udo kirch

Address: [REDACTED]

Reasons: i dont want to drink recycled water like Holland. I dont want to pay for building and maintaining a desalination plant and I dont want to be part of steal the precious underground water from the plateau especially in times of drought.

The Dunoon Dam was purpose built and we just need to increasr capacity to cater for immediate and future growth.

Finish the study to ensure that we've researched the true impact and let the good people of the northern rivers the respect of delivering clean, fresh, natural water from a already proven, and logical resource - the Danoon Dam.

**From:** [Nathan Rose](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 11:00:52 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Nathan Rose

Address: [REDACTED]

Reasons: we need to revise the decision made not to move forward with the Dunoon dam.  
Water security should be taken as a high priority for our region.  
“Bring back the Dunoon Dam”

Sent from my iPhone

**From:** [Katrina](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 10:43:17 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Katrina Fuller

Address: [REDACTED]

Reasons: As a local living in the area for the past 40 years. I have watched the growth of the Northern River triple in size. It is important for future generations to have a sustainable water supply that is reliable through the harshest of droughts. It makes sense to increase our water supply.

Sent from my iPhone

**From:** [Annabelle Jenkins](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 10:06:02 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Annabelle Jenkins

Address: [REDACTED]

Reasons: as above

Sent from my iPhone

**From:** [Ann](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 9:51:42 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:.. WJ & A Knight

Address : [REDACTED]

Reasons: We need all the permanent water supply as we can get .

Sent from [Mail](#) for Windows 10

**From:** [Ann](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 9:51:42 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:.. WJ & A Knight

Address : [REDACTED]

Reasons: We need all the permanent water supply as we can get .

Sent from [Mail](#) for Windows 10

**From:** [Maria Cree](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 9:15:17 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Christopher Barringham

Address: [REDACTED]

Reasons: Support for future water needs

Sent from my Galaxy

**From:** [Craig Austen](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 8:37:45 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Simone Austen

Address: [REDACTED]

Reasons: This area has a huge amount of rainfall, it needs to be caught and stored. Dunoon dam is the perfect option and we need this for our future growth.



**From:** [darren ryan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 8:32:47 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Darren ryan

Address: [REDACTED]

Reasons: you can never have too much water in the dry times

The dam is a idea for now and the future would be money well spent better then the art gallery and the stupid ark Lismore City council waste rate payer money on

Sent from Android device

**From:** [darren.ryan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 8:27:52 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Darren

Address: [REDACTED]

Reasons: you can never have too much water in the dry times

Sent from Android device

**From:** [Erika Fischer](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 8:14:55 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: E Fischer

Address: [REDACTED]

Reasons: the only and best option for long-term water supply is the proposed Dunoon Dam option. Thank you.

**From:** [Morgan, Stuart](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 5:25:01 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:Stuart morgan

Address:



Reasons: we need to keep cheap water running to our houses. Leave the aquifers alone.

**From:** [Narelle Cole](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 5:24:46 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Narelle Cole

Address: [REDACTED]

Reasons: Future water supply

**TRINITY CATHOLIC COLLEGE LISMORE: CONFIDENTIALITY & PRIVACY NOTICE**

*The information contained in the above e-mail message or messages (which includes any attachments) is confidential and may be legally privileged. It is intended only for the use of the person or entity to which it is addressed.*

*If you are not the addressee, any form of disclosure, copying, modification, distribution or any action taken or omitted in reliance on the information is unauthorised.*

*Views expressed are those of the individual sender, and not necessarily those of Trinity Catholic College Lismore Ltd.*

*If you received this e-mail message in error, please immediately notify the sender and delete the message from your computer.*

**Disclaimer**

The information contained in this communication from the sender is confidential. It is intended solely for use by the recipient and others authorized to receive it. If you are not the recipient, you are hereby notified that any disclosure, copying, distribution or taking action in relation of the contents of this information is strictly prohibited and may be unlawful.

This email has been scanned for viruses and malware, and may have been automatically archived by Mimecast, a leader in email security and cyber resilience. Mimecast integrates email defenses with brand protection, security awareness training, web security, compliance and other essential capabilities. Mimecast helps protect large and small organizations from malicious activity, human error and technology failure; and to lead the movement toward building a more resilient world. To find out more, visit our website.

**From:** [Lance Holcombe](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 2 May 2021 4:42:33 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Lance Holcombe

Address: [REDACTED]

Reasons: the dam is cheaper short and long term, will enhance our environment, will reduce flooding, will increase our business and tourism economy.

I don't support taking water we can't see, nor pushing treated water into aquifers and any potential degradation of very sensitive environments. The cost is expensive per unit and not guaranteed to supply long term security.

Sent from my iPhone

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 1 May 2021 10:02:23 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Sarah booth

Address: [REDACTED]

Reasons: we need to be able to finish reviewing this option and complete the scope of this dam before dismissing the viable idea.

Sarah Booth



**From:** [Joanne Armfield](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 1 May 2021 9:22:32 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

**From:** [Patrick Lavis](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 1 May 2021 8:40:10 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Patrick Lavis

Address: [REDACTED]

Reasons: drought proof our future

Sent from my iPhone

**From:** [Matt Frost](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 1 May 2021 7:18:14 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Matt Frost

Address: [REDACTED]

Reasons:

Sent from my iPhone

**From:** [Brendan Driussi](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 1 May 2021 7:01:48 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Brendan Driussi

Address: [REDACTED]

Reasons: The only way we we can have water security for our region in times of drought is through the building of the Dunoon dam, as for having each house hold use tank water as people have been saying, it has been tried before with the Lismore council area new developments all having to have a rainwater tank servicing their toilets and one outside tap, it is a futile effort as at most those tanks would last at most 2 weeks in serious drought.

Sent from my iPhone

**From:** [Mel Davies](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 1 May 2021 6:48:31 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Grant Evans

Address: [REDACTED]  
[REDACTED]

Grant Evans

**From:** [Mel Davies](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 1 May 2021 6:47:21 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Melissah Davies

Address: [REDACTED]  
[REDACTED]

Regards  
Mel Davies

**From:** [Stephen Condon](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 1 May 2021 5:58:23 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Stephen Condon

Address: [REDACTED]

Reasons: long term water supply security

Sent from my iPhone

**From:** [felicity hyde](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 1 May 2021 5:31:54 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Felicity Hyde

Address: [REDACTED]

Reasons:

All of the above, we need to secure water for the future!



**From:** [Wendy Murfitt](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 1 May 2021 4:57:58 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Wendy Murfitt

Address: [REDACTED]

Reasons: We need another dam so build it i supoort that

**From:** [David Fawcett](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 1 May 2021 4:16:17 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: David fawcett

Address: [REDACTED]

Reasons: we need to guarantee water for our future

Sent from David Fawcett

**From:** [Jo-Anne Knight](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 1 May 2021 2:54:50 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jo-Anne and Warren Knight

Address: [REDACTED]

Reasons: The previous public opinion poll only surveyed very small minority of rate payers.

Don't want to drink recycled water. Lived in [REDACTED] over 50 years and have been talking about building a new dam for years.

Use water tank already for toilets and washing machine so indirectly helping to save water.

Sent from my iPhone

**From:** [Jo-Anne Knight](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 1 May 2021 2:54:50 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jo-Anne and Warren Knight

Address: [REDACTED]

Reasons: The previous public opinion poll only surveyed very small minority of rate payers.

Don't want to drink recycled water. Lived in [REDACTED] over 50 years and have been talking about building a new dam for years.

Use water tank already for toilets and washing machine so indirectly helping to save water.

Sent from my iPhone

**From:** [Amanda](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 1 May 2021 2:54:16 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:  
Amanda Marshall

Address:

[REDACTED]

Reasons:

I believe water security is vital and a new dam would help to achieve that.

Sent from my iPhone

**From:** [Kerri Johnson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 1 May 2021 2:30:42 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Jake Hiscock](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 1 May 2021 2:21:02 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jake Hiscock

Address: [REDACTED]

Reasons: For water security in drought times.

Get [Outlook for Android](#)

**From:** [barbara ramsay](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 1 May 2021 2:20:00 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Barbara Ramsay

Address: [REDACTED]

Reasons: I suppose the Dunoon Dam proposal as a long term supply of water for this beautiful reason.



**From:** [Annie Petty](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 1 May 2021 2:13:32 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Annie Petty

Address: [REDACTED]

Reasons: I believe this is the best course of action for water collection and distribution in our local area. We need to effectively collect this precious resource of rain which we, in this area, are so lucky to have in abundance.

**From:** [Lulu Clark](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 1 May 2021 2:04:39 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Louise Clark

Address: [REDACTED]

Reasons: I fully support of the Dunoon Dam as an option as it will in the future be a new water supply source for the community insuring in times of drought the best water supply for our communities.

Regards  
Louise Clark

Sent from my iPad

**From:** [LINDA HILL](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 1 May 2021 9:10:02 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

**Name: Linda Hill**

**Address:** [REDACTED]

**Reasons:** The northern rivers needs future water security to cope with droughts and the rapidly increasing population. I do not want to see the Dunoon dam taken off the negotiation table. *Councillors must make decisions that benefit their Communities not their political affiliations.*

**Desalination, pumping from aquifers and tap to toilet options are very expensive and environmentally disastrous. I am very concerned about damage to our environment and the prospect of massive water cost increases if any one, or a number of these options is chosen.**

**Yours sincerely**

**Linda Hill**

**From:** [Murray Clark](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 30 April 2021 8:34:56 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: murray

Address: [REDACTED]

**Reasons:** very obvious to any normal person that this is the best option for long term, sustainable, reliable and economically viable guaranteed water supply for the entire lismore area + surrounds. not to mention the best possible flood mitigation and/or reduction option that could be possibly be available. build the dam. do the right thing for everyone - now - and in the future...

**From:** [mardi](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 30 April 2021 7:44:17 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Get [Outlook for Android](#)

**From:** [Glenys Fensom](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 30 April 2021 6:22:17 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Glenys fensom

Address: [REDACTED]

Reasons: s

Sent from Glenys' iPad

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 30 April 2021 3:41:41 PM

---

To: [council@rous.nsw.gov.au](mailto:council@rous.nsw.gov.au)

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: **CHRIS ALBERTINI**

Address: [REDACTED]

Reasons: Opponents of a new dam need to ask themselves “where they get their water from”? Even tank water runs out and needs to be refilled by water trucks using the Rocky Creek Dam water supply. Rocky Creek Dam was also used when other dams ran dry in the last drought, so dams CAN and DO provide water security during extended drought seasons.

**From:** [Angela Albertini](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 30 April 2021 3:17:15 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: ANGELA ALBERTINI

Address:



Reasons: [Population has increased and infrastructure must increase as well. An adequate supply of water for the Northern Rivers needs to be guaranteed, considering the devastating impacts of drought. Our region floods regularly and this rain water should be harvested. I would even suggest another dam be built upstream at Leicester Creek as a flood mitigation measure for Lismore.](#)



**From:** [Damian Price](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 30 April 2021 3:15:27 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Damian Price

Address: [REDACTED]

Reasons: Flood mitigation

Regards

Damian Price

**From:** [Corinne newson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 30 April 2021 7:33:24 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Corinne

Address:

Reasons: because fresh water is deserved for all Australians and not recycled toilet water!!

Sent from my iPhone

**From:** [Ken Arthur](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 30 April 2021 6:37:37 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ann Arthur

Address: [REDACTED]

Reasons:

With further development and droughts there will be no water for residentially use. Rocky creek dam is coping now.

Sent from my iPad

**From:** [Noel Morgan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 30 April 2021 6:22:26 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Noel Morgan

Address: [REDACTED]

Reasons:

Sent from my iPhone

**From:** [Carl Ryan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 30 April 2021 5:28:30 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

**From:** [Lewis Williams](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 11:03:33 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: carlene Robinson

Address: [REDACTED]

Reasons:

I Do Not Support The Recommendation..  
Save our Dam..

**From:** [Glenys Fensom](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 10:14:08 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Glenys fensom

Address: [REDACTED]

Reasons: a great idea 30 years ago, even more urgent and vitally important today!!!

Sent from Glenys' iPad

**From:** [Ray Buckley](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 9:54:03 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ray Buckley

Address: [REDACTED]

Reasons: The most obvious choice, if we get a prolonged dry period.

Get [Outlook for Android](#)



**From:** [Jeremy Rutledge](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!  
**Date:** Thursday, 29 April 2021 9:24:21 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Katie Rutledge

Address: [REDACTED]

Reasons: concerned about groundwater harvesting

**From:** [Jeremy Rutledge](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy  
**Date:** Thursday, 29 April 2021 9:22:46 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jeremy Rutledge

Address: [REDACTED]

Reasons: Concerned about groundwater aquifer harvesting

**From:** [Narelle Lenton](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 8:07:04 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Narelle Lenton

Address:



Reasons:

**From:** [Jacqueline Raab](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 7:45:26 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jacqueline Raab

Address:

Reasons:

**From:** [Greg Slade](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 6:58:44 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Greg Slade

Address: [REDACTED]

Reasons: We need water security on the north coast. With all the new development going on we need more water storage, simple as that. And with global warming the need will increase

**From:** [maddenjohn717](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 6:44:30 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: John Madden

Address: [REDACTED]

Reasons:

Lived 36 years in a town that relied in part on aquifers for water. Calcium content out of control. \$56 million spent on new treatment plant didn't fix. Dams the way to go.

Sent from my Samsung Galaxy J1 2016 on the Telstra Mobile Network

**From:** [Vicki Walker](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 6:14:47 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Vicki Walker

Address: [REDACTED]

Reasons:

In order for this region to grow and provide a water supply to new residential development and also to existing residents, we need this dam or future development may be compromised as a result.

**From:** [Dane Pohlmann](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 6:07:37 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Dane pohlmann

Address: [REDACTED]

Reasons: Good opportunity for drought proofing as well



**From:** [Joanne Thorpe](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 6:01:58 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: J Thorpe

Address: [REDACTED]

Reasons: I have family and friends that live in this district and think that water supply is very important but not making people drink filtered seawater, toilet water without the guarantee that it is going to be 100% free of any bacteria, or any contaminants detrimental to the health of your local government area or to visitors.

Sent from my iPad

**From:** [Alison Marchant](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 5:56:56 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Alison Marchant

Address: [REDACTED]

Reasons: a Dam seems to be the only logical solution

**From:** [Tara weinert](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 5:48:41 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Tara Weinert

Address:

Reasons:

I DO NOT support the proposed Dunoon Dam land disposal.

Sent from my iPhone

**From:** [Marilyn Bond](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 5:42:41 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Guy Bond](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 5:42:07 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Kerrie Jones](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 5:35:24 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name Kerrie Jones:

Address: [REDACTED]

Reasons: friends live up there. Also not enough dams in NSW

Sent from my iPhone

**From:** [andrea bowen](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 5:15:42 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: andrea bowen

Address: [REDACTED]

Reasons:

Sent from my iPhone

**From:** [Gary Goldsmith](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 5:13:52 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Gary

Address [REDACTED]

Reasons: dam has many uses plus un matched on volume of water,tourism fishing  
Mining ground water is not on

Thanks Gary



**From:** [Jen Hill](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 5:12:46 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jenny hill

Address: [REDACTED]

Reasons:

It makes the most sense

Sent from my iPhone

**From:** [Dylan Wilson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 5:03:12 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Dylan Wilson

Address: [REDACTED]

Reasons: sustainable future for my children  
Art and pipe dreams arnt gonna keep them hydrated

Sent from my iPhone

**From:** [brad weir](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 2:25:17 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:BRADLEY WEIR

Address: [REDACTED]

Reasons:commonsense really, when the next drought hits , then we will all agree on the dam.

Sent from [Mail](#) for Windows 10

**From:** [Brad Buckley](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 2:18:36 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Deborah Martin

Address:

[REDACTED]

Reasons:

Fresh drinking water is a human right and we do not want recycled or sea water. We do not want to see water being drawn from acquifiers as we believe this is destruction.

Sent from my iPhone

**From:** [Dean Cameron](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 10:10:05 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Dean

Address: [REDACTED]

Reasons: I have common sense

Sent from my iPhone

**From:** [Susan Meehan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 8:24:43 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: sandra woolfenden

Address: [REDACTED]

Reasons: affordability, yuck to recycled water, bad for farmers to take the bore water.  
The dam is doable and planned. Work hard to solve problems and get on with it!

Sent from my iPhone

**From:** [Mark McFadden](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 8:11:55 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Mark McFadden

Address: [REDACTED]

Reasons: We need to secure our future water supply. We should not mess with the aquifers. The Dam is the best long term solution.

**From:** [Cassandra Lee Taylor](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 7:31:44 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Cassandra Fawcett

Address: [REDACTED]

Reasons: The dam is needed for our future of water security, we are losing millions of litres of clean water every time it rains, water that will save us when the next drought rolls in. The aquifers need to be saved and protected, they are what helps bring the rain and keep places like Alstonville fertile for our farmers.

Get [Outlook for Android](#)



**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 7:28:17 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ron Innes

Address [REDACTED]

Reasons:

**From:** [Kathleen Maguire](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 6:57:07 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kathleen Maguire

Address: [REDACTED]

Reasons: we have tank water and if we run out we will need to buy water from Rous water

Sent from my iPhone

**From:** [Tracey](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 29 April 2021 2:46:38 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Rodney James](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 28 April 2021 11:52:20 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Rodney Ward

Address: [REDACTED]

Reasons: I support the Dunoon dam being built

Regards

Rodney Ward

**From:** [Steven Clarke](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 28 April 2021 12:50:06 PM

---

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: steve clarke

Address: [REDACTED]

Reasons: this region cannot afford the other options dam is the cheaper option

Sent from my iPhone

Steven Clarke  
[REDACTED]

**From:** [Rhys Oates](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 28 April 2021 10:14:49 AM

---

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Rhys Oates

Address: [REDACTED]

Reasons: Personal view is Dunoon Dam will provide the most reliable water security for the following reasons.

- lowest long term cost to community
- smallest environmental impact to area
- easiest operational option as it will utilise Ncap WTP instead of requiring more treatment plants to be built and more trained operation personnel.
- highest elevation for utilisation of gravity supply
- Positive tourism for Dunoon and the Channon
- new land to be bush regenerated
- chance for a recreational dam in the area.
- chance for a focus on cultural heritage recognition.
- will still have a high environmental flow out of dam for river health
- other proposed water sources can have larger environmental impacts.

Sent from my iPhone

Rhys Oates

[REDACTED]

**From:** [John Gray](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 28 April 2021 10:14:45 AM

---

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: John Gray

Address: [REDACTED]

Reasons:

This provides our local area with an economical supply of much needed water.

Sent from my iPhone

John Gray  
Mechanical Fitter

[REDACTED]

**From:** [Stephen Cameron](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 28 April 2021 10:02:47 AM

---

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Steve Cameron

Address:

Reasons: For cheaper water

Sent from my iPhone

Stephen Cameron  
Dam Maintenance Officer





**From:** [Andrew Bing](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 27 April 2021 10:18:15 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Andrew Bing

Address: [REDACTED]

Reasons:

Sent from my iPad

**From:** [Craig Tulk](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 27 April 2021 3:50:37 PM

---

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Craig Tulk

Address: [REDACTED]

Reasons: to keep water prices low

Sent from my iPhone

Craig Tulk  
Mechanical Fitter  
[REDACTED]

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 27 April 2021 12:27:23 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Kathy Morgan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 26 April 2021 6:48:16 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:Kath Morgan

Address: [REDACTED]

Reasons: I feel to drain water from underground aquifers could have more long term damage and unforeseen consequences than a dam.

**From:** [Richard Burford](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 26 April 2021 4:25:12 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Richard Burford

Address: [REDACTED]

Reasons: I have lived in the North Coast NSW for nearly 46 years.

Recently I have attended meetings and listened to the arguments regarding the Tyagarah aquifer, desalination plant and recycled sewerage. It has left me convinced that (a) the Dunoon Dam is the logical and quality solution to our long term water security, and (b) the debate was high jacked by political party interests.

Sent from my iPad

**From:** [Simone Ellis](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 26 April 2021 2:38:40 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Simone Ellis

Address: [REDACTED]

Reasons: We get plenty of rain, and large amounts of it and rain water is the best option for good clean drinking water, a dam will hold large amounts of water long term for the times we have dry periods. This is the very best option for our community.

I am definitely not for desalinated water or recycled water.

Sent from my iPhone

**From:** [Robert Trevan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 26 April 2021 2:16:09 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Robert Henry Trevan Jr

Address:



Reasons:

We have a major flooding and water management problem in the district. Business does not have certainty and cannot grow and promote employment which allows the economy to sustain itself.

The least worst plan is for a dam and its associated environmental improvements to go ahead. All the other plans have a larger negative gross impact.

Rob Trevan

**From:** [di.kirch1957](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 26 April 2021 12:47:23 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:Diane Kirch

Address: [REDACTED]

Reasons:

The report that was started needs to be finalised. Not all information on the feasibility of enlarging the Dam were exhausted. A complete feasibility study **MUST** be resumed and the factual pros and cons of all solutions brought forward to the rate payers. Only then should such an important decision for the future water supplies in our beautiful area be made. Not expensive, or distasteful resolutions being thrust on the majority by a minority!

Sent from my SAMSUNG Galaxy S7 on the Telstra Mobile Network



**From:** [Sandra Walker](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 26 April 2021 9:34:05 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Sandra Walker

Address: [REDACTED]

Reasons:

Sent from my iPhone

**From:** [ppgarred](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 25 April 2021 9:22:03 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Joy Garred

Address: [REDACTED]

Reasons:

Humans need water to survive. We live in a low socio-economic area, and majority won't be able to afford the 4x for their water (a basic necessity).

Our local farmers rely on water to grow their crops. They struggled during the drought and prices went up. People struggled to afford fruit and vegetables.

We need the dam for our growing population.

Sent from my Galaxy

**From:** [Jason Matthews](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 25 April 2021 9:39:14 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jason Matthews

Address: [REDACTED]

Reasons:

Sent from my Galaxy

**From:** [Julia Murphy](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 25 April 2021 7:56:00 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Phil and Julia Murphy

Address:



Reasons: It's critical that this land is not sold off. The land is significant for many reasons, importantly its cultural, and should remain as public space for all to enjoy.

**From:** [Julia Murphy](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 25 April 2021 7:56:00 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Phil and Julia Murphy

Address:



Reasons: It's critical that this land is not sold off. The land is significant for many reasons, importantly its cultural, and should remain as public space for all to enjoy.

**From:** [Kathryn Crump](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 24 April 2021 8:08:58 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kathryn crump

Address: [REDACTED]

Reasons: in favour of Dunoon dam due to amount of rainfall that falls rather than tampering with Aquifers

Sent from my iPhone

**From:** [John Coster](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 24 April 2021 7:55:30 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: John coster

Address: [REDACTED]

Reasons: it is needed for future water security and will be a good thing for Dunoon

Sent from my iPhone

**From:** [Brad Lancaster](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 24 April 2021 7:25:47 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Brad Lancaster

Address: [REDACTED]

Reasons: Water security is important for the growing community population in the area and needs to be addressed urgently. What had changed in the 40 years when Rous County Council decided to purchase the land to build another dam, the board members had the foresight to buy in preparation to build.

Desalination is a very energy hungry process and expensive cost per kilolitre and tapping the aquifer could risk the water source to the people who rely on it in the Alstonville area where I was born and bred and relied on well water from those aquifers.

Recycled treatment water should be a last resource.



**From:** [Marie Hewson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 24 April 2021 6:23:32 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

**From:** [Ayarna Ferguson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 24 April 2021 6:10:57 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ayarna Ferguson

Address: [REDACTED]

Reasons:

Don't want to drink waste.

Sent from my iPhone

**From:** [Emily Nordstrom](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 24 April 2021 5:23:04 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Emily Nordstrom

Address: [REDACTED]

Reasons:

Sent from my iPhone

**From:** [David Mordecai](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 24 April 2021 5:09:51 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Sylvia Hammond](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 24 April 2021 3:26:07 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Sylvia Hammond

Address: [REDACTED]

Reasons: I have lived in the northern rivers nearly all my life, 58 years. There has always been a lot of talk about another water source but nothing has ever really happened other than continuous talk and study after study. We need another dam and we need it now. This area is growing so fast and if we don't act now, we will end up with a severe shortage and no solution. Stop the delays and get it constructed now.

Sylvia Hammond

**From:** [Annie Curtin](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 24 April 2021 3:00:00 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Annie Curtin

Address: 

Reasons:

I don't believe a desalination plant has any place in an area of abundant water. I don't believe in taking groundwater from the Alstonville plateau where farmers need it .

Sent from my iPhone

**From:** [Mart Blair](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 24 April 2021 7:01:04 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPad

**From:** [Robinson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 24 April 2021 6:50:59 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Carolyn Robinson

Address: [REDACTED]

Reasons: I do not like the proposed ideas and it doesn't sound safe for my family and towns around us

Thank you Carol



**From:** [Delena tibbs](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 24 April 2021 12:00:29 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Delena Tibbd

Address: [REDACTED]

Reasons: I am a resident in [REDACTED] We were affected by the drought and fires of 2018-2020. Water security for the whole region is a priority.

I also appreciate the economic advantages the dam will bring as well as the new wildlife and recreational opportunities.

Sent from my iPhone

**From:** [gary sommer](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 23 April 2021 10:41:02 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: gary sommer

Address: [REDACTED]

Reasons: we all ways need more dams in australas dry climate

Sent from [Mail](#) for Windows 10

**From:** [Allan Watt](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 23 April 2021 10:26:12 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Allan Watt

Address: [REDACTED]

Reasons: All if the above

**From:** [Jan Tresidder](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 23 April 2021 10:16:55 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jan Tresidder

Address: [REDACTED]

Reasons: A woman should be in charge

Sent from [Mail](#) for Windows 10

**From:** [Craig Hamshaw](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 23 April 2021 6:10:01 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Craig Hamshaw

Address: [REDACTED]

Reasons: the Dunoon dam appears the most logical option.

Sent from my Huawei Mobile

**From:** [Judie Richardson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 23 April 2021 3:49:01 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: judie Richardson

Address: [REDACTED]

Reasons: rocky creek dam just isn't enough

**From:** [Brian Haslam](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 23 April 2021 3:17:14 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

In Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: B r Ian H as lam

Address: [REDACTED]  
[REDACTED]

Reasons: protect land water. No desalination plant.

Brian Haslam

**From:** [8Sharon](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 23 April 2021 2:33:15 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Sharon Hayes

Address: [REDACTED]  
[REDACTED]

Reasons:

We definitely need a dam due to the fast growing expansion of population in this region

Sent from my iPhone



**From:** [Daniella Bordin](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 23 April 2021 1:03:37 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Daniella Bordin

Address: [REDACTED]

Reasons: we need a sensible long term decision.

Sent from my iPhone

**From:** [Rhonda Eyears](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 23 April 2021 12:56:17 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:  
Rhonda Eyears

Address:

[REDACTED]

Reasons:

Best Future water supply

Sent from my Galaxy

**From:** [brad weir](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 23 April 2021 11:38:05 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:Brad Weir

Address: [REDACTED]

Reasons:we need a guaranteed water supply in the future for our growing population in this region . Droughts in the future may lead to water shortages . BUILD THE DAM ..

Sent from [Mail](#) for Windows 10

**From:** [Glenda Sheehan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 23 April 2021 11:28:57 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Glenda Sheehan

Address: [REDACTED]

Reasons:

I want water our City of Lismore that we can rely on. We can't drain the aquifers from our ground as we will do more damage to the planet. If we have a new dam it will be enough water for our future generations that follow us. They will populate this area more than we have here now. If our fore fathers didn't build the dam we have now, where would we be? Please think of the water needs for the future generations that will populate the area. They will need more water than you could pump out of the ground. We do get enough rainfall in one year to fill 2 dams except in drought. Please consider this proposal.

Glenda Sheehan

Sent from my iPad

**From:** [Joel Hensen](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 23 April 2021 10:55:09 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Joel Hensen

Address: [REDACTED]

Reasons: I believe this is a very viable option for the area that has less impact than a lot of the other ideas put forth and with minimal impact to residents pockets, residents that are already struggling due to Covid or just life in general. We all need to future plan ourselves but doing it like there is endless money is outrageous so many families are struggling already & nearly losing everything.

**From:** [Reid Campbell](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 23 April 2021 10:28:36 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Reid

Address: [REDACTED]

Reasons: I believe one day we will run out of water!

Sent from my iPhone

**From:** [Shane Fletcher](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 23 April 2021 10:24:24 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Shane Fletcher

Address:



Reasons: Water is a precious resource and needs to be valued. Capturing rain water in storage is far more logical and cost effective than other proposed options. WE need to respect our underground water supplies and not tamper with those, but collecting and saving excess rain water is a logical and viable solution.

\*\*\*\*\*  
This message is intended for the addressee named and may contain  
privileged information or confidential information or both. If you  
are not the intended recipient please delete it and notify the sender.  
\*\*\*\*\*

**From:** [Renae Black](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 23 April 2021 9:39:03 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Renae Black

Address: [REDACTED]

Reasons: I believe that our ground water is limited, and taking water from the earth is not a sustainable solution.

I do not wish to drink toilet water.

I do not wish to drink filtered seawater.

I believe that as the northern Rivers population swells we should be finding other ways to catch rainwater for drinking, this being by creating another catchment or dam, or increasing the infrastructure if Rocky creek.



**From:** [murray.jones](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 23 April 2021 9:29:23 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: m.jones

Address:

[REDACTED]

Reasons:

It's a no brainer! Look what Coke Cola etc has done with spring water. There's only a finite amount of water underground. Get back in the real world, build the dam for our future of our children's children.

**From:** [Dallas Mlakar](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 23 April 2021 8:49:55 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Dallas Mlakar

Address: [REDACTED]

Reasons: the Dam is the best long term solution for the supply of water for our region. Wild life will return to the dam area after the construction of the dam. And create habits for an abundance of new wild life to the area with very minimal environmental impact.

Sent from my iPad

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 23 April 2021 8:34:17 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 23 April 2021 7:23:48 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Janice Jansen

Address: [REDACTED]

Reasons: WE NEED WATER

Kind regards  
Janice Jansen

[REDACTED]

**From:** [Shellie Star](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 23 April 2021 7:07:45 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Shellie Star

Address: [REDACTED]

Reasons: I grew up in both the Lismore and Byron Shires from aged 4 to 44 both living on rural as well as suburban land. I also plan to return to the area as this is where my family still resides and I have a great love and concern for the area.

I had a combination of town as well as tank, ground water, compost toilet and garden recycling water and I still feel the absolute need at present that the current Dunoon Dam which is the main source of water for Shires to just be expanded as there already is a Dam in place but it just needs to be made larger so that it can catch and retain more water in wet periods and to cater for the expanding and growing populations. I also think this is the most viable solution in the short and long term. In addition to this expansion of the current Dam all residents should be allowed to have and use whatever means is possible to catch, store, recycle water whether they are in rural or suburbia.

In trust that Council will do the right thing and expand the current Dunoon Dam for our current and future generations.

With Gratitude

Shellie Star

**From:** [David Parker](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 23 April 2021 5:52:10 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: David Parker

Address: [REDACTED]

Reasons: secure long term water supply

Sent from my iPad

**From:** [michael.troy](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 22 April 2021 9:01:21 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Michael

Address: [REDACTED]



**From:** [Roy Taylor](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 22 April 2021 8:24:30 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Roy Taylor

Address: [REDACTED]

Reasons: Storing run off water is a no brainer, A series of Dams across the country would give us what the drier areas can use when in need.

One would need 20 pages to put down the advantage of a national water storage system.

**From:** [Kaitie Dillon](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 22 April 2021 8:07:36 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kaitie Dillon

Address: [REDACTED]

Reasons:

Future water supply for the future generations.

Also it's common sense

Sent from my iPhone

**From:** [Denys Wynn](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 22 April 2021 7:49:03 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Denys Wynn

Address: [REDACTED]

Reasons: poor community consultation, energy requirements of desalination, damage to environment of using ground water, dispersed community precludes recycling water.

Sent from my iPhone Denys Wynn

**From:** [Aaron Wheeler](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 22 April 2021 6:37:45 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Aaron Wheeler

Address: [REDACTED]

**From:** [TONY ROSE](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 22 April 2021 4:35:56 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Anthony Rose

Address: [REDACTED]

Reasons: The dam is the only way to future proof our water security. Once built it will have low running costs and little chance of failure.

Desalination is expensive and inefficient.

Recycling is not efficient and there are health issues if the system fails.

The region's underground water supply is already under stress especially in times of drought.

The dam option is a no-brainer.

Water naturally falls in the catchment in the wet season.

Much of the land is already owned and if sold off then takes the option off the table in the future.

Regards  
Anthony Rose

**From:** [Sarah Birt](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 22 April 2021 3:04:05 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Sarah Birt

Address: [REDACTED]

Reasons: We need a safe and secure water supply for the future as the population in the area grows. An additional dam seems to be an appropriate answer given the rainfall the area receives each year.

Sent from my iPhone

**From:** [Deann Tallon](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 22 April 2021 2:49:12 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Rick Tallon

Address: [REDACTED]

Reasons:

Sent from my iPhone

**From:** [Deann Tallon](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 22 April 2021 2:47:25 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Deann Tallon

Address: [REDACTED]

Reasons:

Sent from my iPhone



**From:** [Jill Hepburn](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 22 April 2021 1:20:20 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jill Hepburn

Address: [REDACTED]

Reasons:

Get [Outlook for Android](#)

**From:** [Marilyn Conlan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 22 April 2021 8:26:36 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Daryl Conlan

Address: [REDACTED]

Reasons:

We have enough health problems without introducing the above revised draft integrated water cycle management

Sent from my iPad

**From:** [Marilyn Conlan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 22 April 2021 8:24:34 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Marilyn Conlan

Address: [REDACTED]

Reasons: I am not happy to drink any of the above and feel more public need to voice this

Sent from my iPad

**From:** [Mal Eyeington](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 22 April 2021 7:11:21 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Mal

Address: [REDACTED]

Reasons:

Sent from my iPhone

**From:** [Joel Jensen](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 22 April 2021 6:37:57 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Joel Jensen

Address: [REDACTED]

Reasons: sensible common sense option to support our extreme population growth.

**From:** [Tim Cameron](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 21 April 2021 9:10:19 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Tim Cameron

Address: [REDACTED]

Reasons: we are the food bowl of the northern rivers. Why not keep us providing even in dry times.

Sent from my iPhone

**From:** [Meagan Dillon](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 21 April 2021 8:52:43 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Meagan Dillon

Address: [REDACTED]

Reasons: most cost effective idea

**From:** [alyce benson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 21 April 2021 8:09:48 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Alyce Benson

Address: [REDACTED]

Reasons: the northern rivers is growing at a rapid rate & we need to think into the future and we need a much larger dam to support all the local growth across the northern rivers. If this dam isn't built it will have dire consequences in the future when it will be too late to rectify. THIS DAM MUST BE BUILT. THE AREA IS PERFECT AND GETS ALOT OF WATER FALL.

**BUILD THE DUNOON DAM**

Sent from my iPad



**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 21 April 2021 8:05:16 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Pete Meagher

Address: [REDACTED]

Reasons: To support our growing population as there will be more dry times ahead and they will be more frequent. So any water underground should only be used for agriculture and not for household use.

Regards Pete

**From:** [Malcolm Weight](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 21 April 2021 7:45:55 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Malcolm Weight

Address: [REDACTED]

Reasons: Its just so obvious a dam is the best option as they already own the land, taking water out of the acqifires is the same as extracting LPG out of the ground which all the greenies oppose, me to of course.

Get [Outlook for Android](#)

**From:** [Kel Graham](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 21 April 2021 6:54:21 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Janelle Graham

Address: [REDACTED]

Reasons:

The Dunoon dam is the only sensible option, and it should have been built a long time ago. Build the dam.

Sent from my Galaxy

**From:** [asher barnham](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 21 April 2021 6:43:18 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Asher Barnham

Address: [REDACTED]

**From:** [Ernie Pagotto](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 21 April 2021 6:30:31 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from [Mail](#) for Windows 10

**From:** [Greg katon](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 21 April 2021 2:57:29 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Greg Katon

Address: [REDACTED]

Reasons: a great place to holiday in. With the growth of the area they need the dam.

**From:** [Frank Villegas](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 21 April 2021 2:38:53 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Frank Villegas

Address: [REDACTED]

Reasons: I think it is the only option we have if we want water that everyone can afford and not be on constant water restrictions.

--

Regards  
Frank.

**From:** [Kel Graham](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 21 April 2021 2:32:14 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:  
Kel Graham  
Address:

[REDACTED]

Reasons:

The Dam is the only sensible option to secure our water supply into the future.

I reject, outright, recycled sewerage water,

Desalination is not a viable option and our aquifers MUST be protected. This has gone on far too long, stop the nonsense and build the dam.

Sent from my Galaxy



**From:** [Kel Graham](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 21 April 2021 2:32:14 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:  
Kel Graham  
Address:

[REDACTED]

Reasons:

The Dam is the only sensible option to secure our water supply into the future.

I reject, outright, recycled sewerage water,

Desalination is not a viable option and our aquifers **MUST** be protected. This has gone on far too long, stop the nonsense and build the dam.

Sent from my Galaxy

**From:** [lennard](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 21 April 2021 12:08:53 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Lennard Blok

Address: [REDACTED]

Reasons: To secure long term, sustainable infrastructure for the community

Sent from my Samsung Mobile on the Telstra Mobile Network

**From:** [Wendy McClenaghan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 21 April 2021 12:05:34 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Wendy McClenaghan

Address: [REDACTED]

Reasons:

Desalination plants are very high energy users.

We cannot keep using groundwater which sometimes takes thousands of years to be refilled.

The population of this area is increasing rapidly and we need a long-term solution.

(I'm actually NOT averse to the toilet to tap water idea as I've seen it work.)

I appreciate the work that "greenies" do to keep us mindful of our environment, but sometimes the ideological is not best when the alternatives are high green-house-gas causing solutions.

**From:** [Mary Towle](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 21 April 2021 11:40:49 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Marion Hume](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 21 April 2021 11:28:01 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).


I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.


I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Marion Hume

Address 

Reasons:

--

This email has been checked for viruses by AVG.  


**From:** [Dean Whitten](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 21 April 2021 6:42:46 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager, Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy. As a permanent water supply source: I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville. I DO NOT support desalination (filtered seawater). I DO NOT support potable water reuse (toilet to tap) as drinking water. Additionally, I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region. Name: Address: Reasons:

**From:** [Den Cutting](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 9:37:01 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Dennis Cutting

Address: [REDACTED]

Reasons: A growing population requires more of everything ,especially water . Letting our frequent floods just run out to sea and not try to save some of the water for the future is plain stupid .

Sent from [Mail](#) for Windows 10

**From:** [Lynelle Dillon](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 9:16:34 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone



**From:** [Mitchell Mowle](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 8:54:14 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Mitchell Mowle

Address: [REDACTED]

Reasons: rapid population growth, rocky creek was designed for Lismore only, infrastructure for the future

Sent from my iPad

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 8:26:00 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 8:26:00 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

**From:** [Cheryl Ann](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 8:19:17 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Cheryl McCarthy

Address:



Reasons:

Secure water supply for our children's future.

Dam is the most economical option for ratepayers.

The possibility of running out of water is unthinkable!

**From:** [Emma Charters](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 8:18:18 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Emma Charters

Address: [REDACTED]

Reasons: Best long term viable option to address our region's water security issues.

Kind Regards

Emma

Sent from my iPhone

**From:** [Blair and Olivia Flynn](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 8:10:23 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Blair Flynn

Address: [REDACTED]

Reasons: future sustainability for our region

Sent from my iPad

**From:** [Veronica Barnett](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 8:04:03 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Veronica Barnett

Address: [REDACTED]

Reasons: The dam is the cheapest and best option for future water supply in this area, the plans for a recreational dam would benefit the entire community. Waste from desalination plants create a new set of major problems, the water quality in many existing bores is poor and recycled water from Lismore and Ballina would not keep up with demand.

**From:** [Anthony Brooke](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 6:56:59 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Anthony Brooke

Address: 8 [REDACTED]

Reasons:

Do not give up land that has been set aside for dam use. To acquire suitable land in the future will be a great cost. Use of ground water has serious environmental impact.

Desalination plants are expensive to run and maintain.

The mistake of giving up land has been made in other states and has required them to look for more land or costly alternatives when a drought cycle occurs.

Regards  
Anthony Brooke



**From:** [Robert Pellizzari](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 6:38:30 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: M Pellizzari

Address: [REDACTED]

Reasons: I grew up when we didn't have enough water so I know how important it is to plan long term for the future generations to make sure they have

Sent from my iPhone

**From:** [Murray Harnett](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 6:01:14 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Murray harnett

Address: [REDACTED]

Reasons:

**From:** [Luciano and Janel Feltrin](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 4:19:44 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Janel Feltrin

Address: [REDACTED]

Reasons:

Get [Outlook for Android](#)

**From:** [Leo Torrado](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 4:03:26 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Leo Torrado

Address: [REDACTED]

Reasons: Its the most reasonable and cost effective method

Get [Outlook for Android](#)

**From:** [Tony PACCHIAROTTA](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 3:38:29 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Justin Hunter](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 3:10:36 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Justin Hunter

Address [REDACTED]

Reasons:

1. Desalination is extremely expensive and upkeep unaffordable
2. Ground water is a limited resource which when tapped into during extended dry periods will severely deplete that resource and our agricultural industry

Regards  
Justin Hunter

**From:** [Industrial Spares - Lismore](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 1:13:19 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:  
Darren Barnsley  
Address:

[REDACTED]

Reasons:

We put people in charge to make informative decisions. If they can't make it they should not be there.

Also, Drug and Alcohol testing should be mandatory before any decisions are made.

**From:** [Wayne Dobbs](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 1:09:04 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Wayne Dobbs

Address: [REDACTED]

Reasons: water security

Get [Outlook for Android](#)



**From:** [Marilyn Olley](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 11:53:34 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Marilyn Olley

Address: [REDACTED]

Reasons:

Commonsense

Sent from my iPad

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 11:25:46 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Neil Chesworth

Address: [REDACTED]

Reasons: It is the best option to secure water for the region to 2080 and beyond. The savings to the community in flood mitigation is out there on its own. The other three options do nothing to reduce the flooding affects on the community.

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 10:42:59 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Warwick Lunnon

Address: [REDACTED]

Reasons: All of the above

**From:** [Ian Savins](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 10:24:48 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ian Savins

Address: [REDACTED]

Reasons: as outlined above

Sent from my iPhone

**From:** [Lisa Rose](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 8:52:20 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

**From:** [kzorz056](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 8:30:19 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kevin Zorzo

Address:



Reasons:

Water security for the future

Sent from my Galaxy

**From:** [Warren Garwood](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 8:01:28 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from [Mail](#) for Windows 10

**From:** [james barnier](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 7:22:37 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: James barnier

Address: [REDACTED]

Reasons: we need real water security.

Sent from my Galaxy



**From:** [Ian Purdue](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 7:15:58 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ian Purdue

Address: [REDACTED]

Reasons: Our community needs a sensible and affordable future water supply option. I believe the building of the Dunoon dam is the number one best option for the future water supply security for our region.

**From:** [Athol Lane](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 6:43:26 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Athol Lane

Address: [REDACTED]

Reasons: I have advocated building another dam since the last prolonged drought.

Sent from my iPhone

**From:** [Tom Duncan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 5:35:32 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Tom Duncan

Address: [REDACTED]

Reasons: we need long term water solutions, not just band aid solutions, Dunoon Dam is a feasible option which needs to be fully explored with no politics involved, the focus needs to be on the future, not individual political careers

Get [Outlook for Android](#)

**From:** [Todd Hayes](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 5:33:20 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: [REDACTED]

Address: Dyraaba

Reasons: need more water supply fir the growing northern rivers

Sent from my iPhone

**From:** [pete charlton](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 2:31:23 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Pete Charlton

Address: [REDACTED]

Reasons: we need more water

Pete  
[REDACTED]

**From:** [Gretta Holt](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 10:30:09 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Gretta Holt

Address: [REDACTED]

Reasons: To secure water supply in the region for years to come.

Sent from my iPhone

**From:** [Tiffany Chilcott](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 10:07:38 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Tiffany Chilcott

Address: [REDACTED]

Reasons: It's common sense! Saves everyone money and it's logical. We have the water that falls so much in our area, let's catch it.

Sent from my iPhone

**From:** [Lance Holcombe](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 9:58:10 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: L Holcombe

Address: [REDACTED]

Reasons: the Dunoon dam is the only failsafe, long term option where one project can support the whole Northern Rivers. Dams have been used very successfully by other local councils and only serve to enhance our local environment.

Stop being the laughing stock and start building the dam before Lismore floods properly in 2025.

Sent from my iPhone



**From:** [gazzamac13](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 9:46:21 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Gary McDonald

Address: [REDACTED]

Reasons: Dam is the best option

Sent from my SAMSUNG Galaxy Note5 on the Telstra Mobile Network

**From:** [Peter](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 9:07:10 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Peter Best

Address: [REDACTED]

Reasons: Looking to the future and amount of people moving to the area, this is the best and safest option for our area. Common sense should prevail.

Sent from my iPhone

**From:** [Naomi Robinson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 9:04:13 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Naomi Robinson

Address: [REDACTED]

Reasons: As we need a sustainable water storage for the northern rivers.

Sent from my iPhone

**From:** [Sodhi Bus Service](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 8:45:19 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Joga Sodhi

Address: [REDACTED]

Reasons:

Reliable source of water

Sent from my iPhone

**From:** [Clem Cummings](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 8:19:52 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:clement cummings

Address:



Reasons:

my family health security ect

**From:** [emma field](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 7:49:05 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Emma field

Address: [REDACTED]

Reasons: as stated above

Sent from my iPhone

**From:** [Fay Ross](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 7:48:49 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:Fay Ross

Address:



Reasons:A dam is needed for future population growth, it's the only way to guarantee long term water supply.

**From:** [Donna Wilder](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 7:48:01 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Donna Wilder

Address: [REDACTED]

Reasons: I feel any chance we have of having a water supply storage in place will benefit our communities rather than not having water.



**From:** [Denise Montgomery](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 7:33:00 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

We, myself, my family and many friends insist that Dunolly I Dam be taken more than seriously, we need it for our families future, this 1 % who have disagreed no doubt are a way out of realities thinking and knowledge of definite necessity. We need Dunoon Dam to go ahead, we do not except the disgusting alternatives, Our future and our children and Grandchildren need the Dam to be used appropriately, THERE IS NO OPTION. I'd put money on the fact that anyone who disagrees are in a backward mindset and have lost touch with what our whole communities future needs, 1% is irrelevant and obviously need urgent 8n depth education.

**From:** [Anne Turcato](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 7:31:21 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Anne turcato

Address: [REDACTED]  
[REDACTED]

Reasons: so that our community will have a continuous water supply.

Sent from my iPhone

**From:** [Paul Murphy](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 7:30:54 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Paul Murphy

Address: [REDACTED]

Reasons: As our local population grows we will require the additional resources for water security for our communities.

Regards  
Paul Murphy  
Sent from my iPad

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 7:27:55 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: michela santin

Address: [REDACTED]

Reasons: We need clean water to live!!!!

Sent from my iPhone

**From:** [Doug McDonald](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 7:18:52 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Douglas McDonald

Address: [REDACTED]

Reasons: We need to look at the long term supply of water and a dam is the only guarantee of this.

Sent from [Mail](#) for Windows 10



Virus-free. [www.avg.com](http://www.avg.com)

**From:** [Franc Hancock](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 7:00:53 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: franc HANCOCK

Address: [REDACTED]

Reasons: tanks don't last in drought, dams do, we cannot treat the aquifer like we do our resources or the ocean, the aquifer is not there to be raped

Sent from Oz

**From:** [Sharon Palmer](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 6:31:35 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Sharon Palmer



Reasons:

Dam water free from the sky,

I don't want to drink or have anything to do with toilet to tap water

Sent from my iPhone

**From:** [slrs](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 6:31:34 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Scott Robinson

Address: [REDACTED]

Reasons: We need a sustainable stored water source for the needs of the northern rivers. This perhaps can also allow the connection of Casino to Rous to help secure its water supply in drought.

Sent from my Galaxy



**From:** [Darylene Beardow](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 6:31:26 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Darylene Beardow

Address: [REDACTED]

Reasons:

I don't support potable water reuse. The dam should be put back on the table it is a necessity for long term water use. Listen to the people of this region!

Sent from my iPad

**From:** [Zach Burgess](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 6:27:36 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:  
Zach Burgess  
Address:

[REDACTED]

Reasons:  
Because I do not want to drink toilet water.

**From:** [Andrew Roberts](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 5:59:50 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Andrew Roberts

Address: [REDACTED]

Reasons:

I do believe that using ground water from the Alstonville Aquifer will have a detrimental effect on the overall health of the aquifer and waterways within the area.

Regards,

Andrew Roberts

**From:** [ldielman](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 5:46:54 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Leanne Dielman

Address: [REDACTED]

Reasons:

We need to secure water to our area that is going to help the future of us all as the community is growing with everyone from the city wanting to move up here.

Sent from my Galaxy

**From:** [Carolyn](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 5:28:25 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Carolyn Ross

Address: [REDACTED]

Reasons: Rocky Creek Dam is not enough for the area it serves as well as the amount of people on tanks who when run out of water refill using the dam water.

Get [Outlook for Android](#)

**From:** [Elizabeth Davis](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 4:33:42 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager, Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy. As a permanent water supply source: I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville. I DO NOT support desalination (filtered seawater). I DO NOT support potable water reuse (toilet to tap) as drinking water. Additionally, I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region. Name: Address: Reasons:

**From:** [Jo-Anne Knight](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 4:02:56 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jo-Anne Knight

Address: [REDACTED]

Reasons:

No one wants to return to the previous restrictions when the dam was about 20-25% full.

Sent from my iPhone

**From:** [John Condie](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 3:36:51 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: John Condie

Address: [REDACTED]

Reasons: I believe a dam is the best option water source our region protecting it from droughts.

I would assume the cost to build the dam would be considered cheap and basically maintenance free compared to offshore distillation plants and far better than trucking it or building a pipeline.

Please DO not allow a small annoying loud group of people have their say as the community support outnumbered them massively.

Please reconsider building the dam.

Kind regards

John Condie

Sent from my iPhone



**From:** [Julie Cummins](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 3:34:56 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Robert cummins

Address: [REDACTED]

Reasons: we need as much water storage as possible

Sent from [Mail](#) for Windows 10

**From:** [lorraine.sexton](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 3:18:35 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Lorraine Sexton

Address: [REDACTED]

Reasons: we need another Dam to keep up with growth.

Sent from my iPhone

**From:** [Rodney Moore](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 2:31:21 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Rodney Moore

Address: [REDACTED]

Reasons: We currently enjoy a good supply of water in this area because of our forefathers decisions to build the Dunoon dam when they did, surely our future generations should be able look back to this time and thank this generation for having the vision so that they to may enjoy a sustainable supply of fresh water!

Cheers Rod Moore

**From:** [Home Email](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 2:29:40 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Cherina

Address: [REDACTED]

Reasons: this has been going on for too long  
Do we have to wait for another drought  
Or another flood  
Either way the dam is needed for the growing population

Sent from my iPhone

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 2:03:46 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Don Noble

Address: [REDACTED]

Reasons: I think it is extraordinary that the Dunoon Dam proposal was not just moved down the list of priorities but removed altogether without further investigation. Surely due diligence would require a proper investigation of ALL options? We were told that 87% of the community opposed pulling gas out of the ground. Now we are being told, and by some of the same people, that it is OK to pull water out of the underground aquifers. What will be the long term effect of such action on these aquifers? History tells us that we mess with nature at our own peril!

I was gobsmacked by two speakers at a recent LCC meeting on this matter. Both made comments along the line that we need to develop water strategies 'that are not reliant on rain'!! How can any water strategy not be reliant on rain? Rain is where water comes from!!

I don't know if the Dunoon Dam is the best option for our future water needs, but it must be investigated fully alongside the other options and not be discarded by the decision of a few. I believe the majority of the community would expect that diligence from our water supply authority.

Regards, Don Noble

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 1:57:08 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Matthew Priddle

Address: [REDACTED]

Reasons:

It makes more sense than anything on the table

Sent from my iPhone

**From:** [Brett"s](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 1:54:33 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Brett Beardow

Address: [REDACTED]

Reasons: I don't like the idea of drinking recycled sewerage water. The dam is easily the best option by far.

Sent from my iPhone

**From:** [Mark Winkler](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 1:48:15 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Mark Winkler

Address: [REDACTED]

Reasons: This is the most secure long term water supply solution with many other benefits.



**From:** [Matthew Sayers](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 1:43:17 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Matthew Sayers

Address: [REDACTED]

Reasons: The Lismore region needs a much larger back up during times of intense drought to safeguard us.

Sent from my iPhone

**From:** [Lucy](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 1:39:00 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Lucy & Nick Murray

Address: [REDACTED]

Reasons:  
Multiple

Lucy Murray

**From:** [Lucy](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 1:39:00 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Lucy & Nick Murray

Address: [REDACTED]

Reasons:  
Multiple

Lucy Murray

**From:** [Ian Mulligan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 1:26:42 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ian Mulligan

Address: [REDACTED]

[REDACTED]

Reasons: We need the security of future water harvesting to support the ongoing increase in to the population our region. When the dam is completed it will also help manage flood events to Lismore and downstream areas.

**From:** [tracey.smith](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 1:18:29 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager, Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy. As a permanent water supply source: I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville. I DO NOT support desalination (filtered seawater). I DO NOT support potable water reuse (toilet to tap) as drinking water. Additionally, I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region. Name: Address: Reasons: Sent from OPPO Mail

**From:** [Daniel Rollinson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 9:15:24 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Daniel Rollinson

Address [REDACTED]

Reasons:

I support water sustainability infrastructure in the region and in Australia we do not have enough dams. It's a no brainer for me.

I work in the horticultural and agricultural industry in the region there is severe lack of water structure across the wider region also need to be supporting more dams.

Regards

Dan Rollinson

**From:** [Dylan Butcher](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Monday, 19 April 2021 7:33:16 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Dylan Butcher

Address: [REDACTED]

Reasons: we need a cost effective way to guarantee future water supply

Sent from my iPhone

**From:** [mark kearns](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 18 April 2021 7:27:57 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Name: Mark Kearns

Address: [REDACTED]

Document Name: Revised Draft Integrated Water Cycle Management Strategy

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option.

I DO NOT support desalination (filtered seawater) as a primary source augmentation option.

I DO NOT support potable water reuse (toilet to tap) as drinking water as a primary source augmentation option.

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the dam proposal being identified as a primary source augmentation option to ensure long-term water supply security for the region.

Reasons:

Thank you.

Sent from my iPad



**From:** [Elizabeth Kearns](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 18 April 2021 7:17:58 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Name:  
Elizabeth Kearns

Address:

Document Name: Revised Draft Integrated Water Cycle Management Strategy

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option.

I DO NOT support desalination (filtered seawater) as a primary source augmentation option.

I DO NOT support potable water reuse (toilet to tap) as drinking water as a primary source augmentation option.

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the dam proposal being identified as a primary source augmentation option to ensure long-term water supply security for the region.

Reasons:

Thank you.

Sent from my iPad

**From:** [Noel Morgan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 18 April 2021 7:13:15 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Name: Noel Morgan

Address: [REDACTED]

Document Name: Revised Draft Integrated Water Cycle Management Strategy

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option.

I DO NOT support desalination (filtered seawater) as a primary source augmentation option.

I DO NOT support potable water reuse (toilet to tap) as drinking water as a primary source augmentation option.

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the dam proposal being identified as a primary source augmentation option to ensure long-term water supply security for the region.

Reasons:

Thank you.

Sent from my iPhone

**From:** [Wiebke Viereck](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 18 April 2021 7:04:06 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Name: Wiebke Elena Viereck

Address: [REDACTED]

Document Name: Revised Draft Integrated Water Cycle Management Strategy

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option.

I DO NOT support desalination (filtered seawater) as a primary source augmentation option.

I DO NOT support potable water reuse (toilet to tap) as drinking water as a primary source augmentation option.

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the dam proposal being identified as a primary source augmentation option to ensure long-term water supply security for the region.

Thank you.

**From:** [Wilson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 18 April 2021 6:38:29 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Name:

Address:

Document Name: Revised Draft Integrated Water Cycle Management Strategy

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option.

I DO NOT support desalination (filtered seawater) as a primary source augmentation option.

I DO NOT support potable water reuse (toilet to tap) as drinking water as a primary source augmentation option.

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the dam proposal being identified as a primary source augmentation option to ensure long-term water supply security for the region.

Reasons:

Thank you.

Sent from my iPad

**From:** [paul davis](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 18 April 2021 6:19:19 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Name: Paul Davis

Address: [REDACTED]

Document Name: Revised Draft Integrated Water Cycle Management Strategy

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option.

I DO NOT support desalination (filtered seawater) as a primary source augmentation option.

I DO NOT support potable water reuse (toilet to tap) as drinking water as a primary source augmentation option.

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the dam proposal being identified as a primary source augmentation option to ensure long-term water supply security for the region.

Reasons: there's not enough water...

Thank you.

Sent from my iPhone

**From:** [Jan Wehrheim](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 18 April 2021 6:11:50 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Name: Saskia Hylmar

Address: [REDACTED]  
[REDACTED]

Document Name: Revised Draft Integrated Water Cycle Management Strategy

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option.

I DO NOT support desalination (filtered seawater) as a primary source augmentation option.

I DO NOT support potable water reuse (toilet to tap) as drinking water as a primary source augmentation option.

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the dam proposal being identified as a primary source augmentation option to ensure long-term water supply security for the region.

Reasons: to ensure long-term water supply security for the region

Thank you.

Von meinem iPhone gesendet

**From:** [Jan Wehrheim](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 18 April 2021 6:10:35 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Name:  
Jan Wehrheim  
Address:



Document Name: Revised Draft Integrated Water Cycle Management Strategy

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option.

I DO NOT support desalination (filtered seawater) as a primary source augmentation option.

I DO NOT support potable water reuse (toilet to tap) as drinking water as a primary source augmentation option.

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the dam proposal being identified as a primary source augmentation option to ensure long-term water supply security for the region.

Reasons:

to ensure long-term water supply security for the region

Thank you.

Von meinem iPhone gesendet

**From:** [Gwenda Marshall](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 18 April 2021 3:42:19 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Name: Gwenda Marshall

Address: [REDACTED]

Document Name: Revised Draft Integrated Water Cycle Management Strategy

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option.

I DO NOT support desalination (filtered seawater) as a primary source augmentation option.

I DO NOT support potable water reuse (toilet to tap) as drinking water as a primary source augmentation option.

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the dam proposal being identified as a primary source augmentation option to ensure long-term water supply security for the region.

Reasons: the aquifers also have limited water and during drought times these will not fill up.

Also, the thought of using potable water for drinking is not on.

The public Have to be told the truth as to the actual costs of these compared to the dam. I understand in the long run the dam is the cheaper alternative.

Thank you.

Sent from my iPhone



**From:** [Daryl Sten](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Sunday, 18 April 2021 3:20:07 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Name: Daryl Sten

Address: [REDACTED]

Document Name: Revised Draft Integrated Water Cycle Management Strategy

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option.

I DO NOT support desalination (filtered seawater) as a primary source augmentation option.

I DO NOT support potable water reuse (toilet to tap) as drinking water as a primary source augmentation option.

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the dam proposal being identified as a primary source augmentation option to ensure long-term water supply security for the region.

Reasons:

Thank you.

Sent from my iPhone

**From:** [Pippa Jackson](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 17 April 2021 8:34:17 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Name: Pippa Jackson

Address: [REDACTED]

Document Name: Revised Draft Integrated Water Cycle Management Strategy

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option.

I DO NOT support desalination (filtered seawater) as a primary source augmentation option.

I DO NOT support potable water reuse (toilet to tap) as drinking water as a primary source augmentation option.

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the dam proposal being identified as a primary source augmentation option to ensure long-term water supply security for the region.

Reasons: The Dam is more economically viable for the community long term and it makes more sense to capture the flood waters.

Thank you.

Sent from my iPhone

**From:** [Kyn Drake](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 17 April 2021 4:53:46 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Name: Kyn Drake

Document Name: Revised Draft Integrated Water Cycle Management Strategy

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option.

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the dam proposal being identified as a primary source augmentation option to ensure long-term water supply security for the region.

Thank you.

**From:** [Annika Friedrich](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 17 April 2021 1:47:00 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Name: Annika Friedrich

Address: [REDACTED]

Document Name: Revised Draft Integrated Water Cycle Management Strategy

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option.

I DO NOT support desalination (filtered seawater) as a primary source augmentation option.

I DO NOT support potable water reuse (toilet to tap) as drinking water as a primary source augmentation option.

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the dam proposal being identified as a primary source augmentation option to ensure long-term water supply security for the region.

Reasons:

The proposed alternatives do not offer the same beneficial outcomes like the proposed Dunoon Dam. Especially cost wise the Dam project would in the long run offer more possibilities for other projects beneficial to the community, than the expensive desalination, aquifer or portable water reuse ideas.

Thank you.

**From:** [John Dorrington](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 16 April 2021 12:15:38 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Name: Maria Dorrington

Address: [REDACTED]

Document Name: Revised Draft Integrated Water Cycle Management Strategy

I DO NOT support groundwater harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option.

I DO NOT support desalination as a primary source augmentation option.

I DO NOT support potable water reuse for drinking water as a primary source augmentation option.

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the Dunoon Dam being identified as a primary source augmentation option to ensure long-term water supply security for the region.

Reasons:

Thank you.

\*\*\*\*\* The contents of this email and its attachments are confidential and intended solely for the use of the individual or entity to whom they are addressed. \*\*\*\*\*

**From:** [John Dorrington](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 16 April 2021 12:13:58 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Name: John Dorrington

Address: [REDACTED]

Document Name: Revised Draft Integrated Water Cycle Management Strategy

I DO NOT support groundwater harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option.

I DO NOT support desalination as a primary source augmentation option.

I DO NOT support potable water reuse for drinking water as a primary source augmentation option.

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the Dunoon Dam being identified as a primary source augmentation option to ensure long-term water supply security for the region.

Reasons:

Thank you.

\*\*\*\*\* The contents of this email and its attachments are confidential and intended solely for the use of the individual or entity to whom they are addressed. \*\*\*\*\*

**From:** [Suzanne Mazzer](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 15 April 2021 10:18:39 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager, Name: Address: Document Name: Revised Draft Integrated Water Cycle Management Strategy I DO NOT support groundwater harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option. I DO NOT support desalination as a primary source augmentation option. I DO NOT support potable water reuse for drinking water as a primary source augmentation option. I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the Dunoon Dam being identified as a primary source augmentation option to ensure long-term water supply security for the region. Reasons: Thank you.

Sent from my iPhone

**From:** [john.mazzer](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Thursday, 15 April 2021 9:39:41 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager, Name: Address: Document Name: Revised Draft Integrated Water Cycle Management Strategy I DO NOT support groundwater harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option. I DO NOT support desalination as a primary source augmentation option. I DO NOT support potable water reuse for drinking water as a primary source augmentation option. I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the Dunoon Dam being identified as a primary source augmentation option to ensure long-term water supply security for the region. Reasons: Thank you.

John Mazzer. Lismore 2480

Sent from my iPhone



**From:** [Tom Leahy](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 14 April 2021 8:25:23 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Name: Address: Document Name: Revised Draft Integrated Water Cycle Management Strategy I DO NOT support groundwater harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option. I DO NOT support desalination as a primary source augmentation option. I DO NOT support potable water reuse for drinking water as a primary source augmentation option. I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the Dunoon Dam being identified as a primary source augmentation option to ensure long-term water supply security for the region.

Reasons: Thank you.

Sent from my iPhone

**From:** [Gabriele Wehrheim](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 14 April 2021 7:53:12 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager, Name: Gabi Wehrheim Address: [REDACTED] Document Name: Revised Draft Integrated Water Cycle Management Strategy I DO NOT support groundwater harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option. I DO NOT support desalination as a primary source augmentation option. I DO NOT support potable water reuse for drinking water as a primary source augmentation option. I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the Dunoon Dam being identified as a primary source augmentation option to ensure long-term water supply security for the region. Reasons: Thank you.

Von meinem iPhone gesendet

**From:** [Leander Wehrheim](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Wednesday, 14 April 2021 7:32:54 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager, Name:Leander Wehrheim Address: [REDACTED] Document Name:  
Revised Draft Integrated Water Cycle Management Strategy I DO NOT support groundwater harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option. I DO NOT support desalination as a primary source augmentation option. I DO NOT support potable water reuse for drinking water as a primary source augmentation option. I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the Dunoon Dam being identified as a primary source augmentation option to ensure long-term water supply security for the region. Reasons: Thank you.

Von meinem iPhone gesendet


**From:** [Austin Curtin](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 13 April 2021 8:50:46 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager, Name: Address: Document Name: Revised Draft Integrated Water Cycle Management Strategy I DO NOT support groundwater harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option. I DO NOT support desalination as a primary source augmentation option. I DO NOT support potable water reuse for drinking water as a primary source augmentation option. I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the Dunoon Dam being identified as a primary source augmentation option to ensure long-term water supply security for the region. Reasons: Thank you.

Austin Curtin

*\*Please note my email address has changed to* 

**From:** [O J](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 13 April 2021 8:17:28 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager, Name: Address: Document Name: Revised Draft Integrated Water Cycle Management Strategy I DO NOT support groundwater harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option. I DO NOT support desalination as a primary source augmentation option. I DO NOT support potable water reuse for drinking water as a primary source augmentation option. I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the Dunoon Dam being identified as a primary source augmentation option to ensure long-term water supply security for the region. Reasons: Thank you.

**From:** [nick Scheibel](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 13 April 2021 7:46:52 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager, Name: Address: Document Name: Revised Draft Integrated Water Cycle Management Strategy I DO NOT support groundwater harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option. I DO NOT support desalination as a primary source augmentation option. I DO NOT support potable water reuse for drinking water as a primary source augmentation option. I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the Dunoon Dam being identified as a primary source augmentation option to ensure long-term water supply security for the region. Reasons: Thank you.

Sent from my iPhone

**From:** [Belinda Reid](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 13 April 2021 6:59:59 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager, Name: Address: Document Name: Revised Draft Integrated Water Cycle Management Strategy I DO NOT support groundwater harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option. I DO NOT support desalination as a primary source augmentation option. I DO NOT support potable water reuse for drinking water as a primary source augmentation option. I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the Dunoon Dam being identified as a primary source augmentation option to ensure long-term water supply security for the region. Reasons: Thank you.

Sent from my iPhone

**From:** [Scott](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 13 April 2021 6:21:26 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager, Name: Address: Document Name: Revised Draft Integrated Water Cycle Management Strategy I DO NOT support groundwater harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option. I DO NOT support desalination as a primary source augmentation option. I DO NOT support potable water reuse for drinking water as a primary source augmentation option. I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the Dunoon Dam being identified as a primary source augmentation option to ensure long-term water supply security for the region. Reasons: Thank you.

Sent from my iPhone



**From:** [Julie Hannigan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 13 April 2021 5:35:31 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager, Name: Address: Document Name: Revised Draft Integrated Water Cycle Management Strategy I DO NOT support groundwater harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option. I DO NOT support desalination as a primary source augmentation option. I DO NOT support potable water reuse for drinking water as a primary source augmentation option. I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the Dunoon Dam being identified as a primary source augmentation option to ensure long-term water supply security for the region. Reasons: Thank you.

**From:** [Jason Cravigan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 13 April 2021 4:52:50 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager, Name: Address: Document Name: Revised Draft Integrated Water Cycle Management Strategy I DO NOT support groundwater harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option. I DO NOT support desalination as a primary source augmentation option. I DO NOT support potable water reuse for drinking water as a primary source augmentation option. I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the Dunoon Dam being identified as a primary source augmentation option to ensure long-term water supply security for the region. Reasons: Thank you.

Sent from my iPhone

**From:** [Stephen Paisley](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 13 April 2021 4:28:43 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager, Name: Address: Document Name: Revised Draft Integrated Water Cycle Management Strategy I DO NOT support groundwater harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option. I DO NOT support desalination as a primary source augmentation option. I DO NOT support potable water reuse for drinking water as a primary source augmentation option. I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the Dunoon Dam being identified as a primary source augmentation option to ensure long-term water supply security for the region. Reasons: Thank you.

Sent from my iPhone

**From:** [Renee King](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 13 April 2021 4:23:50 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Name:

Address:

Document Name: Revised Draft Integrated Water Cycle Management Strategy

I DO NOT support groundwater harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option.

I DO NOT support desalination as a primary source augmentation option.

I DO NOT support potable water reuse for drinking water as a primary source augmentation option.

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the Dunoon Dam being identified as a primary source augmentation option to ensure long-term water supply security for the region.

Reasons:

We need water to live

Thank you.

Sent from [Mail](#) for Windows 10

**From:** [Thomas George](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 13 April 2021 1:47:06 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager, Name: Address: Document Name: Revised Draft Integrated Water Cycle Management Strategy I DO NOT support groundwater harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option. I DO NOT support desalination as a primary source augmentation option. I DO NOT support potable water reuse for drinking water as a primary source augmentation option. I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the Dunoon Dam being identified as a primary source augmentation option to ensure long-term water supply security for the region. Reasons: Thank you.

Sent from my iPhone

**From:** [Thomas Trevan](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 10 April 2021 6:18:43 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Name:

Address:

Document Name: Revised Draft Integrated Water Cycle Management Strategy

I DO NOT support groundwater harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option.

I DO NOT support desalination as a primary source augmentation option.

I DO NOT support potable water reuse for drinking water as a primary source augmentation option.

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the Dunoon Dam being identified as a primary source augmentation option to ensure long-term water supply security for the region.

Reasons:

Thank you.

**From:** [Col Baker](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Friday, 9 April 2021 6:47:31 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager, Name: Address: Document Name: Revised Draft Integrated Water Cycle Management Strategy I DO NOT support groundwater harvesting at Woodburn, Tyagarah, Newrybar and Alstonville as a primary source augmentation option. I DO NOT support desalination as a primary source augmentation option. I DO NOT support potable water reuse for drinking water as a primary source augmentation option. I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam, so that reports may be completed which may result in the Dunoon Dam being identified as a primary source augmentation option to ensure long-term water supply security for the region. Reasons: Thank you.

Sent from my iPhone

**From:** [Big Rob](#)  
**To:** [Records](#)  
**Subject:** I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Saturday, 29 May 2021 12:00:17 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Big Rob

Address: [REDACTED]

Reasons: I believe it is completely inappropriate to consider only three of the four options going forward without completing all the reports so an informed decision can ultimately be made.

After years of support, making such an unexpected decision to remove the Dunoon Dam on what appears to be clearly political grounds is just ludicrous. They had seven years to make such a decision. As a result, those councillors involved in this fiasco should be removed from Rous County Council.

I also believe the withholding of the cultural heritage report alone is grounds to take us back to a pre-December position. Pro-dammers have not had an opportunity to properly consider what is supposed to be a document that was on exhibition. This is considered procedurally unfair when one section of the community were provided access.

Save our money and go back to the previous plan.

Regards,

Big Rob



**From:** [Mary Tanner](#)  
**To:** [Records](#)  
**Subject:** I DO support a Dunoon Dam option  
**Date:** Sunday, 2 May 2021 5:48:14 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply

I DO NOT support potable water reuse (toilet to tap) as drinking water.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Mary Tanner

Address: [REDACTED]

Reasons: water security is paramount to this region. A dam at Dunoon should be explored to see if it can be a viable option.



12th April 2021

To: Rous County Councillors  
General Manager, Rous County Council

**SUBMISSION: Future Water Project 2060**

Dear Councillors,

From your mission statement, 'to secure our region a high quality drinking water supply for future generations.... we wish to draw the following observations and commentary.

- \* we acknowledge the traditional custodians of our land.
- \* Existing water sources have been successful in allowing for growth in population and increased consumption. Rous County Council has presumed and allowed for the future growth by augmentation with the Wilsons River and Emigrant Creek Dam.
- \* The Rous CC had anticipated growth and, with wisdom, acquired land for the establishment of the 'Dunoon Dam' to add security to future water needs of the region.
- \* In an earlier investigation (2020), the 'Scenario 2' includes the connection of Marom Creek Water Treatment Plant to the Rous Regional supply in the short term with the construction of a new dam at Dunoon.
- \* Scenario 2 was based on a whole of life costing assessment beyond the 2060 planning horizon. This recommendation is supported by Council's policy when considering new infrastructure projects.
- \* The proposed newer alternatives: ground water sources, recycled water and desalination, appear at first instance, to be a composite of temporary, costly and unsustainable options.
- \* Ground water from the Alstonville Plateau, or elsewhere in the region, is an unproven and more than likely, an unsustainable source. Over many years, local governments have increasingly permitted/licensed the exploitation of ground water for commercial and agricultural use. Even the most senior scientist cannot verify the quantum or potential sustainability of this water source.
- \* Recycled water is already a feature of local government planning and implementation of a water strategy. Purification is a worthwhile ambition, but, untested on large populations, as a sustainable option.

- \* Seawater desalination is also a worthwhile ambition. It is very costly and unsustainable as a major regional source of water.
- \* Future potential options, as listed the RCC project papers, do not, and can not enable the provision of a sustainable water supply beyond 2060. They require the back up of the larger dams to underpin supply in droughts.
- \* Augmentation of the existing network of supply sources is the heart of the issue. Sustainability of any new source must be the benchmark by which to proceed.

**Recommendation:**

1. The Rous County Council retain any and all land holdings which were originally acquired for the purposes of regional water supply augmentation.
2. The Rous County Council reconsider the construction of the Dunoon Dam as the most viable, enduring and sustainable water source beyond 2060.

Residents of Alstonville:

Kevin Walsh  
Jo Walsh



**From:** [sthnwatch](#)  
**To:** [Records](#)  
**Subject:** Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 19 April 2021 12:17:29 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Integrated Water Cycle Management (IWCN) Strategy.

Re: Permanent water source...

I OPPOSED TO USE OF GROUNDWATER (aquifer) HARVESTING;

I AM HIGHLY OPPOSED TO ANY DESALINATION OF WATER FOR DOMESTIC SUPPLY;

I AM OPPOSED TO THE DESPERATE REUSE OF POTABLE WATER (toilet to tap) as drinking water. THIS IS NOT AN OPTION.

Additionally,  
I OPPOSE ANY proposed Dunoon Dam land disposal.

I AM NOT OPPOSED TO the preferred option of recommencement work on the proposed Dunoon Dam, so reports may be completed to result in the dam proposal being identified as a new water supply source. This is because this option should ensure the vital long-term water supply security for the region.

Name: Mr. STEVEN ROBERT JAMES

Address:



Reasons: Vital clean and fresh water supply

**From:** [Beth Trevan](#)  
**To:** [Records](#)  
**Subject:** IWCM Submission  
**Date:** Wednesday, 26 May 2021 9:53:57 AM  
**Attachments:** [GM ROUS.pdf](#)

---

**CYBER SECURITY WARNING** – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager

Please find attached my response to the Revised Draft Integrated Water Cycle Management (IWCM) Strategy

Your sincerely

Beth Trevan



## Valley landholders

It came as no surprise to seasoned valley landholders when ex-Cyclone Debbie swept in from the coast and brought Lismore to its knees with horrific flooding in March 2017.

Decades of floodplain interference had left the city as a sitting duck, helplessly awaiting the flooding onslaught from a highly urbanised upper catchment powering down from as far afield as the border ranges and Coopers Shoot above Byron Bay.

Just completed is an \$8.2 million channel running west of the airport in the hope of regaining some form of floodplain normality.

No such luck in the adjoining Ballina Shire, housing a similar floodplain format as Lismore. Ongoing is an opposite floodplain policy sprouting a relentless wetland landfill to the disdain of shire residents.

Prior to the Ballina Bypass start, residents attended flood meetings and begged for sufficient viaducts to guarantee the natural flow. This never happened.

The bypass then proceeded, entailing a myriad of additional floodplain landfills including a future mini-bypass foundation through the Ballina floodplain.

This blunder was soon highlighted when ex-Cyclone Debbie struck and choked the Cumbalum underpass.

Jammed behind, lay the Tintenbar Valley and Old Bangalow Road, being the only road not upgraded to cope with an almighty bypass landfill forming the third Pacific Highway across its lowlands.

Constantly undermining the area is a council tractor

and slasher gouging out the original levee embankment to the point of collapse.

Of grave concern is wastewater released into Emigrant Creek from expanding Cumbalum housing estates pushing upstream and over the road on every high tide to scour my farm.

The latest ploy by state and council officials sees lowland farmers demonised as scapegoats while developers reign supreme.

An urgent upgrade to Old Bangalow Road and surrounds is well overdue, similar to what was done for nearby Cumbalum Lane and fully warranted in the first place.

John Hayter

Wednesday 26 April 2021

**From:** [Mary Towle](#)  
**To:** [Records](#)  
**Subject:** PI DO NOT support the Revised Draft Integrated Water Cycle Management Strategy!!!  
**Date:** Tuesday, 20 April 2021 6:53:47 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

A Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination (filtered seawater).

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Amba](#)  
**To:** [Records](#)  
**Subject:** Proposal on the Future Water Project 2060  
**Date:** Friday, 28 May 2021 4:51:11 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

RE: Plan on the Future Water Project 2060

I object to the proposal on the Future Water Project 2060

Accessing groundwater may cause source water overuse and future environmental ramifications and risks to the community including groundwater decline and depletion, salinity issues etc. There are other ways.

Maintaining a healthy water table is of the upmost importance, our biodiversity and survival are linked.

National Geographic 'Water Table'

<https://www.nationalgeographic.org/encyclopedia/water-table/>

Groundwater Depletion Across the Nation (US)

<https://pubs.usgs.gov/fs/fs-103-03/>

ABC News Declining Groundwater is a Big Problem for Australia

<https://www.abc.net.au/news/2015-06-18/eamus-declining-groundwater-is-a-big-problem-for-australia/6556586>

We need sustainable water management. Better integrated rain water collection systems, expansion of catchment areas. Our groundwater needs to be conserved and topped up and the water table maintained.

The following is from the Australian Institute of Health and Welfare 2018. Australia's Health 2018. Australia's health series no. 16. AUS 221. Canberra: AIHW, Page 7

<https://www.aihw.gov.au/getmedia/cfd6abd4-32fb-4995-835f-5e94dac7a827/aihw-aus-221-chapter-4-1.pdf.aspx>

The detrimental effects of climate change (such as rising temperatures and reduced precipitation), the reduction in the quality of Australia's groundwater resources, increased demands for land in coastal areas (placing increasing demands on resources) and potential threats to human health from extreme weather events and disease will have profound effects on the health of Australia's population (Jackson et al. 2017).


One of the reasons people come here is because it's beautiful. I like it that way

If the water table is not managed sustainably then the environment will be impacted and this will affect not only biodiversity but tourism in the region. Other options may be more expensive in the short term but will pay out in the long.

Sincerely,



Amba Amore



**From:** [GARRY BERNARD MCDONALD](#)  
**To:** [Rous County Council](#)  
**Subject:** Re: 6 Fawcett Street Brunswick Heads NSW 2483 Draft Future Water Project 2060 Public exhibition  
**Date:** Friday, 4 June 2021 4:33:47 PM

---

Rous County Council Revised Draft Future Water Project 2060 (FWP2060)–  
public exhibition

Submission dated 4 June 2021

Permission for submission extended to 4 June 2021 Thank you  
for extending our submission date and to all people involved in the creation of  
the draft FWP2060

After perusing available literature on [www.rous.nsw.gov.au/futurewater](http://www.rous.nsw.gov.au/futurewater), historic  
complexities were raised including the impacts for a secure water supply for  
future generations from 2024 to 2060 The proposals highlight age old concerns  
and impacts Using the guiding principles of a secure, healthy, reliable, and  
sustainable water supply, our beliefs are:

Firstly, natural water from the skies appears to be the  
cleanest form of harvesting water with the least chemical interference and  
energy use for delivery of water However, delivery is not consistent,  
depending on climate conditions

Secondly, water from the oceans is the most abundant and  
secure water available and is not dependant on climate conditions Energy (solar)  
and chemical use may have environment impacts

Thirdly, storage utilities appear to be creating more of the  
same Why not build small vertical dams?  
Natural rainwater could be harvested in a giant above ground funnel, collected and  
stored in the stem which descends deep into the earth (where the water would be  
held – a manmade groundwater supply) Such storage in the manmade stem would be  
protected from environmental risks such as chemicals The funnel head would sit high above the  
earth capturing and harvesting the rainwater, thus allowing normal activities  
to be carried out on the existing landscape below the funnel head (similar to  
wind farms) In addition, surface water  
could be channelled into the stem from available streams etc Sensitive  
cultural sites would be preserved amongst a tapestry of above earth water  
harvesters These harvesters would be in groups of three or more The footprint  
would be much less than a dam, randomly scattered across sites such as  
Dunoon Scare groundwater supplies and  
use would be minimised and protected Power and chemical use would be  
minimised Solar power would be a preferred option

Smaller scale individual options could be offered to householders  
for independent off the grid style water storage New developments could be completely water  
independent, negating the use of pipe usage Japan, historically, has  
individual households reusing their own water and efficient mechanisms for  
carrying out same

This may be a new concept, with new thinking and  
technologies, but achievable with minimal invasion of land and still achieving  
the same outcomes Perhaps, less  
expensive, less invasive and more culturally acceptable

After perusal of the FWP2060, and in consideration of the above  
comments, rainwater is the first and most healthy option The second option is desalination because of  
the abundance, reliability and security of supply

Groundwater should be highly preserved because of risks and impacts and depletion of supply

We would have liked more time to investigate if funnel type storage systems are in use in other parts of the world Your letter received on the 21 May 2021 was the first official advice of water reforms in the Brunswick/Byron districts

Many thanks for your time and attention

Garry and Suzanne McDonald



Michael McKenzie [REDACTED]

31/05/2021 11:17 AM

RE: 6 Fawcett Street Brunswick Heads NSW 2483 Draft Future Water Project 2060 Public exhibition

To: GARRY BERNARD MCDONALD [REDACTED]



Hi Garry

Thank you for your email. Firstly, my apologies for the lateness of the letter being received by you. The letter was set as a reminder that the exhibition period was closing.

If you can please provide your feedback by COB this Friday 4 June, we will ensure that your submission is considered along with those that was received prior to the exhibition period closing.

If you have any questions on the Future Water Project 2060, please do not hesitate to contact me.

Regards

----- Original Message -----

From: "GARRY BERNARD MCDONALD" [REDACTED]

To: council@rouse.nsw.gov.au

Sent: Friday, 28 May, 2021 At 4:41 PM

Subject: [REDACTED] Draft Future Water Project 2060 Public exhibition

## To Rous County Council

[REDACTED]

From: GB & SJ McDonald, [REDACTED]

Reference your letter dated 28 April 2021 and received 21 May 2021 We are requesting an extension to time to adequately respond to your letter and the Draft Future Water Project 2060 - Public exhibition We have not been able to access sufficient information regarding the draft FWF2060 proposals to fully inform our decision making for this submission

Awaiting your response

Thanking you

Garry and Suzanne McDonald

[REDACTED]

## How to provide feedback on the Future Water Project 2060

Read the information on [how to make a good submission](#) to Rous County Council.

### **Submissions**

Open: **1 April 2021**

Close: **28 May 2021**

**From:** [Lee Hayter](#)  
**To:** [Records](#)  
**Subject:** re: draft future water project 2060 public exhibition  
**Date:** Thursday, 27 May 2021 6:38:03 PM  
**Attachments:** [John Hayter letter to Byron Echo published 26-4-21.pdf](#)  
**Importance:** High

---

Dear Mr Rudd - General Manager,

Submission – Future Water

In response to your draft future water project 2060 public exhibition, please note that my Tintenbar farm is not at your disposal to run wastewater onto as is illegally happening. Please rectify.

Further evidence is supplied in the attached newspaper article dated 26 April 2021, Byron Echo.

Kind regards

John Hayter

[REDACTED]

[REDACTED]

[REDACTED]

**From:** [Jack Priestley](#)  
**To:** [Records](#)  
**Subject:** Re: FUTURE WATER PROJECT 2060 - FEEDBACK SUBMISSION FORM  
**Date:** Friday, 28 May 2021 4:18:56 PM  
**Attachments:** [Future Water Project 2060 Securing Water Supply for our Region.docx](#)

---

Thanks Jill,

I have attached the submission.

Kind regards,  
Jack

---

**From:** Jillian Egroff [REDACTED]  
<records@rous.nsw.gov.au>  
**Sent:** Friday, 28 May 2021 11:14 AM  
**To:** Jack Priestley [REDACTED]  
**Subject:** RE: FUTURE WATER PROJECT 2060 - FEEDBACK SUBMISSION FORM

Hi Jack,

Please submit by hitting reply on this email.

Thanks,  
Jill

---

**From:** Jack Priestley [REDACTED]  
**Sent:** Sunday, 23 May 2021 3:44 PM  
**To:** Records <records@rous.nsw.gov.au>  
**Subject:** FUTURE WATER PROJECT 2060 - FEEDBACK SUBMISSION FORM

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Hi,

I have put together a submission for the **FUTURE WATER PROJECT 2060**  
**Unfortunately the FEEDBACK SUBMISSION FORM**  
is too limited in length.

Could you let me know where I could send my submission for the relevant people to read?

Kind Regards,  
Jack Priestley

#### DISCLAIMER

This email including any attachment is intended solely for the named addressee.  
Any views or opinions expressed in this email are solely those of the author and do not necessarily represent the view or opinion of Council.  
Confidentiality or legal privilege is not waived or lost simply because this email was sent

in error. If you have however received this email in error please immediately notify the sender and destroy the email and any copy you may have of it. Council recommends that you check for the presence of viruses before opening any attachment to this email. Council does not accept liability for any damage caused by a virus transmitted by email from it. Information about the Council's Privacy Management Policy is available in the following URL: <http://www.rous.nsw.gov.au/page.asp?f=RES-XRL-37-22-83>



**From:** [Albert Enzerink](#)  
**To:** ["Richard Crandon Email"; Records](#)  
**Cc:** [REDACTED]  
**Subject:** RE: Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Thursday, 15 April 2021 2:08:52 PM

---

Dear Richard and General Manager,

Thank you for providing me with a copy of your letter Richard and I fully support your comments.

As I cannot comment on the initial history of the Rocky Creek Scheme as I only moved to the Alstonville area in 2000, however I feel strongly that the duty of the Rous County Council is to provide an adequate water supply for all who are currently residing in our area and cater for the future needs of the large increase in population our area will experience in the next few decades. Any short sighted decisions made today to satisfy a current noisy minority of NIMBY's will come back to hurt us all in the future and it will be on your Council's shoulders to explain this poor decision to our children, grand children and the hordes of new settlers in our Region. Please show the courage to proceed with the proposed Dunoon Dam, which we all know is the correct water infrastructure needed for our area.

Albert Enzerink, Dip Ing.  
Alstonville

---

**From:** Richard Crandon Email [REDACTED]  
**Sent:** Thursday, 15 April 2021 12:59 PM  
**To:** council@rous.nsw.gov.au  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Importance:** Low

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Richard Crandon CPEng. MIEAust. LGE(NSW) JP

Address: [REDACTED]

Reasons: It is imperative the Dunoon Dam construction proceeds to augment the stressed Rocky Creek Supply – the demographics of the Region demands better water security for



the future – aquifers & save water methods & devices ie recycling are only “bandaid” treatment to this major problem that has been created by the ineptitude of Rous County over the past 20 years in trying to address the issue.

The existing Rocky Creek Scheme was only developed to supply Lismore City – again Rous County Council’s greed to sell water to Ballina, Evans Head Byron Bay, Ocean Shore has ”flogged” the Scheme in excess of its design capabilities – We live in one of the highest rainfall areas of Australia – water storage ie Dams takes priority beyond any doubt or alternatives.

It’s time Rous County Council was reminded of its responsibilities to its constituent Councils and people of the Region it represents and removed these petty negative politics from its agendas and brought some sanity and direction into its governance.

**From:** [Scott Easterbrook](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 28 May 2021 2:20:58 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Scott Easterbrook

Address:



Reasons: Water security

**From:** [Wendy Bryant](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 28 May 2021 2:20:46 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Wendy Bryant

Address: [REDACTED]

Reasons: Water security for an increasing population

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 28 May 2021 6:56:26 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Maria Baisi

Address [REDACTED]

Reasons: Surely, Common sense should prevail, and we will get the Dunoon Dam.

Safe, clean water is so important for our well being. YOU THINK ???

Considering we live in the wettest corner of the state, it is so frustrating to be put on water restrictions. NOT GOOD ENOUGH !!

The city of Lismore is also suffering from the shortage of water, it has turned into a dry, dirty, dusty hole. It is embarrassing.

**From:** [Lisa Perkins](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Thursday, 27 May 2021 8:14:22 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Lisa Perkins

Address: [REDACTED]

Reasons:

I don't like the idea of raiding underground water and I can't imagine a desalination plant being an option in Byron Bay. It would also be very expensive.

Sent from my iPhone

**From:** [Pauline](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 27 May 2021 2:18:49 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Pauline Minarelli

Address: [REDACTED]

Reasons:

Kind regards

Pauline

**From:** [Shirley Pirlo](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Wednesday, 26 May 2021 1:16:29 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Shirley Pirlo

Address:

[REDACTED]

Reasons:

I believe in the long run building a new dam is the most logical. Once you have this asset it is there for good

Sent from my iPad

**From:** [Naree Pirlo](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 26 May 2021 11:58:01 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Emily Pirlo

Address:



Reasons: The Dunoon Dam is really the only logical option as far as costs are concerned. All objections to this option could be mitigated!!!!



**From:** [Hilary Riggs](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 26 May 2021 10:02:30 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

Please note, although my comments are based on the pro-forma petition being circulated through the community via email, I have added additional information and deleted one of the objections, viz, to recycling water.

**As such, please consider my comments as individual concerns, albeit based on the wider campaign.**

As a permanent water supply source:

I do not support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I only support desalination if it can be achieved without utilising fossil fuel power.

I do not support the proposed Dunoon Dam land disposal.

I support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

It is a fundamental and non-negotiable obligation of local governments to ensure ongoing water supply for their citizens decades into the future. Environmental protection **MUST** be balanced with peoples' rights and ability to access first world services including reliable and safe water supply.

Building a new dam would appear to be the only option for long term water security.

I look forward to your response.

Yours faithfully

Hilary Riggs

[REDACTED]

[REDACTED]

**From:** [Hilary Riggs](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 26 May 2021 10:02:30 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

Please note, although my comments are based on the pro-forma petition being circulated through the community via email, I have added additional information and deleted one of the objections, viz, to recycling water.

**As such, please consider my comments as individual concerns, albeit based on the wider campaign.**

As a permanent water supply source:

I do not support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I only support desalination if it can be achieved without utilising fossil fuel power.

I do not support the proposed Dunoon Dam land disposal.

I support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

It is a fundamental and non-negotiable obligation of local governments to ensure ongoing water supply for their citizens decades into the future. Environmental protection **MUST** be balanced with peoples' rights and ability to access first world services including reliable and safe water supply.

Building a new dam would appear to be the only option for long term water security.

I look forward to your response.

Yours faithfully

Hilary Riggs

[REDACTED]

[REDACTED]

**From:** [ngodwin1](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 25 May 2021 7:36:04 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Norm and Cheryl Godwin

Address:

[REDACTED]

Reasons:

A Dam is a proven method all over the world for water storage.

The suggested options are cruel dreams of the anti Dam group.

Sent from my Galaxy

**From:** [ngodwin1](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 25 May 2021 7:36:04 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Norm and Cheryl Godwin

Address:

[REDACTED]

Reasons:

A Dam is a proven method all over the world for water storage.

The suggested options are cruel dreams of the anti Dam group.

Sent from my Galaxy

**From:** [samantha.westall](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 25 May 2021 4:31:19 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Sam Westall

Address: [REDACTED]

Reasons: for reasons outline above alongside others I do not support this action or agenda

**From:** [Melinda C](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 25 May 2021 3:15:43 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Melinda & Colin Cooksey

Address:

[REDACTED]

Reasons:

We agree with the terms above.

Sent from my iPad

**From:** [Melinda C](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 25 May 2021 3:15:43 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Melinda & Colin Cooksey

Address:

[REDACTED]

Reasons:

We agree with the terms above.

Sent from my iPad

**From:** [Diana Westall](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 25 May 2021 2:06:58 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Diana Westall

Address: [REDACTED]

Reasons: this country has never had any forward thinking. Please think into the future. New estates in the northern rivers is out of control .

Sent from my iPad



**From:** [Anne Meineke](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 25 May 2021 1:04:17 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

**From:** [Sue Nunn](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 25 May 2021 9:39:49 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: sue Nunn

Address: [REDACTED]

Reasons: I have already submitted a response outlining my reasons. Having listened to the abc & the argument against the dam being a sacred site protection, using the cost of the project will fail. The Fact that Ground Water is FINITE & tapping into it risks depletion of a precious commodity. This Must be fully investigated & prosecuted.

Sent from my iPhone

**From:** [Virginia Silver](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 25 May 2021 8:39:38 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Virginia Silver

Address: [REDACTED]

Reasons:

Living in such a high rainfall area, a dam is the most logical & affordable option

Sent from my iPad

**From:** [Phillip Silver](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 24 May 2021 9:49:28 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Phil Silver

Address: [REDACTED]

Reasons:

Ground water is a scarce, over allocated resource with massive ecological impacts on surface streams and ecology.

The other stated sources of reuse are not environmentally or financially possible.

We were told in the Public Exhibition last year that water demand will exceed supply by 2060 ( now 2024).

Phil Silver

**From:** [Julie](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 24 May 2021 9:17:30 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Julie Gibson

Address: [REDACTED]

Reasons: the dam has been mooted for about 20 years . Too little action to get it built & far too much talk . Action needed especially with such pressure on the water supply . Many new housing estates happening with no extra water provision . Flood water is wasted could have been redirected & stored even to prevent Lismore being flooded . Channels not dug as suggested many years ago by engineers organised by Volpato . Despite green elements water is so important for life & to sustain this region . Recycled waste water will not cut it with enormous costs to do this . Lismore residents have been effected so many times by floods yet pay the highest water rates in Australia . It doesn't make sense ! Build the Dam now !!!

Sent from my iPhone

**From:** [Bronwen melchior](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 24 May 2021 8:28:16 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Bronwen Renwick

Address:



Reasons: We need more affordable living and our kids need to have the option to stay in this area long term with ample water supply at an affordable price.

Get [Outlook for iOS](#)

**From:** [Graham Meineke](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 24 May 2021 5:52:56 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

The brochure I got in my LCC rates notice from Rous was misleading in the extreme with **NO (ie NIL/ZILCH)** indicative costing at all. A totally deceptive brochure!!! Rous Council should be ashamed of putting out such a deceiving brochure!!

A future dam will be the cheapest option in the long run.

I **DO NOT** support any of your current water supply options, and I **DO NOT** support the proposed Dunoon Dam land disposal.

I **DO** support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

My name, address and contact details are below.

Regards

Graham

*Graham Meineke*

GM Project Development and Management

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

*The only way government can be of service to national prosperity is to keep its hands off Ayn Rand*

**From:** [Anne Meineke](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 24 May 2021 3:34:30 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the commencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Anne Meineke

Address: [REDACTED].

Reasons: The population in our region is growing at a great pace. The cheapest, MOST SENSIBLE and quickest way to ensure a stable water supply is to continue with plans to build the Dunoon Dam. The other three options are prohibitively expensive and our Council area simply cannot afford the costs. The future debt to the local ratepayers will be never ending.

Yours sincerely.



**From:** [Kate Mitchelson](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 24 May 2021 1:09:59 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kathy Mitchelson

Address: [REDACTED]

Reasons: Future water needs and minimising costs in the long term best met by the dam proposal

**From:** [barry simpson](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 24 May 2021 9:56:55 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Barry Simpson

Address: [REDACTED]

Reasons: The population of the region is dramatically growing. Common sense and forward planning is an essential requirement for an ever expanding populace. Emotional proponents, that oppose the new dam construction, for the sake of the environment, shouldn't exclude the need for the use and consumption of water. Thank you.

**From:** [Elio Zambelli](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 24 May 2021 9:48:24 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: ELIO ZAMBELLI

Address



Reasons: Our area has a higher recorded rainfall than most areas and most of it runs out to sea. The heavy falls that we received in March / April alone would have filled the dam had it been in place with the huge overflow from Rocky Creek dam. AQUIFERS ran dry in the last drought and not in favour of the desalination plant or toilet to tap. JUST BUILD THE DAM.

**From:** [Bruce Parry](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 24 May 2021 9:14:12 AM  
**Attachments:** [1793\\_001.pdf](#)

---

**CYBER SECURITY WARNING** – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Bruce Parry

Address: [REDACTED]

Reasons: Most sensible use of resources/money/utilising existing infrastructure.

Bruce Parry

Sales Engagement Manager  
[REDACTED]

**put your money to work**  
with our **offset home loan** offer  
Click here for full terms and conditions

**2.69%** PA.  
variable rate  
**2.82%** PA.  
comparison rate

**SUMMERLAND**  
CREDIT UNION

**KINCENTRIC**  
**Best Employers**  
AUSTRALIA 2020

*making a difference by providing people with ethical banking solutions to fulfill their life dreams*

This email from Summerland contains guidance only and should not be relied upon as advice. The content of this email is confidential and may be subject to the provisions of the Privacy Act. If received in error, please notify the sender and delete immediately.

Please consider the environment before printing this email. Proudly the first financial institution in NSW to achieve Gold Partner Accreditation in the [Sustainability Advantage Program](#)

**From:** [Richard Wagner](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 24 May 2021 8:43:11 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: richard wagner

Address: 

Reasons:

**From:** [Michael Robson](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 24 May 2021 8:29:17 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Michael robson

Address: [REDACTED]

Reasons:

It's well known The ground water takes thousands of years to fill aquifers so harvesting water from aquifers it's not sustainable but catching surface water in the dam you get about 80% of water the same amount that runs off . Distillation and purification water is very expensive but there's been no figures put on how much it will cost ratepayers of the area plus.

Sent from my iPhone

**From:** [Chris Hayward](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 24 May 2021 8:16:55 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Chris Hayward

Address: [REDACTED]

Reasons: how could the council support an aquifer when the proposed one on the Alstonville plateau was knocked back through Ballina shire.

The land is already owned and earmarked for this dam and for many years this has been the plan to build the second dam- development in our region eg residential subdivisions are only going to add to our water consumption—didn't you learn anything from our last drought!!!

Maybe with technology we have these days why not look into each home having its own purifier for grey water. That would saving Millions of litres of waste water.

**From:** [Danielle Skinner](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 23 May 2021 6:56:34 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Alyson Bruggy

Address:



Reasons: I believe Lismore and Surrounds needs to be Supplied with enough fresh water for the future



**From:** [Danielle Skinner](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 23 May 2021 6:54:30 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: David Elliott

Address: [REDACTED]

Reasons: I have concerns about fresh water supply for the future

**From:** [Danielle Skinner](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 23 May 2021 6:52:45 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Danielle Skinner

Address: [REDACTED]

Reasons: Clean future water supply greatly needed

**From:** [Cr. Alan Hunter](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 23 May 2021 3:43:09 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

This email, including any attachments, is confidential and may also be the subject of legal privilege or contain copyright material, and must only be used by the intended recipients for the purposes for which it has been sent. If you are not the intended recipient any use, distribution or disclosure of, or reliance on, the material is prohibited. If you have received this email in error, please delete it and notify us immediately by reply email or telephone. Any opinions, views or conclusions expressed in this email or attachments are those of the individual sender and may not necessarily reflect the official position of the Council. No representation is made that this email is free from viruses. Virus scanning is recommended and is the responsibility of the recipient.

Please consider the environment before printing this email.

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 22 May 2021 9:09:53 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Pauline Suffolk

Address: [REDACTED]

Reasons: This area of Australia has the biggest rainfall - why waste this commodity and spend more money with the other options which are far more costly to implement and service.

**From:** [Stephen Wagner](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Saturday, 22 May 2021 8:46:26 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Stephen Wagner

Address: [REDACTED]

Reasons: The water supply for the future of the region should not fall to people elected as council representatives. They are not elected for this purpose alone. All Councillors only have a tenure of four years and are not specifically elected to serve on Rous Water. The water supply future should be a decision made by all the people in our community who are affected. There should be a referendum at the next council elections in the local governments areas affected.

It suited the councils to find money to have a referendum on coal seam gas to get a 77% agreement. I think this is an equally important decision for the greater community. It is obvious to me that the few people who head up Rous Water are failing at representing the greater community. (They appear to represent party ideologies).

**Please consider a referendum on the future of the new dam.**

**From:** [Fiona Wagner](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Saturday, 22 May 2021 8:15:21 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Fiona Wagner

Address: [REDACTED]

Reasons: The least costly and least harmful way to increase water supply is to extend dam or new dam. It could be built to look good, plant trees, encourage tourists. The land is already acquired. (If the land is sold, would we receive cheaper water rates?). Thanks for re considering.

Sent from my iPhone

**From:** [Kathy Pirlo](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Thursday, 20 May 2021 11:28:34 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kathy Pirlo

Address: [REDACTED]

Reasons: we need water to supply the needs of our future generation. The dam already exists.

Sent from my iPhone

**From:** [Elizabeth Hetherington](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Thursday, 20 May 2021 6:40:33 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Elizabeth Hetherington

Address: [REDACTED]

Reasons: For an area that has so much rain here why have we waited so long to extend the Dunoon Dam so we don't run short in the dry years.

The new age thinking is not thinking of the future here.

All they are thinking of is expensive desalination and I'm certainly not convinced that all germs have been taken out in toilet to tap.

We have seen the Covid 19 showing up in our sewer water and how do we know that isn't getting passed on when drinking the toilet to tap.

I'm all for the long term water supply security for our region.

Keep the dam.

Sent from my iPad



**From:** [Darryl McMullen](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 20 May 2021 8:47:00 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: David Somerville

Address: [REDACTED]

Reasons:

Sent from [Mail](#) for Windows 10

**From:** [Geraldine Lockyer](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 18 May 2021 4:06:32 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: John Mutton

Address: [REDACTED]  
[REDACTED]

Reasons: Dead against it. We need our nature reserves to remain viable... makes no sense..

Sent from my iPhone

**From:** [Geraldine Lockyer](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 18 May 2021 4:04:57 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Geraldine Lockyer

Address: [REDACTED]  
[REDACTED]

Reasons: I do not approve of water mining our aquifers, it's fracking our water... our bores have run dry in the past... this is really dumb...

Sent from my iPhone

**From:** [Gerri Taylor](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 18 May 2021 8:47:28 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Geraldine Taylor

Address: [REDACTED]

Reasons: we need more water saved, it is necessary for our future health

**From:** [Yellow Sunflowers](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 18 May 2021 7:03:02 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: kristin

Address: [REDACTED]

Reasons: we are in an area of high run full

**From:** [Barbara Mitchell](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 17 May 2021 7:45:35 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Barbara Mitchell

Address: [REDACTED]

Reasons: every drop of water is precious and should be stored for times of drought.  
Every living thing needs water...catch it from the sky , not steal it from the earth !

**From:** [Linda Cinitis](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 15 May 2021 8:42:21 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoos Dam land disposal.

I DO support the recommencement of work on the proposed Dunoos Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Linda Cinitis

Address:



Reasons: This area is a growing area and water is essential for our well being and we all know too well how hard it is with water restrictions.

Sent from my iPhone

**From:** [Ray and Jo](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 14 May 2021 11:48:22 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: RR&JP DILLON

Address: [REDACTED]  
[REDACTED]  
[REDACTED]

Reasons:

Sent from [Mail](#) for Windows 10



**From:** [Ray and Jo](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 14 May 2021 11:48:22 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: RR&JP DILLON

Address: [REDACTED]  
[REDACTED]  
[REDACTED]

Reasons:

Sent from [Mail](#) for Windows 10

**From:** [Robert Pitt](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Friday, 14 May 2021 9:04:59 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Robert Pitt

Address: [REDACTED]

Reasons: I am certain that by any proper environmental comparison the adverse effects of alternatives greatly exceed the effects of development of the Dunoon project.

Sent from my iPhone

**From:** [Michael Thorpe](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Friday, 14 May 2021 7:55:31 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Michael Thorpe

Address:

[REDACTED]

Reasons:

The environmental tradeoffs are unsupportable for the harvesting of groundwater in sensitive environments. The regional natural resource impacted by this proposal is not in proportion to the advantage gained to the local community

Desalination as an energy intensive process is not appropriate from capital expense, operational expense and environmental impact perspectives.

Potable water reuse similar to desalination (given the common technological base) is inappropriate on the same grounds and the public lack of support, as well as the long term management implications regarding complexity, quality control and management.

The exclusion of the Dunoon Dam option on the basis of existing investigations is without technical, environmental or financial logic.

Actions closing out this option are not supported.

**From:** [jennie.karam](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Thursday, 13 May 2021 6:56:00 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jennifer Karam

Address: [REDACTED]

Reasons:

We need to look ahead & prepare now for future water supply to this area to help when droughts occur

Sent from my iPhone

**From:** [jennie.karam](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Thursday, 13 May 2021 6:52:54 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Michael Karam

Address:

[REDACTED]

Reasons:

Good idea for long term water availability

Sent from my iPhone

**From:** [Sam Ayliffe - Astute](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 13 May 2021 6:00:17 PM  
**Attachments:** [Email Scooter.png](#)

---

**CYBER SECURITY WARNING** – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Samuel Ayliffe

Address: [REDACTED]

Reasons: This is important being so close to my family in the hills of Tullera near the Channon area's



**SAM AYLIFFE**

PRINCIPAL



**Simple Solutions. Straight Up.**



Credit Services and advice and any statements in this email relating to matters concerning Credit Services (as defined in the NCCP Act), are made on behalf of Astute Financial Management Pty Ltd (Australian Credit Licence No. 364 253) and its authorised representatives. Wealth and Personal Insurance services provided by an authorised representative of Alliance Wealth Pty Ltd (ABN 93 161 647 007) | AFSL 499221 | [centrepointalliance.com.au/AW](http://centrepointalliance.com.au/AW). This email and any attachments may contain confidential or privileged information. If you are not the intended recipient, please delete this message from your system and notify us immediately by return email. Email transmissions cannot be guaranteed to be secure or error free. No guarantee is made that any attachments are virus free, it is important to scan all emails for viruses and defects before opening and using attachments. If you have any doubts about the authenticity of an email sent by a member of the Astute group of companies, then please contact us immediately.

Save resources: think before you print.

## TOOT TOOT, WIN THE ASTUTE MANLY SCOOTER IN 2021

Take a mortgage with Astute Manly during 2021 for a chance to  
**win the Astute Manly Scooter!\***

For full details or to review your loans, contact Sam and the team today.

\*NSW RESIDENTS ONLY. MINIMUM MORTGAGE \$250,000, OR CAR LOANS \$25,000. MUST BE  
TAKEN AT ASTUTE MANLY. MUST SETTLE BEFORE 23 DECEMBER 2021.



**From:** [Shirley Pirlo](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 13 May 2021 5:56:16 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoos Dam land disposal.

I DO support the recommencement of work on the proposed Dunoos Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Shirley Pirlo

Address:

[REDACTED]

Reasons:

We have purchased the land and that was the plan and we must follow through. We cannot keep pumping from the river and I definitely do not support potable water

Sent from my iPad

**From:** [Ross Larsson](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 13 May 2021 9:04:51 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ross Larsson

Address: [REDACTED]

Reasons: The affect of saline issues from withdrawal from the Tyagarah Aquifer and the building of the dam at Dunoon secures the regions water supplies without degrading highly Sodic soil bases.

Thanks

Sent from my iPhone



**From:** [Charles Barnes](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Wednesday, 12 May 2021 4:12:26 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: charles barnes

Address:

Reasons: alternate options either cost more, use more electricity, have significant environmental impacts.  
Complete the report please

Sent from my iPhone

**From:** [Kerrie Kershaw](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 11 May 2021 2:44:45 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kerrie Kershaw

Address: [REDACTED]

Reasons: Really simple ....after 26 years living here we have continued to have water restrictions most years with the thousands of new residents moving into the area it's not going to take much to be continuously on water restrictions this should of been done already whos running this circus?.

Sent from my iPad

**From:** [Mark Perkins](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 11 May 2021 10:13:29 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO support desalination.

I DO support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Mark Perkins

Address: 16 Rainforest Drive Eltham NSW

Reasons: AS ABOVE

**Regards Mark**

**Mark Perkins. Director.** [REDACTED]

[REDACTED]

This communication is intended only to be read by the named recipient. It may contain information which is confidential. If you are not the intended recipient please notify the sender immediately and delete this e-mail. If you or your employer does not wish to receive emails of this kind or you believe it to be spam, please advise us immediately. The views or opinions expressed are the author's own and may not reflect the views or opinions of Ennismore Field Landscaped Environments

**From:** [Mark Everingham](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 11 May 2021 9:37:10 AM  
**Attachments:** [sss\\_78f723f4-716c-4105-aa25-f1a74731eabe.png](#)  
[fb\\_5f306699-3775-4921-93c4-6cb63f5693f1.png](#)

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Mark Everingham

Address: [REDACTED]

Reasons:

This will deplete underground water supply for the future

Sent from my Galaxy

---

**Mark Everingham**  
Bitumen Road Maintenance Supervisor  
**Goondiwindi Regional Council**



West Street Depot, Goondiwindi, Queensland, 4390

[REDACTED]



The information transmitted is for the use of the intended recipient only and may contain confidential and/or legally privileged material. If you have received this email in error please notify the Goondiwindi Regional Council [REDACTED] and delete all copies of this transmission together with any attachments. Opinions contained in this e-mail do not necessarily reflect the opinions of Goondiwindi Regional Council. Postal Address: Locked Mail Bag 7, Inglewood, Queensland, 4387.

**From:** [Clive Everingham](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 11 May 2021 6:23:25 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Clive Everingham

Address: [REDACTED]

Reasons: I believe this is the most feasible plan to ensure long term water supply.

**From:** [Sandi Ayliffe](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 10 May 2021 1:12:17 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Sandi Ayliffe

Address: [REDACTED]

Reasons: I grew up in the area and my parents still live there and feel it would benefit all the residents.

Thanks

Sent from my iPhone

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 10 May 2021 12:23:02 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Barry Wallace

Address: [REDACTED]

Reasons: Council have not briefed residents on their intentions ie the research and fall back clause and who is funding?



**From:** [Jennie and Mark Keen](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 10 May 2021 11:27:34 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Mark Keen

Address: [REDACTED]

Reasons:

Unknown possible negative impact on future groundwater availability

Monumental waste of rainfall that falls in the catchment and flows out sea. This could be stored without affecting environmental flows and help supplement Rocky Creek Dam and future growth in the region

**From:** [Clix Computer centre](#) on behalf of [REDACTED]  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 10 May 2021 10:32:33 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Nimrod Eshel

Address: [REDACTED]

Reasons: I care about our pristine nature reserves. The sake of population growth in the region is secondary to harming nature around us

**From:** [Zoe Brewis](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 10 May 2021 9:51:51 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Zoe Brewis

Address: [REDACTED]

Reasons: the dam has the leaser carbon footprint

**From:** [Yvonne Brewis](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 10 May 2021 9:42:55 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Yvonne Brewis

Address



Reasons: Not a practical, efficient or financial benefit

**From:** [Brad Baker](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 10 May 2021 7:28:31 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Brad Baker

Address: [REDACTED]

Reasons:

**From:** [David Crane](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 9 May 2021 8:54:27 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: David Crane

Address: 

Reasons:

Get [Outlook for Android](#)

**From:** [Paul Waters](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 9 May 2021 11:13:04 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Tyagarah

I DO NOT support desalination in an area like this thta has more than adequate rainfall to be collected.

I DO NOT support potable water reuse (toilet to tap) as drinking water. There is no need for this practice in region with high rainfall

Additionally,

I DO support the proposed Dunoon Dam

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Paul Waters

Address:



Reasons: We need to collect and store the rainfall we get in good seasns to see us through the dry spells

**From:** [John Sharpe](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 9 May 2021 10:45:18 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:



**From:** [Gary Frith](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Sunday, 9 May 2021 7:35:04 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Gary Frith

Address: [REDACTED]

Reasons: I am one of the silent majority within the community that want this dam built. I

To guarantee our water supply into the future at a reasonable cost.

To drain ground water supply will have other ramifications not yet known, desal is too expensive & recycled while for new dwellings is ok, but cost prohibitive to existing homes.

Please reconsider the Dam. Thankyou

Sent from my iPhone

**From:** [Andrew Loughrey](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 9 May 2021 5:36:59 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Andy Loughrey

[REDACTED]

Address:

[REDACTED]

Reasons: For Best future proofing practice.

**From:** [Mick George](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Saturday, 8 May 2021 7:37:27 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Michael George

Address: [REDACTED]

Reasons: Secure long term reliable water supply

**From:** [Cheryl](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 8 May 2021 6:38:36 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Cheryl Forrester

Address:



Reasons: I am concerned that aquifer harvesting will have significant impact on the environment and the pristine waters in these areas.

I am also concerned about the impact on the local marine life due to significant changes and amount of water discharged from the affected rivers.

**From:** [Nick Eichler](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Saturday, 8 May 2021 5:57:40 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Nicholas

Address: [REDACTED]

Reasons: Dunoon dam is the better option.

Sent from my iPad

**From:** [rob.aungle](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Saturday, 8 May 2021 5:26:13 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Reasons:

The dam option is the least environmentally damaging - the aquifers must be preserved as they are, & the marine parks must not be polluted.

Regards,

Rob Aungle BE

Principal Engineer

ROB AUNGLE & ASSOCIATES

Consulting Engineers

Civil & Structural

[REDACTED]

[REDACTED]

[REDACTED]

**From:** [Kevin Loughrey](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 8 May 2021 4:59:51 PM  
**Attachments:** [cmjkgkbcacojied.png](#)

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kevin Loughrey


Address:   


Reasons: A dam is by far the most environmentally sensible and economical solution for providing water security to this area. It also is the most reliable and could also provide some level of flood mitigation.

No matter what, the population of this area is growing and ground water will not, in the long run, provide the necessary quantity of water to satisfy the demand. It could be called upon during extended dry periods.

## AustBom Average Rainfall

### Murwillumbah-Dungay





**From:** [John Connolly](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 8 May 2021 4:16:01 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

**Name: John & Andrea Connolly**

[Redacted]

**Address:**

[Redacted]

**From:** [John Connolly](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 8 May 2021 4:16:01 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

**Name: John & Andrea Connolly**

[Redacted]

**Address:**

[Redacted]

**From:** [Sol Ibrahim](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 8 May 2021 4:07:59 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

The long term impacts of such harvesting are poorly researched and very difficult to predict with any reasonable degree of certainty.

I DO NOT support desalination.

No adequate renewable energy source is available to support such a venture in the medium term, nor is the cost understood.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

The cost of the required infrastructure for large scale conversion will be prohibitive and slow to implement.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

Rouse CC is responsible for maintaining public assets, not disposing of them. Short term gains are not the Council's business. RCC should only be interested in keeping all long term options available for future generations. RCC does not have the civil right to eliminate such.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

RCC you do not have a crystal ball. It is folly to acquiesce to the loud voices of a minority who will not be alive to accept responsibility for the possible catastrophic consequences of prolonged water shortages!

Sol Ibrahim  
Ex Byron Shire Councillor



**From:** [Alan Hunter](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 8 May 2021 3:06:06 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Cr Alan Hunter

Address:



Reasons: Dam is the most cost efficient and quickest to establish the extra water security.

**From:** [Mick McKinlay](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Saturday, 8 May 2021 1:40:18 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Michael McKinlay

Address: [REDACTED]

Reasons: The Dam is the most cost effective sensible solution for our local area. We have very high rainfall so it makes sense to build a large Dam to capture this valuable resource that is currently going to waste

Regards

Mick McKinlay

**From:** [David Robson](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 7 May 2021 5:01:41 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Margaret Grace Robson

Address: [REDACTED]

Reasons: A former resident who visits Lismore every year since 1956

**From:** [David Robson](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 7 May 2021 4:58:37 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: David Keith Robson

Address: [REDACTED]

Reasons: former resident who visits Lismore every year. from 1956

**From:** [Judy Parry Email](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 7 May 2021 3:50:21 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Judith Parry

Address: [REDACTED]

Reasons: Increase in population on the coast will never be able to be supplied with water during drought, just by telling people to “save more water” . A new dam at Dunoon will handle population increases for many years while a change of culture on saving water takes a lifetime to have any effect.



**From:** [Judy Parry Email](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 7 May 2021 3:50:21 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Judith Parry

Address: [REDACTED]

Reasons: Increase in population on the coast will never be able to be supplied with water during drought, just by telling people to “save more water” . A new dam at Dunoon will handle population increases for many years while a change of culture on saving water takes a lifetime to have any effect.

**From:** [Rhonda Yealland](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Wednesday, 5 May 2021 9:21:36 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Rhonda Yealland

Address: [REDACTED]

Reasons: Forward planning for the future residence and farms of the far North Coast.

The aquifers are there for the inland people living in the dry areas of the slopes and plains of N.S.W.

There is such a waste of water from storms and floods, damaging upstream towns and flooding down the rivers and out to sea.

Rhonda Yealland

Sent from my iPad

**From:** [Rhonda Yealland](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Wednesday, 5 May 2021 8:47:50 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Rhonda Yealland

Address: [REDACTED]

Reasons: Forward planning for the future of the far north coast.

The aquifers are necessary for the inland slopes and plains.

Dams will harvest the water from storms and floods rather than flood the up streams and the coastal plains.

Rhonda Yealland.

Sent from my iPad

**From:** [Charles Betteridge](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Wednesday, 5 May 2021 11:42:24 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Charles Betteridge

Address: [REDACTED]

Reasons: It's a far better option to have another dam, especially at Dunoon because of the shape of the land. It's not going to take as much work or cost as much money as the other options put up for consideration. I think the benefits would be great, especially when you consider how the population is increasing dramatically. Everyone will benefit, even the wildlife.

**From:** [Andrea Williams](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 4 May 2021 11:42:21 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Andrea William

Address: [REDACTED]

Reasons: cost effective method for the growing residential demand in the area.

Andrea R-W

**From:** [Kevin Williams](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 4 May 2021 10:20:38 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoos Dam land disposal.

I DO support the recommencement of work on the proposed Dunoos Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Kevin Williams

Address:

[REDACTED]

Reasons:

It would seem to be the optimal method of ensuring water supply into the future for the growing area.

Sent from my iPad

**From:** [Suzanne 2477](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 3 May 2021 2:16:07 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.


I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Suzanne Craven

Address: 

Reasons: aquifer water is for reuse in the aquifer it comes from. It's called a water cycle for this reason.

Dams collect water for use and reuse. We need Dunoon Dam.

--

Suzanne

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 3 May 2021 11:01:30 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Sue Jack

Address: [REDACTED]

Reasons: The water in a dam is a renewable resource and more cost effective in the long run. Aquifer harvesting will deplete a much needed resource for our agricultural producers.

Sue Jack



**From:** [Charlie Chow](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Sunday, 2 May 2021 8:53:14 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Charlie Chow

Address:

Reasons:

The desalination process is expensive and drinking recycled water is not appealing to the majority of the population. The proposed dam investigation is a better long term solution.

Thanks and regards

Sent from my iPhone

**From:** [Mara McDonald](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Sunday, 2 May 2021 7:41:02 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Mara McDonald

Address: [REDACTED]

Reasons: Cost to ratepayers

Sent from my iPhone

**From:** [larnett](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 1 May 2021 9:25:59 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: L. Arnett

Address: 

Reasons:

All of the above

Sent from my Galaxy

**From:** [Nicole Spencer - Mediascript Express](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 1 May 2021 8:18:10 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Nicole Spencer

Address: [REDACTED]

**Reasons:** We need a new dam – it's ridiculous to think we can survive without it. The population has tripled since the last dam was built. It's a no brainer !

**From:** [Wayne Maguire](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 28 April 2021 11:01:42 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Wayne Thomas Maguire

Address: [REDACTED]

Reasons: Growing population in this region requires 21st century infrastructure to provide water security into the future.

**TRINITY CATHOLIC COLLEGE LISMORE: CONFIDENTIALITY & PRIVACY NOTICE**

*The information contained in the above e-mail message or messages (which includes any attachments) is confidential and may be legally privileged. It is intended only for the use of the person or entity to which it is addressed.*

*If you are not the addressee, any form of disclosure, copying, modification, distribution or any action taken or omitted in reliance on the information is unauthorised.*

*Views expressed are those of the individual sender, and not necessarily those of Trinity Catholic College Lismore Ltd.*

*If you received this e-mail message in error, please immediately notify the sender and delete the message from your computer.*

**Disclaimer**

The information contained in this communication from the sender is confidential. It is intended solely for use by the recipient and others authorized to receive it. If you are not the recipient, you are hereby notified that any disclosure, copying, distribution or taking action in relation of the contents of this information is strictly prohibited and may be unlawful.

This email has been scanned for viruses and malware, and may have been automatically archived by Mimecast, a leader in email security and cyber resilience. Mimecast integrates email defenses with brand protection, security awareness training, web security, compliance and other essential capabilities. Mimecast helps protect large and small organizations from malicious activity, human error and technology failure; and to lead the movement toward building a more resilient world. To find out more, visit our website.

**From:** [Margaret Paddon](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 28 April 2021 2:54:43 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoos Dam land disposal.

I DO support the recommencement of work on the proposed Dunoos Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: m Paddon

Address: [REDACTED]

Reasons: preserving the ecology of the Alstonville plateau for future generations.

Sent from my iPhone

**From:** [peter thorpe](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 27 April 2021 11:24:17 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Peter Thorpe

Address: [REDACTED]

Reasons: Concern for future water security

**From:** [Liz Duell](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 27 April 2021 10:42:32 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Elizabeth Duell

Address: [REDACTED]

Reasons: Water security, cost effective, makes sense.



**From:** [Lina Toman](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 27 April 2021 10:32:43 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager, Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy. As a permanent water supply source: I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville. I DO NOT support desalination. I DO NOT support potable water reuse (toilet to tap) as drinking water. Additionally, I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Lina Toman

Address: [REDACTED]

Reasons: I strongly oppose the decision of council to stop the expansion of the Dunoon Dam and I wholeheartedly favour the Dam being expanded because I don't see any sensible reason financially and environmentally for it not be expanded at its present site.

In trust

Concerned resident and user of more than 70 years.

Sincerely

Lina Toman (Nee Conte)

**From:** [Rick Endres](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 27 April 2021 9:21:01 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Sienna Endres

Address: [REDACTED]

Reasons: A dam is the only cost effective viable solution to a growing region. It should have been done years ago.

**From:** [Pauline Bowen](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 27 April 2021 7:44:29 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager, Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy. As a permanent water supply source: I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville. I DO NOT support desalination. I DO NOT support potable water reuse (toilet to tap) as drinking water. Additionally, I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region. Name: Address: Reasons:

**From:** [David McCosker](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 26 April 2021 9:42:15 PM  
**Attachments:** [image559820.png](#)  
[image736625.png](#)  
[image031182.png](#)

---

**CYBER SECURITY WARNING** – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: David McCosker

Address: [REDACTED]

Reasons:

Sent from my iPhone

**David McCosker** | Technical Officer - FMS



**PLEASE NOTE:** This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the sender immediately and delete it from your system. Please note that any views or opinions presented in this email are solely those of the author and do not necessarily represent those of O'Donnell & Hanlon. The recipient should check this email and any attachments for the presence of viruses. O'Donnell & Hanlon accepts no liability for any damage caused by any virus transmitted by this email.

**From:** [REDACTED]  
**To:** [REDACTED] [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 26 April 2021 9:12:13 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Revised Draft Integrated Water Cycle Management  
(IWCM) Strategy

Dear General Manager,

Thank you for the opportunity to comment on the  
Revised Draft Integrated Water Cycle  
Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer)  
harvesting at Woodburn, Tyagarah, Newrybar or  
Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to  
tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam  
land disposal.

I DO support the recommencement of work on  
the proposed Dunoon Dam option, so that reports  
may be completed which may result in the dam  
proposal being identified as a new water supply  
source to ensure long-term water supply security  
for the region.

Name: Oscar Miller

Address: [REDACTED]

Reasons: The current dam is too small.

The Northern Rivers will increase in population  
over the coming years and water will become a  
vital part of the expansion.

The second Dam is not only required but  
necessary.

Regards  
Ossie

**From:** [REDACTED]  
**To:** [REDACTED] [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 26 April 2021 9:05:35 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Revised Draft Integrated Water Cycle Management (IWCM)  
Strategy

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Keith Miller

Address: [REDACTED]  
[REDACTED]

Reasons: Unfortunately the current Dam is only small. It relies on continuous rainfall to remain fully functional without restrictions. The Dam has also increased the area of supply over the years which has strained its effectiveness.

Rous water need to have foresight and not think about the next 20 years but the next 70 years. The Northern Rivers will increase in population over the coming years and water will become a vital part of the expansion.

The second Dam is not only required but necessary to facilitate the growth of the Northern Rivers. I consider the decision to sell the land as environmental suicide for our future generations who will look back at the people who made this decision with much disdain.

Regards  
Keith

**From:** [john.jong.w.kim](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 26 April 2021 5:16:56 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from [Mail](#) for Windows 10

**From:** [Fred Rudwick](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 26 April 2021 4:11:39 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Fred Rudwick

Address: [REDACTED]

Please note: I have already signed a petition at a Probus club meeting but did not have an opportunity to include the above reasons.

Reasons: All of the above.



**From:** [Val](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 26 April 2021 4:07:20 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name :Valerie Hadland

Address:

Reasons: I have no technical knowledge of water management. However, I feel harvesting the ground water aquifers is a backward and even dangerous step to take, likely to lead to worse problems in the future.

Desalination is for the experts, but surely an extreme & expensive measure.

I have reservations about toilet to tap, for drinking water. Can we really be assured that no circumstance may arise in which some contamination can occur ? Also expensive , by comparison.

RE the selling of the Dunoon land, why limit options for the future for short term financial gain. I have confidence that financial matters can be better managed without this irretrievable action.

**From:** [Peter Carmont](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 26 April 2021 4:06:47 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Peter Carmont

Address: [REDACTED]

Reasons: I support the building of a dam to ensure our future water supply. It would appear to be the most cost effective solution.

**From:** [Paul Lesley Earner](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 26 April 2021 3:02:46 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

I strongly oppose the dismissal of the Dunoon Dam option from the strategy. It is the most cost effective option. The land is available and the option has been known about for 25 years.

I do not support the draining of the Alstonville aquifers.

I do not support the high energy usage desalination option.

I do support the provision for recycling on new estates.

I further think that if the Dunoon Dam is not proceeded with at present, then selling of the land to close off this option is outrageous.

Yours sincerely,  
Paul Earner

A black rectangular redaction box covering the signature area.

**From:** [Penelope Betteridge](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 26 April 2021 1:50:54 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Penelope Betteridge

Address: [REDACTED]

Reasons: Putting in the dam is a more logical choice when you consider the benefits it would bring to the current population living in this area, as well as providing a safe water source for future growth. It is proposed to regenerate the land in the area of the dam with native trees and plants, while eradicating non-native species and pests. The valley at the bottom of Frasers Rd is perfectly shaped for a dam, and the cost would be minimal compared to the other options put on the table. To me, and others I have spoken to, it is a no-brainer. We need a new back-up dam.

**From:** [Mark & Justene Webster](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 26 April 2021 12:01:57 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Justene Webster

Address: [REDACTED]

Reasons: the growing population

**From:** [Kristin Bradford](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 26 April 2021 10:20:33 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Shane Bradford

Address:

[REDACTED]

Reasons:

My reasons are because I agree with everything above and that with the growth of the area we need a long term solution and groundwater isn't a long term solution because you need rain to fill the aquifers and during drought they will not be filled! I also feel that the Dunoon Dam is the common sense option and selling off the land to quickly will do more damage than good.



**From:** [Dennis](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 26 April 2021 10:20:25 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear Rous Water General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Dennis Henry

Address: [REDACTED]

Email: [REDACTED]

Mobile: [REDACTED]

Reasons:

- The mission for Rous Water is to secure for our region a high quality drinking water supply for future generations and continue to deliver ongoing water conservation measures.
- Rous Water Councillors have the task to investigate **ALL** possible water sources that can meet the above criteria and to assess the estimated costing, viability and the whole of life costs before reaching any decision.
- Rous Water Councillors are therefore not in a position to remove one of the options from the agenda purely on the response of 1% of Rous Water customers.
- It would be assumed that the 99% of the people who did not respond to the survey felt that the Rous Water Councillors would carry out their duties and conduct a full investigation and report their recommendation.
- The consultant engineers have provided comprehensive investigation report on all water supply options - almost all favour the construction of a new dam.
- The Rous Water Councillors have decided to go against the expert recommendation of Rous Water staff and the comprehensive studies into all proposed options.
- The other identified alternative water sources currently being investigated would appear to be expensive and do not meet general public approval.

The 3 Councillors who have who have voted to keep the proposed Dunoon Dam on the agenda should be commended for carrying out their elected duties to investigate **ALL** water source possibilities and note the expert advise from the consultants reports before bowing to any public response to remove any one of the identified options before all have

been thoroughly investigated.



Virus-free. [www.avg.com](http://www.avg.com)



**From:** [Kristin Bradford](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 26 April 2021 10:18:05 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Kristin Bradford

Address:

[REDACTED]

Reasons:

My reasons are because I agree with everything above and that with the growth of the area we need a long term solution and groundwater isn't a long term solution. I also feel that the Dunoon Dam is the common sense option and selling off the land to quickly will do more damage than good.

**From:** [Judith Hodgson](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 26 April 2021 9:17:55 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

JJDear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: JUDITH HODGSON

Address [REDACTED]  
[REDACTED]

Reasons: A dam is needed for future water supply

**From:** [Sue Nunn](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 26 April 2021 9:13:05 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Sue Nunn

Address: [REDACTED]

Reasons:

Why I do not support the use of ground water, because ground water is finite.

Desalination. Experience in other places show it is very expensive to maintain constantly & under-utilised at times.

No to Recycled water for drinking, future research may identify pathogens harmful to man previously unknown

Sent from my iPhone

**From:** [Ken Dwyer](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 26 April 2021 6:29:52 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Tom Dwyer

Address: [REDACTED]

Reasons: The cost of water is already too much. The dam has a better system.

**From:** [Ken Dwyer](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 26 April 2021 6:28:00 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: June Dwyer

Address: [REDACTED]

Reasons: Don't agree with the options

**From:** [Brendon Garred](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 25 April 2021 9:20:39 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Brendon Garred

Address: [REDACTED]

Reasons: We need water to survive, the river water is disgusting which we will have to use when we have the next drought with the dam we have not holding enough water to provide for our whole community especially with the quickly growing population .

[Sent from Yahoo Mail on Android](#)

**From:** [tamika.webster](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Sunday, 25 April 2021 8:19:19 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Tamika Webster

Address: [REDACTED]

Reasons: growing population in the northern rivers and we need the certainty of water

**From:** [Frank Lombardo](#)  
**To:** [Records](#)  
**Cc:** [Jeff Zanette](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 25 April 2021 7:54:58 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Frank Lombardo

Address: [REDACTED]

Reasons: We need a better water supply going forward and I believe the Dunoon dam is a great idea. The cost involved in building this project are only going to increase in the future so now is the time to get it over the line.  
Thanks Frank Lombardo

Sent from my iPhone



**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 25 April 2021 5:17:04 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Don & Maureen Gregor

Address:

[REDACTED]

Reasons:

As 30 year rate paying residents of Ballina we are strongly in favour of the proposed Dunoon Dam project. We have one of the highest population growth areas in the state and eventually Rocky Creek Dam will no longer be able to supply all of our water needs. No other viable alternatives appear to be available and long term planning should start NOW.

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 25 April 2021 5:17:04 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Don & Maureen Gregor

Address:

[REDACTED]

Reasons:

As 30 year rate paying residents of Ballina we are strongly in favour of the proposed Dunoon Dam project. We have one of the highest population growth areas in the state and eventually Rocky Creek Dam will no longer be able to supply all of our water needs. No other viable alternatives appear to be available and long term planning should start NOW.

**From:** [Moreton Bay Safe Communities](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 25 April 2021 3:49:21 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Sandra Lingard

Address:



Reasons: If you have a high rainfall it makes sense to capture the water in a dam and use it rather than invest in the other expensive proposals which have been given.

**From:** [Ruben Mazzocchi](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 25 April 2021 11:36:51 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ruben Mazzocchi

Address: [REDACTED]

Reasons:

**From:** [Christine](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 25 April 2021 11:35:34 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Christine ruane

Address: [REDACTED]

Reasons:do not touch our underground water. It?s not a never ending water supply and when it?s gone that?s it.

Build a bigger dam or another dam

**From:** [Helen Salkeld](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 25 April 2021 11:12:10 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Helen and Bill Salkeld

Address:



Reasons: We have many family members who would be affected by the abovementioned strategy, for the reasons mentioned above.

Helen and Bill Salkeld.

**From:** [Helen Salkeld](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 25 April 2021 11:12:10 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Helen and Bill Salkeld

Address: [REDACTED]

Reasons: We have many family members who would be affected by the abovementioned strategy, for the reasons mentioned above.

Helen and Bill Salkeld.

**From:** [Anita Grayndler](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 25 April 2021 11:06:35 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Anita Grayndler

Address: [REDACTED]

Reasons: I do not support groundwater harvesting at Woodburn, Tyagarah Newrybar or Alstonville.



**From:** [Anita Grayndler](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Sunday, 25 April 2021 10:52:38 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Stephen Grayndler

Address: [REDACTED]

Reasons: I believe Lismore should be building a Dam and collecting the rainwater.

Sent from my iPhone


**From:** [walter zetlin](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Sunday, 25 April 2021 10:30:46 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager, Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy. As a permanent water supply source: I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville. I DO NOT support desalination. I DO NOT support potable water reuse (toilet to tap) as drinking water. Additionally, I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Walter Zetlin



**From:** [Atwal Bros](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 25 April 2021 8:02:36 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Robbie Atwal

Address: [REDACTED]

Reasons:

Sent on the go with Vodafone

Get [Outlook for Android](#)

**From:** [Atwal Bros](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 25 April 2021 8:02:14 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Rodney Atwal

Address: [REDACTED]

Reasons:

Sent on the go with Vodafone

Get [Outlook for Android](#)

**From:** [Atwal Bros](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 25 April 2021 8:01:54 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Stephen Atwal

Address: [REDACTED]

Reasons:

Sent on the go with Vodafone

Get [Outlook for Android](#)

**From:** [Michael Robson](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 25 April 2021 6:53:48 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Michael robson

Address:

[REDACTED]

Reasons:

Water Security

Sent from my iPhone

**From:** [Pete Irwin](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 24 April 2021 5:23:43 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Peter Irwin

Address: 

Reasons: as above

Get [Outlook for Android](#)

**From:** [cassie brown](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 23 April 2021 9:13:48 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoos Dam land disposal.

I DO support the recommencement of work on the proposed Dunoos Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: cassie brown

Address: [REDACTED]

Reasons: to capture water to cater for our growing need and growing community.

Thanks  
Cassie



**From:** [Jimmy Bull](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Friday, 23 April 2021 8:06:14 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jamie Bull

Address: [REDACTED]

Reasons: water is life and our area is growing and we have major rain fall in our area.

Sent from my iPhone

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Friday, 23 April 2021 1:32:20 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jacqueline Thorpe

Address: [REDACTED]

Reasons:

Dam water is the best option for this region.

Sent from my iPhone

**From:** [gary.garbutt](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 23 April 2021 11:57:41 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Gary Garbutt

Address: [REDACTED]

Reasons: I want the dam as I believe this to be the best solution for the future.

Sent from [Mail](#) for Windows 10

**From:** [Nerida Dufficy](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Friday, 23 April 2021 8:29:39 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Nerida Dufficy

Address: [REDACTED]

Reasons: A dam is the most cost effective and the overall best solution to water supply in this region. We have to look at the overall picture for the future, not the radical views of the vocal minority.

**From:** [Troy Outerbridge](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 23 April 2021 7:01:15 AM  
**Attachments:** [facebook-05\\_e987bcb9-4f6a-4053-ad11-1cce3a591902.png](#)  
[instagram-06\\_6917b206-89aa-4e25-9a82-a54cf877365a.png](#)  
[linkedin-21\\_d4c5c0b6-642d-497d-9cbf-7fdaf11df3c4.png](#)

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Troy Outerbridge

Address: [REDACTED]

Reasons:

There is something seriously wrong with the local government system when short term elected officials make decisions for their elected longevity.

25 years of planning for a dam.

Acquiring 50% of the land for the Dunoon Dam

25 Years of Rous Water staff efforts

25 Years of past elected official efforts

Volumes of consultant and state government reports

All these facts and data pushed out the door.

We have just been through a drought. These elected officials have short term memories and short term policies to ignore 25 years of effort.

**Troy Outerbridge**  
*Business Development  
Manager*  
[REDACTED]



Like



Follow



**CLARENCE  
PROPERTY**

People · Capital · Ideas

[clarencproperty.com.au](http://clarencproperty.com.au)



Connect

**WPT.**  
WETLAND PROPERTY TRUST

**CASUARINA**  
**BEACH**

**EPIQ** LENNOX  
HEAD

**LAKEHOUSE**  
CORPORATE SPACE

**YAMBA QUAYS**

**From:** [Geraldine Lockyer](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Thursday, 22 April 2021 2:03:41 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [lilia simeoni](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Thursday, 22 April 2021 11:21:16 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Lilia Simeoni

Address [REDACTED]

Reasons:

We need good natural water for our growing population and for all our children and grandchildren

Sent from my iPhone



**From:** [lilia simeoni](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Thursday, 22 April 2021 11:17:08 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Frank Baisi

Address: [REDACTED]

Reasons:

Natural water for our future generation

Sent from my iPhone

**From:** [aiag.edu](mailto:aiag.edu)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 22 April 2021 8:22:45 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: S Jhorar, Australian Institute of Agriculture

Address:



Reasons:

**From:** [Om Parkash Jhorar](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 22 April 2021 8:20:16 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: O. Jhorar, O & S Jhorar Partnership

Address: [REDACTED]

Reasons:

Sent from [Mail](#) for Windows 10

**From:** [Education and Research Australia](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Thursday, 22 April 2021 8:18:51 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: O.P. Jhorar, Ind Oz Entrepreneurs Pty Ltd

Address: [REDACTED]

Reasons:

Sent from [Mail](#) for Windows 10

**From:** [Om Jhorar](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 22 April 2021 8:16:53 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: O Jhorar

Address: [REDACTED]

Reasons:

Sent from [Mail](#) for Windows 10

**From:** [Savita Jhorar](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 22 April 2021 8:15:36 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Om Jhorar

Address: [REDACTED]

Reasons:

Sent from [Mail](#) for Windows 10

**From:** [Savita Jhorar](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 22 April 2021 8:08:14 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) but strongly oppose harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from [Mail](#) for Windows 10

**From:** [Christina Woodhead](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 21 April 2021 9:12:20 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:christina woodhead

Address:



Reasons:sendible and cheapest solution



**From:** [Frank Basso](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Wednesday, 21 April 2021 8:49:50 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPad

**From:** [REDACTED]  
**To:** [Records](#)  
**Cc:** ["Col Baker"](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 21 April 2021 7:03:55 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Peter Connie

Address: [REDACTED]

Reasons: I have close relatives living in the Rouse shire and share their concerns re reliable water security. The dam is best option

**From:** [Carol Pryke](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 21 April 2021 5:51:28 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Damien & Carolyn Pryke

Address: [REDACTED]

Reasons: That the Dunoon Dam land not used will be sold.

**From:** [Carol Pryke](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 21 April 2021 5:51:28 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Damien & Carolyn Pryke

Address: [REDACTED]

Reasons: That the Dunoon Dam land not used will be sold.

**From:** [Michelle Mazzorana](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 21 April 2021 10:52:49 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Gary Mazzorana

Address: [REDACTED]

Reasons: I believe a Dam is the only economical way forward for our future.

Kind Regards  
Gary Mazzorana

**From:** [Heather Harris](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 21 April 2021 10:11:52 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager, Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy. As a permanent water supply source: I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville. I DO NOT support desalination. I DO NOT support potable water reuse (toilet to tap) as drinking water. Additionally, I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Address: Reasons: Heather [REDACTED]

Reason: we should be damming the water supplied by nature

**From:** [David Mason](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 21 April 2021 9:56:31 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: David Mason

Address: [REDACTED]

Reasons: Dams are the best source of water, the other 3 options are too expensive. We live on the east coast of NSW where the rainfall is one of the highest in the country, the idea of toilet to tap is a disgrace.

**From:** [Linda Cherry](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Wednesday, 21 April 2021 9:15:30 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

LDear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Linda Cherry

Address: [REDACTED]

Reasons:

With the current & potential growth in this area it's a no brainer

Sent from my iPhone



**From:** [ian wills](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 21 April 2021 8:07:42 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ian Wills

Address: [REDACTED]

Reasons: water is life we need to future proof our region

**From:** [greg.martin](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 21 April 2021 7:25:45 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: **Greg Martin**

Address: [REDACTED]

**Reasons: Not only is a larger dam vital to supply our growing region. I feel there should be encouragement to home owners to upgrade their homes catchment and drainage with water storage tanks.**

**Many homes are trying to save money by installing solar panels, the same benefits are not promoted enough with using tank water.**

Sent from [Mail](#) for Windows 10

**From:** [Marlene Walker](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 20 April 2021 7:52:58 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Terry Walker

Address: [REDACTED]

Reasons: I support the construction of the Dunoon Dam as this will have no impact on the local aquifers. The cost and operations of a desalination is prohibitive and should only be suggested in areas devoid of substantial rainfall.

I also believe the dam would be ascetically advantageous to the local community.

Sent from my iPad

**From:** [Marlene Walker](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 20 April 2021 7:41:11 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Marlene Walker

Address: [REDACTED]

Reasons: I support the Dunoon Dam option because it is economically and environmentally better than the alternatives suggested.

Sent from my iPad

**From:** [High Valley](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 20 April 2021 5:40:42 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Robert Hood

Address: [REDACTED]

Reasons: Reliable water supply for growing population should try to limit use of underground water easy to overuse. Do not like the use of sewage water being treated for drinking water. Desalination should be the final option but we have very reliable rain fall it's only sensible to store more water to service our requirements. Thanks for the opportunity to have a input is this decision.

Sent from my iPhone

**From:** [High Valley](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 20 April 2021 5:29:31 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 20 April 2021 4:19:32 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Wendy Stapleton](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 20 April 2021 4:12:21 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Wendy Stapleton

Address:



Reasons: The land has already been bought, and the dam option has not been fully investigated. We have a growing population in the Northern Rivers and insufficient water storage, with the highest rainfall in the state. Also, climate change is happening, less rain is likely in future, and using up aquifers is an ecologically unsound solution. We need to store water when it does rain, and Rocky Creek Dam is not enough for the area. Recycled sewage and waste water for drinking is an expensive and highly unpopular option. Let's have clean rainwater stored in a dam!



**From:** [Sophie Dirou](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 20 April 2021 3:03:30 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Sophia Dirou

Address: [REDACTED]

Reasons: Highest state rainfall must be collected in a new Dunoon dam to guarantee the future secure water needs of the region.

**From:** [Sophie Dirou](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 20 April 2021 2:59:18 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: John Dirou

Address: [REDACTED]

Reasons: A new Dunoon dam is the cheapest long term water supply option.

**From:** [Pat Gosling](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 20 April 2021 1:36:35 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Pat Gosling

Address:

[REDACTED]

Reasons:

I believe it would be environmentally damaging to beautiful area.

Pat G

**From:** [David Huett](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 20 April 2021 11:39:43 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kay Huett

Address: [REDACTED]

Reasons

1) Contrary to the reasons provided by objectors to the proposed Dunoon Dam, it will enhance the local environment by developing a new ecosystem. Rocky Creek dam is a place of natural beauty and a recreation area for locals.

If the case against a dam is so compelling, the objectors would have been able to support their case by pointing out the long term damage caused by the Rocky Creek dam.

2) The proposed dam is the cheapest option for long term water supply and the interests of future generations must carry considerable weight against the idealistic negative views of protestors who will be long gone once the proposed dam has been operating into the future.

3) The deep aquifers will be required into the future to sustain horticultural production, the economics of this being far better than using the water to support domestic use.

**From:** [Ted and Jackie](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 20 April 2021 11:17:02 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Edmund Powell

Address: [REDACTED]

Reasons:

Sent from [Mail](#) for Windows 10

**From:** [Craig Pirlo](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 20 April 2021 10:41:01 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Craig Pirlo

Address: [REDACTED]

Reasons: we need the Dam for the growing area and population, we need fresh clean water security, we can't keep flogging the same water sources

Sent from my iPhone

**From:** [Shanae Pirlo](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 20 April 2021 10:40:32 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Shanae Pirlo

Address: [REDACTED]

Reasons: we need the Dam for the growing area and population, we need fresh clean water security, we can't keep flogging the same water sources.

Sent from my iPhone

**From:** [Greg Lester](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 20 April 2021 9:47:29 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager, Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy. As a permanent water supply source: I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville. I DO NOT support desalination. I DO NOT support potable water reuse (toilet to tap) as drinking water. Additionally, I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region. Name: Address: Reasons:

From :

Reason for comment : It is clearly obvious to the non politically aligned and non ideologically leftist driven that the Dunoon Dam option is the only viable long term water source option for the future of the Region. The Dunoon Dam option should be retained not discarded.



**From:** [Jonathan Horsley](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 20 April 2021 9:35:38 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jonathan Horsley

Address: [REDACTED]

Reasons: I have worked in the water supply industry for most of my working time and know from experience and direct knowledge that the Dunoon Dam is the best option for water security into the future for this area. No other option can provide the long term security.

**From:** [Jill Hawthorn](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 20 April 2021 8:47:17 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPad

**From:** [robert.pullen](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 20 April 2021 8:34:17 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Robert Pullen

Address: [REDACTED]

Reasons: The dam is vital to our very existence

**From:** [Doreen](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 20 April 2021 8:03:42 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Doreen Strong

A

[REDACTED]

Re [REDACTED] ting many more communities than it was intended for. We need a dam to catch the overflow and store it when we do have rain.

**From:** [Doreen](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 20 April 2021 8:00:09 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Harvey Hing

Address:



Reasons: I have lived in the area all my life and have witnessed the growth of housing and population. We need to have water to keep up with development.

**From:** [Ken Murphy](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 20 April 2021 7:12:04 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ken Murphy

Address: [REDACTED]

Reasons: Many, but primary one i have seen firsthand the depletion of creek water when pumping from lagoon grass is undertaken.

**From:** [David Huett](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 19 April 2021 10:58:22 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: David Huett

Address: [REDACTED]

Reasons:

1) I have read a large number of previous submissions opposing the dam and not one supports their case by arguing that the original Rocky Ck dam was detrimental to the community. The small but very vocal group who oppose the Dunoon dam should be able to clearly demonstrate the environmental, social and heritage damage that resulted in the construction of Rocky Ck. They can't because they have no case. Rocky Ck dam is vital to the local community as a source of high quality water. It has also enhanced the local environment and is a place of beauty.

2) The very small but very vocal opposition would oppose dams anywhere in the country. I have travelled to Kununurra, flown over Lake Argyle which feeds the Ord River that irrigates a vast area down stream. The dam on the lake is a great example of enhancing the environment through controlled water release. Prior to the dam, in the monsoon season, destructive water flow occurred down the Ord. In the dry season it would barely be a trickle. The dam has allowed controlled flows in the Ord which has led to a succession of plant and animal ecosystems developing along riparian areas. This enhancement of the environment would not have been possible without the construction of the dam. The main benefit has been a vast area of irrigated agriculture.

3) Australia is supposed to be a democracy, however we find that very small and unrepresentative vocal groups dictate many facets of policy that undermine the economic performance of the country. It is unfortunate that these highly motivated and misguided minorities undermine the best interests of the silent majority who entrust our leaders to make decisions in their best interests. It is about time that

politicians and bodies such as Rous County Council used a process which derived a more representative view of the communities attitude towards issues such as water supply rather than basing it on written submission which generally invite a distorted response. For example, a better option, although not perfect, would have been to send an information sheet to all ratepayers (who pay for the water) serviced by Rous County Council with a simple yes and no questionnaire regarding support for the various options. The answers could then be entered via a pre-recorded phone message. The system has to be lot simpler that having to spend 2 hrs as I have in this response in preparing a case. The highly motivated knockers will always beat the less motivated silent majority. The delay in the imposition of higher water charges has no immediate effect on peoples pockets.

4) In the absence of a dam, deep aquifers on the Alstonville Plateau will be an important source of drinking water for Rous County Council. As a retired Research Scientist (Horticulture), NSW Dept. Agriculture, as temperatures increase, crops such as macadamias will need to rely on irrigation to sustain yields and nut quality. The irrefutable evidence for the benefits of irrigation can be seen from the significant improvement in these two parameters in very recent dry year followed by a wet year. Macadamias are major contributor to the economy of the area serviced by Rous County Council. Apart from the Dunoon Dam being the best economic option for securing future water supply, there are substantial economic benefits to the Horticulture industries in preserving the deep aquifers for their use.



**From:** [Bronwyn Curtin](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 19 April 2021 9:43:55 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: bronwyn Curtin

Address: [REDACTED]

Reasons: I would like the Dunoon dam to be fully investigated as a potential source for future water supplies. It could be a great opportunity not just for securing water, but also for tourism and recreation.

Sent from my iPhone

**From:** [Christine Scarvell](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 19 April 2021 8:53:19 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Christine Scarvell

Address: [REDACTED]

Reasons:

I fought hard against the 'water mining' DA on Ellis Road where 100 million litres of precious groundwater (aquifer) water per year was going to be extracted, trucked to Brisbane and put into plastic bottles as 'pure spring water'. Now, the aquifers are again under threat from population growth as a source of water to supply Alstonville Plateau and beyond. Although I am essentially against the proposed Dunoon Dam, I see no alternative at this point. Our environmentally sensitive aquifers should not be depleted to satisfy an ever growing population. Having seen the local streams and water courses depleted so severely during the most recent drought was heart breaking. Springs even dried up. It was unprecedented in my 35 years here and my late father-in-law was always full of praise over the permanent springs and creeks flowing during his 75 years of farming in Wollongbar. He never saw a lack of flow in any of the local creeks. Population growth and intensive horticulture industries have put much pressure on our aquifers and streams. During times of excellent rainfall we need to be storing water for future use. We need to investigate further the feasibility of the placement of the Dunoon Dam. It seems it does not matter where a dam is built there will be property owners impacted severely, people's lives and dreams destroyed. It's time to draw a line and look into EVERY aspect of the proposed dam so there is an informed and logical decision made.

Yours sincerely  
Christine Scarvell

**From:** [richardfunnell](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 19 April 2021 8:50:52 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kerry Funnell

Address: 

Reasons:

Cost efficient dams are long term guarantee of water surety.

Sent from my Galaxy

**From:** [Anita Byrnes](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 19 April 2021 8:45:38 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Anita Byrnes

Address: [REDACTED]

Reasons: I think we need to harness and hold as much water as we can instead of letting it flow to the ocean.  
Water is life

Sent from my iPhone

**From:** [Andrew Scarvell](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 19 April 2021 8:12:16 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Andrew Scarvell

Address: [REDACTED]

Reasons: The aquifers are finite resources, having seen the springs and creeks around my area stop flowing in 2019 for the first time in my 64 years of life and my late father who farmed here previously for sixty years before me, was proud to tell people that the creeks here were “permanent “ has brought home to me that there is already a maximum amount of water being used from the aquifers now and we don’t have anything in reserve for the drought conditions that we can receive and possibly will see more of in future with the increase in climate change.

Kind Regards,

Andrew Scarvell.  
[REDACTED]

**From:** [Ian Campbell](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 19 April 2021 8:02:50 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

LDear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ian Campbell

Address [REDACTED]

Reasons:DunoonDam is the most cost effective way of way of supplying water to our region in the future why not harvest the millions of litres of fresh water going out over the Ballina bar

Sent from my iPhone

**From:** [Charles Burgess](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 19 April 2021 7:49:43 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Charles Burgess

Address: [REDACTED]  
[REDACTED]

Reasons: as per above

Sent from my iPad

**From:** [Charles Burgess](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 19 April 2021 7:48:34 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: KAYBURGESS

Address: [REDACTED]

Reasons: AS PER ABOVE

Sent from my iPad



**From:** [Michael and Kathleen Mould](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 19 April 2021 6:47:06 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:michael mould

Address: [REDACTED]

Reasons:

**From:** [Michael and Kathleen Mould](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 19 April 2021 6:47:06 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:michael mould

Address: [REDACTED]

Reasons:

**From:** [Rajesh Lunar](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 19 April 2021 6:36:25 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoos Dam land disposal.

I DO support the recommencement of work on the proposed Dunoos Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Rajesh Kumar

Address: [REDACTED]

Reasons:

Sent from my iPhone

**From:** [McLeans Freight Service - OPS](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 19 April 2021 5:04:14 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Robert Venn

Address: 

Reasons: I believe this is the best option for the long term.

Get [Outlook for iOS](#)

**From:** [Frank Frank](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 19 April 2021 4:26:23 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: F. Bachl

Address: [REDACTED]

Reasons: Potential future, ill affordable water supply cost explosion if the no dam solution is implemented

Sent from iPad Air

**From:** [Clint McCarthy](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 19 April 2021 4:05:10 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Clint McCarthy

Address: [REDACTED]

Reasons: the of the project is a know brainer. Have some common sense.

Regards

Clint McCarthy

**From:** [Brian Lewis](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 19 April 2021 3:43:47 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Lorna Lewis

Address:



Reasons: Years of drought have given the signal that the dam built in 1956 is not enough water to supply this district, which has now grown nearly 10 fold since that time.



Virus-free. [www.avg.com](http://www.avg.com)

**From:** [Brian](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 19 April 2021 3:43:33 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Brian Lewis

Address: 29 [REDACTED]

Reasons: We need water now, and the problem will become more acute as population growth continues.

Sent from [Mail](#) for Windows 10



Virus-free. [www.avg.com](http://www.avg.com)



**From:** [Brendon Pine](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 19 April 2021 3:25:33 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Brendon Pine

Address: [REDACTED]

Reasons: cost and common sense

Sent from my iPhone

**From:** [Leisa Blok](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 19 April 2021 3:10:10 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Leisa Blok

Address: [REDACTED]

Reasons: From my understanding, the proposed Dunoon Dam option is deemed the most common sense and cost effective solution.

**From:** [Gavin Clarke](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 19 April 2021 2:24:07 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Gavin Clarke

Address:

[REDACTED]

Reasons:

**From:** [Peter Everingham](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 19 April 2021 2:01:03 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Peter Everingham

Address: [REDACTED]

Reasons: Water security is important - we have been planning this dam for 25 years. Just build the bloody thing now and stop wasting rate payers time and money.

**TRINITY CATHOLIC COLLEGE LISMORE: CONFIDENTIALITY & PRIVACY NOTICE**

*The information contained in the above e-mail message or messages (which includes any attachments) is confidential and may be legally privileged. It is intended only for the use of the person or entity to which it is addressed.*

*If you are not the addressee, any form of disclosure, copying, modification, distribution or any action taken or omitted in reliance on the information is unauthorised.*

*Views expressed are those of the individual sender, and not necessarily those of Trinity Catholic College Lismore Ltd.*

*If you received this e-mail message in error, please immediately notify the sender and delete the message from your computer.*

**Disclaimer**

The information contained in this communication from the sender is confidential. It is intended solely for use by the recipient and others authorized to receive it. If you are not the recipient, you are hereby notified that any disclosure, copying, distribution or taking action in relation of the contents of this information is strictly prohibited and may be unlawful.

This email has been scanned for viruses and malware, and may have been automatically archived by Mimecast, a leader in email security and cyber resilience. Mimecast integrates email defenses with brand protection, security awareness training, web security, compliance and other essential capabilities. Mimecast helps protect large and small organizations from malicious activity, human error and technology failure; and to lead the movement toward building a more resilient world. To find out more, visit our website.

**From:** [Mel James](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 19 April 2021 1:53:25 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: melanie james

Address: [REDACTED]

Reasons: We need the additional dam, as it is financially more realistic out of all of the options, for families in our area.

**From:** [Nancy West](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 19 April 2021 1:48:20 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Mrs J N West

Address: [REDACTED]

Reasons: The dam proposal has long been deemed the most sensible and cost effective way to alleviate lack of water in our region during periods of drought.

Why would we consider using our precious groundwater when we have copious rainwater going to waste?

**From:** [Karen James](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 19 April 2021 12:07:24 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Karen James

Address: 

Reasons: No Dam - No Water

**TRINITY CATHOLIC COLLEGE LISMORE: CONFIDENTIALITY & PRIVACY NOTICE**

*The information contained in the above e-mail message or messages (which includes any attachments) is confidential and may be legally privileged. It is intended only for the use of the person or entity to which it is addressed.*

*If you are not the addressee, any form of disclosure, copying, modification, distribution or any action taken or omitted in reliance on the information is unauthorised.*

*Views expressed are those of the individual sender, and not necessarily those of Trinity Catholic College Lismore Ltd.*

*If you received this e-mail message in error, please immediately notify the sender and delete the message from your computer.*

**Disclaimer**

The information contained in this communication from the sender is confidential. It is intended solely for use by the recipient and others authorized to receive it. If you are not the recipient, you are hereby notified that any disclosure, copying, distribution or taking action in relation of the contents of this information is strictly prohibited and may be unlawful.

This email has been scanned for viruses and malware, and may have been automatically archived by Mimecast, a leader in email security and cyber resilience. Mimecast integrates email defenses with brand protection, security awareness training, web security, compliance and other essential capabilities. Mimecast helps protect large and small organizations from malicious activity, human error and technology failure; and to lead the movement toward building a more resilient world. To find out more, visit our website.

**From:** [Eoin Johnston](#)  
**To:** [Records](#)  
**Cc:** [Sharon Cadwallader](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 19 April 2021 11:37:08 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Eoin Johnston

Address: [REDACTED]

Reasons:

The arguments for rejecting further studies of the the dam option were based on emotion, politics and non-evidence based claims and assertions. The years and money that went into choosing the dam option as the preferred source for our future water supply were discarded as soon as some organised and emotional social media opposition gained traction.

The decision to construct a dam was never going to be easy but due process should have been followed until all the claims and counter claims were thoroughly examined. Name calling, and “shaming” is no way to arrive at a true assessment of the issues. All claims should be subjected to at least some basic examination and this, in my, view has not been addressed, particularly with the more emotive issues.

As a resident of Alstonville plateau I am concerned that draining the water from aquifers is now the main preferred option to the dam. I have not yet sighted the technical evidence that supports the assertion that the bores drilled through hard rock between 140 to 180 metres deep will discover a reserve of water of required volume or clarity to meet the needs of RCC users for the next 40 years. I have, however attended meetings with the NSW Chief Scientist and his staff and studied the reports that were produced in response to the “water bottling” controversy. The final document produced in that exercise repeatedly referred to a lack of knowledge regarding the sustainability of Alstonville’s aquifers and the fact that the connectivity between the aquifers at various levels is uncertain.

The Mayor of Byron Bay is a board member of RCC and he encouraged the quick sale of land that had been purchased for the dam site. I understand he is not standing for re-election on Council but had he done so I would have been interested watching him trying to promote a desalination plant anywhere on the shores of his shire.

Finally, no matter how well sewerage is purified and promoted, the psychological barrier would, I suspect, be a significant hurdle for the majority of our citizens.

Regards,

Eoin J Johnston  
C Ward Councillor,





**From:** [Carolyn](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 19 April 2021 11:32:08 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Carolyn Chant

Address [REDACTED]

Reasons: The dam is by far the best option and should have been done years ago

**From:** [Andrea Bryant](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 19 April 2021 10:07:01 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Mervyn Bryant

Address: [REDACTED]

Reasons: This has been a major problem for our area for years dating back to the 1960's.

It should have been addressed then , and we wouldn't be having this problem now.

Please do the correct thing for the majority of the people who depend on water.

Underground water will not last for ever and to take it from the people who rely on this commodity, when they do not have access to Rocky Creek water is a criminal act.

The proposed dam would also be a major asset to Lismore during flood time that would help keep the heights of the river down and less damage to the business centre , North and South Lismore.

Regards,

M.N. Bryant

Sent from my iPad

**From:** [Andrew Bell](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 19 April 2021 9:19:00 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Andrew Bell

Address: [REDACTED]

Reasons: Water security for our region is a huge priority. With a swelling population, this is increasingly important. The decision to take the dam off the table is short sighted and irresponsible and history will look back on the current decisions makers unkindly.

**From:** [Bob Druitt](#)  
**To:** [Records](#)  
**Cc:** [Marilyn Druitt](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 19 April 2021 8:57:43 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a **permanent** water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.( WITH THE ATTENDANT ENVIRONMENTAL RISKS)

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Potable water is an increasingly valuable asset. Projections of use for the future show how important this is.

**PLEASE DO NOT LET THE CLEAR BENEFIT OF ANOTHER DAM be overtaken by far less desirable alternatives.**

Your decisions now will impact our communities for generations into the future

Name: Bob Druitt

Address: [REDACTED]

**From:** [Chris Lomax](#)  
**To:** [Records](#)  
**Cc:** [REDACTED]  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 19 April 2021 8:32:31 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Chris Lomax

Address: [REDACTED]

Reasons: We live in an area of very high rainfall but are under severe risk of water shortage unless it is retained at the lowest possible cost. The restraints being raised by objectors can be managed as they were at the time of the Rocky Creek Dam creation.

Sent from my iPad

**From:** [Jeff Zanette](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 19 April 2021 8:31:05 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPad

**From:** [Diana Sharpe](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 19 April 2021 8:29:48 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO support desalination.

I DO support potable water reuse

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

Name: Diana sharpe

Address: [REDACTED]



**From:** [Victor B](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 19 April 2021 8:23:35 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Victor Bosnic

Address: [REDACTED]

Reasons: Dams are the lowest cost and environmentally friendliest option in our region.

**From:** [Peter Gordon](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 19 April 2021 8:04:55 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Peter Gordon

Address [REDACTED]

Reasons: The cost of building and maintaining a desalination plant is only viable in the UAE countries, cheap fuel, cheap labour and no other alternative.

Sydney and Gold Coast desal plants are examples of impossible to maintain public expenditure ventures promoted by misinformation and lack of knowledge of the real costs.

Councillors cannot be expected to make decisions on major infrastructure installations, their knowledge is limited to their own environment through no fault of their own.

Peter Gordon.

**From:** [Deb Smith](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 19 April 2021 7:38:47 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Deborah Smith & Jeffrey McGrath

Address:

[REDACTED]  
[REDACTED]

Reasons: Our population is growing quickly & a proposed dam at Dunoon is the most reasonable & cheapest option.

**From:** [Deb Smith](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 19 April 2021 7:38:47 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Deborah Smith & Jeffrey McGrath

Address:

[REDACTED]  
[REDACTED]

Reasons: Our population is growing quickly & a proposed dam at Dunoon is the most reasonable & cheapest option.

**From:** [Matthew George](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 19 April 2021 7:13:51 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Matthew George

Address: [REDACTED]

Reasons: The dam is the most viable option for our future water security.

**From:** [Kaye Poulos](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 19 April 2021 7:04:30 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kaye Poulos

Address: [REDACTED]

Reasons: It is so logical that a dam be built in our area to supply our area with enough water going forward. The other two options of groundwater harvesting and potable reuse is by far too expensive and fought with massive problems in the long term.

Kaye Poulos

Sent from the iPad of Kaye Poulos

**From:** [nancy](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 19 April 2021 6:41:16 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.


Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Nancy Casson

Address:



Reasons: Every option needs to be investigated and considered. EVERY OPTION.

Sent from my Galaxy

**From:** [Russell Kelly](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 19 April 2021 6:09:14 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager, Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy. As a permanent water supply source: I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville. I DO NOT support desalination. I DO NOT support potable water reuse (toilet to tap) as drinking water. Additionally, I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Russell Kelly

Address: [REDACTED]

Reasons: Cost, best solution, common sense.



**From:** [ed.s](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 19 April 2021 5:24:07 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ed Standfield

Address: 

Reasons:

Get [Outlook for iOS](#)

**From:** [Chris Miller](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 18 April 2021 10:18:54 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Christine Miller

Address:



Reasons: it is clear from past droughts that our area suffers significantly from water shortages. A dam is the best way forward. For too many years minority groups have made the most noise (the old saying: the squeaky wheels get the most oil) in our region we have been represented by counsellors who are insecure and cannot think long term, but of only what will get them thru the next election. Please stop the inertia and get on with making the right decision and build the dam.

**From:** [chris](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Sunday, 18 April 2021 9:45:20 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:chris Knight

Address:

Reasons: the aquifer is already struggling -the other options are not practical and too expensive-the new dam is a no brainer. Cheers Chris

**From:** [Kay Hawthorn](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Sunday, 18 April 2021 8:26:13 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Bruce & Kay Hawthorn

Address [REDACTED]

Reasons:

**From:** [Kay Hawthorn](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Sunday, 18 April 2021 8:26:13 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Bruce & Kay Hawthorn

Address [REDACTED]

Reasons:

**From:** [Stephen Bull](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 18 April 2021 8:03:59 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Best Regards,

Stephen Bull



**From:** [Bernie Ramsey](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Sunday, 18 April 2021 7:00:45 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

I DO NOT support the Revised Draft Integrated Water Cycle Management Strategy and I thank our lucky stars that the current board was not around when Rocky Creek Dam was being considered because if they were we probably wouldn't even have that water supply.

Obviously this is a very divisive and important subject within the region and NO DECISION should be made now until a survey of water uses is sought by Rous Water as to the future sources and supply of water in the region.

This could be easily done with the forthcoming Local Government elections in September at a very reasonable cost.

It is imperative that the voices of the silent majority be heard rather than just listening to a few very active and noisy objectors. You only need to read local news publications to see how active and noisy they are. Your job is to LISTEN to ALL ratepayers.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Bernard Ramsey

Address: [REDACTED]

Mobile [REDACTED]

Reasons: Cost, Efficiency and Future REAL water security with Dunoon Dam

**From:** [Helen Allen](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Sunday, 18 April 2021 6:30:53 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Helen Allen

Address: [REDACTED]

Reasons:

Sent from [Mail](#) for Windows 10



**From:** [Lorraine Opperman](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 18 April 2021 5:19:25 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: lorraine Opperman

Address: [REDACTED]

Reasons: I believe we need to act now and the future of dams in Australia is so important  
We need dams now

**From:** [Ian Cooke](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Sunday, 18 April 2021 5:16:03 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally, We DO NOT support the proposed Dunoon Dam land disposal.

We DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ian and Jane Cooke

Address: [REDACTED]

Reasons: We understand that if the dam option is not used first then the Dunoon land will be sold. This would virtually rule out that option being available in the future. In our view that would be a irresponsible decision.

**From:** [Ian Cooke](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Sunday, 18 April 2021 5:16:03 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally, We DO NOT support the proposed Dunoon Dam land disposal.

We DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ian and Jane Cooke

Address: [REDACTED]

Reasons: We understand that if the dam option is not used first then the Dunoon land will be sold. This would virtually rule out that option being available in the future. In our view that would be a irresponsible decision.

**From:** [Susan Meehan](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Sunday, 18 April 2021 4:26:08 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Barbara Hayllar

Address: [REDACTED]

Reasons: as pensioners we need an affordable option.

Sent from my iPhone

**From:** [Susan Meehan](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Sunday, 18 April 2021 4:25:08 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Richard Hayllar

Address: [REDACTED]

Reasons: as pensioners we need an affordable option

Sent from my iPhone

**From:** [Bruce Syme](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 18 April 2021 2:54:19 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Bruce Syme

Address: [REDACTED]

Reasons: We need fresh water to live, especially in a dry continent like Australia. Look at any dam and see the surrounding benefits. Thanks Bruce

**From:** [Paul Worth](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Sunday, 18 April 2021 1:23:50 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kim Worth

Address: [REDACTED]

Reasons: Dunoon Dam is the best option

Sent from my iPad

**From:** [Paul Worth](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 18 April 2021 1:22:26 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Paul Worth

Address: [REDACTED]

Reasons: Dunoon dam option is the way forward.

Sent from my iPad



**From:** [Ray Darnell](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Sunday, 18 April 2021 12:23:00 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: R Darnell

Address [REDACTED]  
[REDACTED]

Reasons:

**From:** [Beverley Rumsby](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Sunday, 18 April 2021 9:34:11 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Beverley Rumsby

Address [REDACTED]

Reasons: As the Dunoon Dam already exists, it should be upgraded as a future water source for our region.

**From:** [Andrea Bryant](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 18 April 2021 9:21:24 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Andrea Bryant

Address:

[REDACTED]

Reasons:

The underground water supply will not be sufficient to supply the areas concerned for the years to come. The Public works engineer Ken Parr stated back in the 1960,s that we would be facing a problem with water for this area. If this had been addressed at the time we would not be having this problem today. Please build this dam to ensure water for the future of all the community.

Sent from my iPad

**From:** [Georgie Bacon](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 18 April 2021 9:19:58 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy. As a permanent water supply source: I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville. I DO NOT support desalination. I DO NOT support potable water reuse (toilet to tap) as drinking water. Additionally, I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Georgina Ford

Address: [REDACTED]

Reasons: the ground water source is not sustainable and the options are not long term. The dam has been in the planning for a significant amount of time and the environmental aspects have been considered and addressed. The existing sources are not enough to supply the region and its growth

Very disappointing result after many years of planning and consideration

**From:** [Melissa Powell](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Sunday, 18 April 2021 9:18:05 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Melissa Powell

Address: [REDACTED]

Reasons: I am against all other above mentioned proposed options. I also see this dam playing an important role in growth and expansion in our Northern Rivers area. This 2nd dam here in Dunoon will provide a new and exciting recreational area for locals to enjoy and will also boost tourism in our area which is desperately needed.

Sent from my iPad

**From:** [Vince Kelly](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 18 April 2021 8:55:58 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Vincent Kelly

Address: [REDACTED]

Reasons: The dam is needed for future growth in this Region. That growth is not being contained.

Get [Outlook for Android](#)

**From:** [Lyn Black](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Sunday, 18 April 2021 8:18:13 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Lynette Black

Address: [REDACTED]

Reasons: we need to ensure long term water as the population in this area is increasing.

Why have water restrictions put in place when we could have adequate water.

\*\*\*\*\*  
This message is intended for the addressee named and may contain  
privileged information or confidential information or both. If you  
are not the intended recipient please delete it and notify the sender.  
\*\*\*\*\*

**From:** [Pamela Stephen](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Sunday, 18 April 2021 7:42:46 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.


I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Pam Stephen  
Tony Stephen

Address 

Reasons: We believe that the dam is the most practical and sustainable future water supply for the area.



**From:** [Pamela Stephen](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Sunday, 18 April 2021 7:42:46 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Pam Stephen  
Tony Stephen

Address 

Reasons: We believe that the dam is the most practical and sustainable future water supply for the area.

**From:** [Kay](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 17 April 2021 10:58:46 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Neville Colefax

Address: [REDACTED]

Reasons:

Sent from [Mail](#) for Windows 10

**From:** [Kay](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 17 April 2021 10:58:05 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kay Colefax

Address: [REDACTED]

Reasons:

Sent from [Mail](#) for Windows 10

**From:** [Michelle Mazzorana](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Saturday, 17 April 2021 9:22:50 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Michelle Mazzorana

Address: [REDACTED]

Reasons: I have always been in favour of the dam. Let's hope common sense prevails.

Regards

Michelle Mazzorana

**From:** [Ray & Kay](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 17 April 2021 8:52:21 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Raymond Radloff

Address:

[REDACTED]

Reasons:

Leave our aquifers alone! Us farmers need them! Build the dam!

Sent from my Galaxy

**From:** [Ray & Kay](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 17 April 2021 8:50:09 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Kathleen Radloff

Address:

[REDACTED]

Reasons:

Our aquifers are too valuable for farming in the area. You cannot plunder the aquifers. Build the dam to collect water which would otherwise flood our area and be wasted out to sea.

Sent from my Galaxy

**From:** [Lloma Mergan](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Saturday, 17 April 2021 7:22:12 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Lloma Mergan

Address: [REDACTED]

Reasons:As listed above.

Sent from my iPad

**From:** [Sharron Farrell](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Saturday, 17 April 2021 6:18:41 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Sharron & Stedroy Farrell

Address: [REDACTED]

Reasons: We need to utilise the natural resource- rain. We are blessed to live in a region when rain is regular and plentiful.

Sent from my iPhone



**From:** [Sharron Farrell](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Saturday, 17 April 2021 6:18:41 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Sharron & Stedroy Farrell

Address: [REDACTED]

Reasons: We need to utilise the natural resource- rain. We are blessed to live in a region when rain is regular and plentiful.

Sent from my iPhone

**From:** [Geoff and Jenny Moore](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 17 April 2021 5:04:35 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Geoffrey Robert Moore

Address: [REDACTED]

Reasons: It is vital to exercise sound long-term vision through the recommencement of work on the proposed Dunoon Dam option to safeguard a sustainable and reliable supply of water for the region.

**From:** [James Bruce Hahn](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Saturday, 17 April 2021 4:07:11 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jim Hahn

Address [REDACTED]

Reasons: We need proper ,practical solutions to this proposal. The Dunoon Dam is the only way to go.

**From:** [kayleen.cooper28](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 17 April 2021 3:42:36 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kayleen Cooper

Address: [REDACTED]

Reasons: There is to be much future growth in this area and the best solution to be sure of a constant water supply is to have a permanent sustainable catchment which a dam will do. More dams should also be built throughout this country generally. However the Northern Rivers has the land and should proceed as soon as possible.

Sent from my Samsung Galaxy Tab S2 on the Telstra Mobile Network

**From:** [Paola Murdoch](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 17 April 2021 3:29:59 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

P. Murdoch

Address:

[REDACTED]

Reasons: The Dam makes very much sense to me. Water is vital to life

**From:** [richardfunnell](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 17 April 2021 2:53:16 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Richard Funnell

Address:

Reasons:

Building of dams is cost effective and only way of water surety in future

Sent from my Galaxy

**From:** [Helen](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Saturday, 17 April 2021 2:48:42 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

----- Forwarded Message -----

**Subject:**

**Date:** Sat, 17 Apr 2021 14:41:51 [REDACTED]

**From:** Helen [REDACTED]

**To:** [council@roun.nsw.gov.au](mailto:council@roun.nsw.gov.au)

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Bruce Nobbs

Address: [REDACTED]

Reasons: During periods of drought I don't wish water to come from underground aquifer and for health reasons I don't want potable water reuse (toilet to tap) as drinking water. Its about time this state built new dams for water collection thus saving it from going out to sea. Such waste currently is a disgrace.

**From:** [Marilyn Nobbs-Hahn](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 17 April 2021 2:47:36 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Marilyn G Nobbs-Hahn

Address: [REDACTED]

Reasons: The most effective and practical way to insure there is sufficient water in the Northern Rivers for future generations.. Build the DAM.....



**From:** [Barbara Mitchell](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 17 April 2021 2:25:32 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Barbara Mitchell

Address: [REDACTED]

Reasons:our area is growing and the need for more fresh water is on going .  
All living things need abundant clean water .

**From:** [Joy](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 17 April 2021 12:45:49 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Margaret Muller

Address: [REDACTED]

Reasons: We live in a rapidly growing area and need infrastructure to support the increased population. Water is an essential resource and we must retain this land to build the Dunoon Dam in the near future.

Sent from my iPad

**From:** [Narelle Besseling](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 17 April 2021 12:19:47 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Narelle Besseling

Address:



Reasons: water security for our fast growing region. Toys water had an obligation to the community to ensure sufficient water and the Dunoon Dam is definitely the only way. No desalination plant no reuse of water

**From:** [SEvy Rosco](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 17 April 2021 12:16:58 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 17 April 2021 10:58:06 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Josiane Hunziker

Address: [REDACTED]

Reasons: A dam is the answer !

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 17 April 2021 10:56:11 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Hans Hunziker

Address: [REDACTED]

Reasons: To secure water supply we need a dam !

**From:** [Denis Matthews](#)  
**To:** [Records](#)  
**Cc:** [Christine Russell](#); [REDACTED]  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 17 April 2021 10:51:51 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

**I DO BELIEVE THAT THE VIDEO I HAVE SEEN IS FUNDAMENTALLY DISHONEST.**

We have an obsession with the purity of ALL water supplied through our reticulation network because a **tiny** fraction of it is used as DRINKING WATER.

In reality many people in our society already **avoid drinking any of the water supplied.**

I would like to see an honest survey made to ascertain the portion of the water supplied **that is actually consumed as drinking water.** I know that huge portions are used in bathrooms and laundries. Flushing toilets accounts for tremendous consumption. But how much water is used on roads (both sealed and unsealed), on footpaths and on lawns and gardens and playing fields?

If many in our community are already accustomed to keeping a separate supply of drinking water, why not abandon the idea that every drop of water supplied must be of drinking quality. The supply of genuine drinking water in containers would be far less expensive than current practice. Besides if local governments were involved in supplying drinking water in containers, they might curtail the rip off currently perpetrated by certain large corporations, the proliferation of small plastic bottles, the exploitation of pristine spring water, and the use of resources wasted in getting those bottles on to supermarket shelves.

Let us abandon the myth of drinking water from the toilet. If you trace the course of the Darling from the Condamine and other tributaries to its mouth, how many local councils are supplying recycled water to the residents?

I DO NOT support the proposed Dunoon Dam land disposal **AT THIS STAGE.** Who knows when we really will need to store more water?

Denis B Matthews  
[REDACTED]

**From:** [Col Baker](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 17 April 2021 10:46:14 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kim Baker

Address:



Reasons: the best option



**From:** [Ken & Lyn Tully](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 17 April 2021 9:00:12 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ken Tully

Address: [REDACTED]

Reasons: Cost too much in an area with low income per capita which will be passed on to low income residents

**From:** [Delma McDonald](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 17 April 2021 7:33:14 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Arthur & Delma McDonald

Address: [REDACTED]  
[REDACTED]

Reasons: leave the ground water alone ,one day it will run dry and then what do we do?

Save the annual rainfall ( dam it ) instead of it running out to sea , what a waste!!

I have no wish to drink toilet water no matter how treated it is thank you very much !!

**From:** [Delma McDonald](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Saturday, 17 April 2021 7:33:14 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Arthur & Delma McDonald

Address: [REDACTED]  
[REDACTED]

Reasons: leave the ground water alone ,one day it will run dry and then what do we do?

Save the annual rainfall ( dam it ) instead of it running out to sea , what a waste!!

I have no wish to drink toilet water no matter how treated it is thank you very much !!

**From:** [Mike Berry](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Saturday, 17 April 2021 7:19:57 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Michael Berry

Address: [REDACTED]

Reasons: Water security for the future is vital and a dam to harvest rainwater runoff is critical as our population grows and the potential for drought periods increase into the future. Ground water should not be considered as a reliable source of sustained supply.

**From:** [Kathy Pirlo](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Saturday, 17 April 2021 6:53:45 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kathy Pirlo

Address: [REDACTED]

Reasons: The local area needs a fresh water solution for the years to come.

Sent from my iPhone

**From:** [bngarred2](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 16 April 2021 9:04:19 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Natasha Garred

Address: [REDACTED]

Reasons: Our local farmers need the water to grow amazing produce.

We ALL need the water as a growing community. We need a long term water supply, as seen in the previous drought (which still hasn't broken in some areas), water security is very crucial.

Our community cannot afford to pay 4x the amount for water. We have families already struggling. Many still struggling from the 2017 flood and also Covid.

Sent from my Galaxy

**From:** [Elizabeth Trevan](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 16 April 2021 8:59:34 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Elizabeth Trevan

Address: [REDACTED]

Reasons: A dam should always be considered as a first and viable option for a community that is in dire need of one. To dismiss it without meaningful community consultation is ludicrous.

[Lizzie Trevan](#)

[REDACTED]

**From:** [Ken Dwyer](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 16 April 2021 7:59:47 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ken Dwyer

Address: [REDACTED]

Reasons: I am not happy with the options offered. I feel the dam is the best solution to the future needs of the area.



**From:** [Robert and Heather Smith](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Friday, 16 April 2021 4:33:52 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Robert Smith

Address: [REDACTED]

Reasons: The Dunoon Dam option is the most timely, cost effective way to collect, store, treat and distribute potable water of the highest possible quality to urban water users..... with the least environmental impact.

**From:** [Rosemary Blakeney](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 16 April 2021 3:53:19 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Rosemary Blakeney

Address: [REDACTED]

Reasons: I have looked carefully at all options for our water future The dam seems the most environmental sound option Using the aquifers is very short sighted and could cause unknown long term problems The desalination plant is a very energy intensive operation and expensive I do think the reuse of water is an option but only for gardens toilets flushing. It however is not a long term answer.

We have lots of lovely clean water falling from the sky here in the Northern Rivers  
It is only sensible to dam it and use it.

**From:** [Alexander Arrighi](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 16 April 2021 3:10:09 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: A.G.Arrighi

Address:

[REDACTED]

Reasons:

**From:** [Jan Meskell](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Friday, 16 April 2021 1:28:33 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

John Meskell

Address:

[REDACTED]

Reasons:

Necessary for future population in this area. The most guaranteed source of a basic necessity.

Sent from my iPad

**From:** [Jan Meskell](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Friday, 16 April 2021 1:27:13 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: jan Meskell

Address:

[REDACTED]

Reasons:

More and more people will live in this area in the future so we need a sure supply of water.

Sent from my iPad

**From:** [Guido Conte Email](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 16 April 2021 1:13:45 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Claudette Conte

Address: [REDACTED]

Reasons: A dam is a must, especially with our rainfall. We have large amounts of native rainforest which will NOT be affected.

It is also the most cost effective method.



Virus-free. [www.avg.com](http://www.avg.com)

**From:** [Guido Conte Email](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 16 April 2021 1:10:24 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: guido conte

Address: [REDACTED]

Reasons: A dam is the only logical and natural solution. It is the most cost effective method,



Virus-free. [www.avg.com](http://www.avg.com)

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 16 April 2021 1:05:11 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Karla Hudson

Address: [REDACTED]

Reasons: Lismore Is my home town, whilst I am currently living/working further north I will return and do so currently visit regularly. Dunoon Dam is the sensible, more natural option. I will not drink toilet to tap water. And taking a single look at the huge ongoing costs from the wasted gold coast de-salination plant I cant even imagine why this would even be an option. As for harvest groundwater this will have devastating effects to the land.

A dam which has proved successful all over the country is the only sensible option.



**From:** [Shirley Pirlo](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Friday, 16 April 2021 12:52:55 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Lino Pirlo

Address: [REDACTED]

Reasons: I believe we should build the dam on the land that has been purchased for that purpose

Sent from my iPad

**From:** [Shirley Pirlo](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Friday, 16 April 2021 12:51:29 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Shirley Pirlo

Address: [REDACTED]

Reasons: As a long time local I believe we should go ahead with the original plan

Sent from my iPad

**From:** [Bradley Graham](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 16 April 2021 12:28:54 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Bradley Graham

Address:



Reasons: I fully support the Dunoon dam project proposal and support the recommencement of reports to be completed.

Get [Outlook for iOS](#)

**From:** [Betty Bressan](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Friday, 16 April 2021 11:24:33 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Denis Bressan

Address: [REDACTED]

Reasons: we need to contain all this rain water that I see flowing past our place straight into the ocean,

Sent from my iPhone

**From:** [Betty Bressan](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Friday, 16 April 2021 11:21:43 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Betty Bressan

Address: [REDACTED]

Reasons: it is appalling that all our rain water ends up in the ocean.

Sent from my iPhone

**From:** [BMack](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Friday, 16 April 2021 11:17:09 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Brian Mackney

Address: [REDACTED]

Reasons:

(i) The dam option is the only plausible and viable option on the table at this time, based on the ready availability of surface runoff in an area of high rainfall. Surface water is a critically important community resource which must not be ignored. Any suggestion of foregoing this, along with decommissioning the existing dam and disposing of the land in favour of speculative and unproven alternatives is absurd in the extreme.

(ii) groundwater sourcing of water for our community is unproven and speculative and carries with it potential for significant environmental impacts.

(iii) desalinisation options are unproven, expensive and impractical.

(iv) recycled water reuse is an unacceptable option to the broader community, with numerous obstacles to be addressed and overcome before it could be proposed as a viable alternative.

Brian Mackney

BT (Civil Engr), MEngSc (Waste Mgt), LGE, GDBA, Director Proj Mgt, Adv Dip Public Safety.

Former strategic Planning Engineer and Engineering Services Manager

Byron Shire Council

Former Project Manager NSW Department of Public Works.

Retired Local Water, Wastewater & Solid Waste Engineering Consultant.

Sent from my iPhone

**From:** [Bill Gail Booker](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Friday, 16 April 2021 10:26:03 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Bill and Gail Booker

Address: [REDACTED]

Reasons: we use to live there and now we visit [REDACTED] every year for 6 months to see our families, we were always in favour of this dam being built and I think common sense should prevail.

Sent from my iPad

**From:** [Bill Gail Booker](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Friday, 16 April 2021 10:26:03 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Bill and Gail Booker

Address: [REDACTED]

Reasons: we use to live there and now we visit [REDACTED] every year for 6 months to see our families, we were always in favour of this dam being built and I think common sense should prevail.

Sent from my iPad



**From:** [David](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 16 April 2021 9:21:09 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: David Parkinson OAM

Address: [REDACTED]

Reasons: As a former Rous Councillor when the Dunoon Dam was proposed and the land purchased it was the only sound option. Nothing has changed since.

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Friday, 16 April 2021 9:10:32 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jim Willis

Address: [REDACTED]

Reasons: The Dam to me is by far the best option when looking at the alternatives along with the predictions of our area's population increase which is happening at a fast rate. This I verified with a Real Estate friend.

**From:** [Gordon Dutton](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 16 April 2021 9:02:40 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Gordon Dutton

Address: [REDACTED]

Reasons: A dam would be the most logical as it does not impact on any groundwater, which is important.

**From:** [Susan Meehan](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Friday, 16 April 2021 7:32:39 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Phil Meehan

Address: [REDACTED]

Reasons: All sources need proper investigation.

Sent from my iPhone

**From:** [Susan Meehan](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Friday, 16 April 2021 7:30:02 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Susan Meehan

Address: [REDACTED]

Reasons: other scenarios are not efficient, and very expensive. The dam has always been going to happen.

Sent from my iPhone

**From:** [doll60](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 16 April 2021 7:04:15 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jennifer Felsch

Address: [REDACTED]

Reasons: Dunoon is the most logical and commonsense option

Sent from my Samsung Galaxy smartphone.

**From:** [Alf & Laurel](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 16 April 2021 6:38:59 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Laurel Lindsay

Address: [REDACTED]

Reasons: A straightforward solution when the water is already falling on the ground

**From:** [Judy & Peter Forsyth](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Friday, 16 April 2021 5:51:37 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Peter Forsyth

Address: [REDACTED]

Reasons: While there is plenty of rain, we need a new dam to be able to store water for future use, especially with the booming population.



**From:** [Ray Robertson](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Friday, 16 April 2021 12:07:52 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Raymond Robertson

Address:



Reasons: Water security.

Get [Outlook for Android](#)

**From:** [Glenda Schofield](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Thursday, 15 April 2021 9:14:27 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: John Schofield

Address: [REDACTED]

Reasons: Infrastructure is in place; accelerating influx of people; Pacific Highway upgrade accelerates drift to the area; manufacturing growth needs more water; cheapest options.

**From:** [Geoff Alexander](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 15 April 2021 8:38:17 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

(Look what happened at Palm lakes)

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Geoff Alexander

Address: [REDACTED]

Reasons: The amount of water in the aquifers is not finite and must never be used as a substitute for rainwater, once it is gone it is gone. I can't believe anyone in their right mind would ever consider harvesting this water for town use and thumbing their nose at the local farmers who rely on these aquifers for their only source of water.

We are fortunate to live in one of the highest rainfall areas in the country and it is an absolute disgrace that most of this water just goes out to sea every time it rains, when a lot more of the water could be stored for use in dry times. The new Dunoon dam must be put back as a serious option, and the land must never be sold off because hopefully in a few years time the Board of Rouse Water may be made up people who actually care about the future of our area and not a bunch of political puppets who are terrified of "offending" the Indigenous population.

Regards

Geoff Alexander

**From:** [Anne Mckenzie](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Thursday, 15 April 2021 6:49:04 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Anne McKenzie

Address:

[REDACTED]

Reasons:

We are a high rainfall area so we should be capturing this run off rather than depleting our aquifer.

Sent from my iPhone

**From:** [Tim Reilly](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 15 April 2021 6:15:22 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Tim and Wil Reilly

Address: [REDACTED]

Reasons :My farm relies on aquifers and these are reducing each year.

Sent from [Mail](#) for Windows 10

**From:** [Tim Reilly](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 15 April 2021 6:15:22 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Tim and Wil Reilly

Address: [REDACTED]

Reasons :My farm relies on aquifers and these are reducing each year.

Sent from [Mail](#) for Windows 10

**From:** [Michael and Kathleen Mould](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 15 April 2021 5:19:41 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Callum Mould

Address: [REDACTED]

Reasons: Must have more storage water for droughts & growth

**From:** [Michael and Kathleen Mould](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 15 April 2021 5:18:10 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Hamish Mould

Address: [REDACTED]

Reasons: Water for next generations



**From:** [Michael and Kathleen Mould](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 15 April 2021 5:16:53 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Suzi Mould

Address: [REDACTED]

Reasons:

**From:** [Michael and Kathleen Mould](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 15 April 2021 5:15:29 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Richard MouldDear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:Richard Mould

Address:

Reasons:Must have ample water supply for future growth

**From:** [Michael and Kathleen Mould](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 15 April 2021 5:13:23 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kathleen Mould

Address: [REDACTED]

Reasons: Dams are an investment & security for the future

**From:** [Michael and Kathleen Mould](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 15 April 2021 5:11:58 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: mh mould

Address: [REDACTED]

Reasons: water supply is absolutely essential.

**From:** [Peter Sudiro](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 15 April 2021 5:09:14 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Peter Sudiro

Address: [REDACTED]

Reasons: Common sense: Something that is in short supply, sadly.

**From:** [John Goodall](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Thursday, 15 April 2021 3:59:07 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: John Goodall

Address: [REDACTED]

Reasons: I believe a dam is the currently best option.

**From:** [Peter and Barbara Swain](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Thursday, 15 April 2021 3:07:45 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Peter Swain

Address: [REDACTED]

Reasons: common sense when considering the options

Sent from my iPad

**From:** [Terry Coghlan](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 15 April 2021 3:01:29 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

I want to see the dam remain as an option.

No land at the dam site or catchment to be sold or transferred.

I want to see present value construction and operation cost comparison of all options.

I want to see CO<sub>2</sub> and CH<sub>4</sub> emissions from construction and operation compared for all options, including methane from submerged vegetation.

I want to see the yield for all options.

I am not fundamentally against potable reuse so long as greenhouse gas emission, arising from energy used, is minimal and is less than other options.

I would like to see competent professional engineers and hydrologists making sound decisions rather than Council responding to emotional reactions.

Terry Coghlan





**From:** [Reg Timbrell](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Thursday, 15 April 2021 2:22:17 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Reg Timbrell

Address:

Reasons:

The harvesting of ground water is not a sustainable option.

A very expensive study which you commissioned recommended the Dunoon Dam. Why turn your back on the results of your own study.

It seems sensible to me to follow expert advice

Reg Timb

Sent from my iPhone

**From:** [Sam Dwyer](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Thursday, 15 April 2021 2:13:52 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

SD

**From:** [jill209](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 15 April 2021 2:06:10 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jill Hepburn

Address: [REDACTED]

Reasons:

The future for water lies in more dams, not aquifers, toilet water, etc. Keep the Dunoo Dam on the agenda and commence working on now. It would have been filled by now with all the rain we have had recently.

Sent from my Galaxy

**From:** [gertrudk](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 15 April 2021 1:19:34 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Gertrud Kurtz

Address: 

Reasons:

I DO NOT SUPPORT ANY REVISED DRAFT TO CONSTRUCT A DAM AT DUNOON

and I would like to add that this petition is a bit confusing and misleading

HOW Can LAND be DESPOSED of?

There have been many alternative suggestions made to deal with our water supply and I am very glad this dam will remain unbuilt

Sent from my Galaxy

**From:** [Richard Crandon Email](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 15 April 2021 12:58:49 PM  
**Importance:** Low

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Richard Crandon CPEng. MIEAust. LGE(NSW) JP

Address: [REDACTED]

Reasons: It is imperative the Dunoon Dam construction proceeds to augment the stressed Rocky Creek Supply – the demographics of the Region demands better water security for the future – aquifers & save water methods & devices ie recycling are only “bandaid” treatment to this major problem that has been created by the ineptitude of Rous County over the past 20 years in trying to address the issue.

The existing Rocky Creek Scheme was only developed to supply Lismore City – again Rous County Council’s greed to sell water to Ballina, Evans Head Byron Bay, Ocean Shore has “flogged” the Scheme in excess of its design capabilities – We live in one of the highest rainfall areas of Australia – water storage ie Dams takes priority beyond any doubt or alternatives.

It’s time Rous County Council was reminded of its responsibilities to its constituent Councils and people of the Region it represents and removed these petty negative politics from its agendas and brought some sanity and direction into its governance.

**From:** [Cristine Roebig](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 15 April 2021 12:43:02 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Chris Roebig

Address: [REDACTED]

Reasons: I'm all for building more dams, saving the one's we have and cheaper water and power supplies.

**From:** [margaret.somerville](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 15 April 2021 12:42:18 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Michael Somerville

Address: [REDACTED]

Reasons: The proposed Dunoon Dam is the best option by far for the security of fresh water in our region for the evergrowing population.

**From:** [Stedroy Farrell](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Thursday, 15 April 2021 12:40:31 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Stedroy & Sharron Farrell

Address: [REDACTED]

Reasons: The arguments for not recommending the dam do not stack up, especially that relating to indigenous cultural, then later on talking about selling the same.

To whom, pray tell, will this land then be sold?

Secondly: The information we have regarding the long term impact on our environment as a result of removing large volumes of water from underground aquifers is not good. Example are many.

Sent from my iPad



**From:** [Stedroy Farrell](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Thursday, 15 April 2021 12:40:31 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Stedroy & Sharron Farrell

Address: [REDACTED]

Reasons: The arguments for not recommending the dam do not stack up, especially that relating to indigenous cultural, then later on talking about selling the same.

To whom, pray tell, will this land then be sold?

Secondly: The information we have regarding the long term impact on our environment as a result of removing large volumes of water from underground aquifers is not good. Example are many.

Sent from my iPad

**From:** [margaret\\_somerville](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 15 April 2021 12:29:55 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Margaret Somerville

Address: [REDACTED]

Reasons: Because it makes sense to have this dam which can be filled with clean natural rainwater in the wet season at no cost to anyone. The Northern Rivers needs this dam!

**From:** [Sally Lowry](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 15 April 2021 12:26:08 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: John Lowry

Address [REDACTED]  
[REDACTED]

Reasons: we desperately need the dam for future generations

**From:** [Colin Renshaw](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Thursday, 15 April 2021 12:19:56 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Colin Renshaw

Address: [REDACTED]

Reasons: Simply a dam for secure and long term water security and storage makes sense financially and environmentally.

Reliance on local aquifers can severely affect local farmers, creeks and water sources as over use and dependance on aquifers can seriously affect historical supplies upon which a multitude of resources depend. The actual flows and catchments of these natural water sources may not be readily understood or located adequately even with extensive evaluation. Depletion of existing natural water resources , which may have taken centuries to develop and build to sustainable levels cannot be relied upon for long term water harvesting. Particularly in a rapidly growing area such as the Northern Rivers where water requirements for both population growth and industrial usage are likely to increase exponentially over coming years.

Colin Renshaw  
[REDACTED]

**From:** [Rob Noble](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Thursday, 15 April 2021 11:59:11 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Robert Noble

Address: [REDACTED]

Reasons: We need to keep dam options open and I will not support other options  
Rob

Sent from my iPad

**From:** [Wendy](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 15 April 2021 11:55:04 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Wendy Wright

Address:

[REDACTED]  
[REDACTED]

A dam is by far the better option

Reasons:

Sent from [Mail](#) for Windows 10

**From:** [Steve Prosser](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 15 April 2021 11:34:14 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Stephen Prosser

Address:



Reasons: Utilising Aquifers as a permanent water source is not a reasonable outcome for this area with such high rainfall which is suited to bulk water storage.

If Dunoon Dam is untenable other options for dams need to be considered.

**From:** [John Eggins](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 15 April 2021 10:03:07 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name Robert J Eggins

Address: [REDACTED]

Reasons: Simply, why waste the rainwater, also the least expensive proposition.



**From:** [jeffrey dwyer](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Thursday, 15 April 2021 9:46:57 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jeffrey Dwyer

Address:

Reasons: no dam no water

Sent from my iPhone

**From:** [Tony Bull](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 15 April 2021 9:33:59 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.


I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Regards



**From:** [Jim Walter](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 15 April 2021 8:28:38 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:sue Walter

Address:



Reasons: future dam is important.

**From:** [Jim Walter](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 15 April 2021 8:27:24 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jim Walter

Address: [REDACTED]

Reasons: future dam is important.

**From:** [Budget Screens and Awnings](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Thursday, 15 April 2021 8:02:02 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Scott Heselwood

Address: [REDACTED]

Reasons: Do not agree that groundwater or recycled water is a solution

**From:** [Annette&Lou](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Thursday, 15 April 2021 7:30:28 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Lou Zamvelli

Address: [REDACTED]

Reasons: catch our high rainfall. Do not want the Dam Site land sold.

Sent from my iPhone

**From:** [Annette&Lou](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Thursday, 15 April 2021 7:28:51 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Annette Zambelli

Address: [REDACTED]

Reasons: the dam is best way to ensure water supply for Our part of NSW. We should not let our high rainfall to run out to sea. Catch it in the new dam.

Sent from my iPhone

**From:** [Robyn Watt](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Thursday, 15 April 2021 6:50:08 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Robyn Watt

Address: [REDACTED]

Reasons: Our beautiful area keeps attracting more population and we need to plan for an adequate water supply. The dam at Dunoon provides the best solution.

Sent from my iPad



**From:** [Richard Gregor](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 9:07:57 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Richard Gregor

Address: 

Reasons: Dams give a guaranteed supply of water.

Get [Outlook for iOS](#)

**From:** [Austin Curtin](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Wednesday, 14 April 2021 9:07:45 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Austin Mark Curtin

Address:

[REDACTED]

Reasons: We have a high rainfall on the Northern Rivers and it is nothing less than irresponsible if we do not harvest this resource for the secure provision of water to our residents.

We can then identify opportunities to use this water resource for other compatible activities.

Austin Curtin  
Assoc Prof University of Sydney

[REDACTED]

**From:** [Blue McNally](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Wednesday, 14 April 2021 7:49:08 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: graeme mcnelly

Address: [REDACTED]

Reasons: Common sense.

Sent from my iPhone

**From:** [tracey zanette](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Wednesday, 14 April 2021 7:14:02 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Stuart Cosh](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 6:35:48 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Stuart Cosh

Address: [REDACTED]

Reasons: Cost and environmental damage to the unknown volume of water in the aquifers. What would happen in a major drought if we are using all the water which they can supply as a normal water source?

Desalination is dirty and very expensive.

Why go to the expense of cleaning up waste water when a dam has clean water, and will help to some extent with flood mitigation.

**From:** [Gator Electrical](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 6:30:48 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Chris Gates

Address: [REDACTED]

Reasons: I don't want to drink recycled toilet water.

**From:** [Alex Crandon](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 5:33:03 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: [Dr Alex J Crandon](#)

Address:



Reasons: [Of the options provided the most sensible and cost effective is a dam. There is obviously progress to some extent on a new dam and that should be taken through to completion of the dam.](#)

**From:** [Brad parsons](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 5:26:06 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Brad Parsons

Address: [REDACTED]

Reasons: I am sick of my hometown going backwards. The flood threat and the water supply issue in the area are two of the biggest issues preventing growth. What was a thriving regional centre is pretty much a hole full of hippys and drifters.



**From:** [Taren Lynch](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Wednesday, 14 April 2021 4:30:17 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoan Dam land disposal.

I DO support the recommencement of work on the proposed Dunoan Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Taren lynch

Address: [REDACTED]

Reasons: there is no reason for the amount of water we receive in our region to go to waste

Sent from my iPhone

**From:** [Troy Percival](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 4:21:29 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Troy Percival

Address: [REDACTED]

Reasons: Common sense says utilise what nature offers us & for the past 20 years I havent been able to comprehend the reasons for not having numerous dams on the Far North Coast. This area could be a hub of exporting water supplies out to those in need of water like farmers in the west.

**From:** [Robert Zanette](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 4:06:22 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Robert Zanette

Address:



Reasons: It is still the most cost effective option and a comprehensive environmental impact study needs to be completed

Dam water harvesting has been a proven method for hundreds of years and once complete will coexist with and support the environment, not harm it as people may think

Aquifers is not an endless resource and can have more environmental impact than a dam and eventually be unviable and this would mean abandoning the project

Desal is extremely costly to setup as well as maintain (Refer to the Sydney Desal plant costs)

Sent from [Mail](#) for Windows 10

**From:** [Bryan Phillips](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 3:42:17 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Dr Bryan Phillips Bec, MBA, DBA

Address: [REDACTED]

Reasons:

Dams are the most cost effective means of securing our water future. Your opposition is not rational, but ideological. If Aboriginal heritage is allowed to thwart development you are compromising the great majority for the sake of a few activists. For Heaven's sake, the whole country is aboriginal heritage given their existence here for 5000 years. It is irrational to allow this to dictate our, and their, future. After all, these proliferating add little to the national good. Too often they are used to prevent progress. Most of our current infrastructure as it is would have been stopped years ago, had these activists been able to prevail. Where is your common sense for the sake of common good?

**From:** [Brian](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Wednesday, 14 April 2021 3:39:00 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Brian Partridge

Address: [REDACTED]

Reasons: we need water which only a dam can supply.

Sent from my iPhone

**From:** [Linda Zanette](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 3:16:33 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Linda Zanette

Address: [REDACTED]

Reasons: Water is precious and needs to be harnessed not wasted

**From:** [Bob Crosthwaite](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 3:11:58 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.


I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: R Crosthwaite

Address: 

Reasons:

As per the preamble above

Bob Crosthwaite OAM

Sent from my iPhone 11 Pro Max

**From:** [Rachel](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 2:58:13 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoos Dam land disposal.

I DO support the recommencement of work on the proposed Dunoos Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: RACHEL ADAM

Address: [REDACTED]

Reasons: JUST BUILD IT !!

Sent from my iPhone



**From:** [Mark Harley](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 2:52:25 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Sorry I'm not trying to vote twice, I didn't remove one option I had, I Do and Do Not support the Dam. I have removed Do Not. As I DO support the Dam option.

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Mark Harley

Address: [REDACTED]

**From:** [Michael Ryan](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 2:50:13 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Michael Ryan

Address:



**From:** [Sam Cheli](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 2:49:43 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Samuel Cheli

Address:



**From:** [Mark Harley](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 2:47:20 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Mark Harley

Address:



**From:** [Janette Jones](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 2:45:00 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoos Dam land disposal.

I DO support the recommencement of work on the proposed Dunoos Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Janette Jones

Address:

[REDACTED]

Reasons:

Most cost effective option.

regards,

Janette Jones

**From:** [Janette Wunsch](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Wednesday, 14 April 2021 2:06:00 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Tony Wunsch

Address: [REDACTED]

Reasons: A dam is the only option

Sent from my iPad

**From:** [Gino](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Wednesday, 14 April 2021 1:38:35 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Ok uh Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Gino Cittolin

Address: [REDACTED]

Reasons: I believe a dam is the best and cheapest long term option

Sent from my iPhone

**From:** [Margie Saunders](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Wednesday, 14 April 2021 1:34:01 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Margaret Saunders

Address: [REDACTED]

Reasons:

I frequently holiday in that area. Almost my second home

Sent from my iPhone



**From:** [Rod Clavan](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Wednesday, 14 April 2021 1:02:08 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: R J Clavan

Address: [REDACTED]

Reasons:

A new dam would ensure long term water supply for the local area for years to come.

Sent from my iPad

**From:** [Jeff Zanette](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 1:00:00 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoos Dam land disposal.

I DO support the recommencement of work on the proposed Dunoos Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPad

**From:** [Cec Denny](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 12:11:21 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Cecil Denny

Address: [REDACTED]

Reasons: We need the dam.

**From:** [Ken Arnett](#)  
**To:** [Records](#)  
**Cc:** [REDACTED]  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 11:37:58 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ken Arnett

Address: [REDACTED]

Reasons:

Sent from [Mail](#) for Windows 10

**From:** [Denise Shanley](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Wednesday, 14 April 2021 11:13:32 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Denise Shanley

Address [REDACTED]

Reasons: It just makes sense to secure our future water supply.

**From:** [Anthony Zanette](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Wednesday, 14 April 2021 11:04:28 AM  
**Attachments:** [image002.png](#)  
[image003.png](#)  
[image004.png](#)

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Anthony Zanette

Address: [REDACTED]

Reasons: It's the most cost effective option

Regards,

**Anthony Zanette**  
Project Manager | Dip.Proj.Mgmt



Office: [REDACTED]



**From:** [Louise Seale](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 10:38:42 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Louise Seale

Address: [REDACTED]

Reasons: Our family is originally from Lismore and have for many years had properties in and around the Byron Bay area. I have studied the revised draft integrated water cycle management strategy document and am in full agreement with its recommendations.

It would be ridiculous to spend the enormous amount of money required to install - and maintain - a desalination plant. I am also strongly against groundwater harvesting - the long term issues for local towns and farmers would prove to be devastating and I can not imagine any of the surrounding communities ever agreeing to toilet to tap drinking water either.

The intense and comprehensive research that has been independently compiled for construction of the Dunoon Dam is outstanding and thoroughly convincing from every aspect. It seems incredible to me that anything else has ever even being considered.

It is essential that recommencement of work on this dam is started immediately.

Louise Seale.  
[REDACTED]



**From:** [Jeff Zanette](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Wednesday, 14 April 2021 10:08:05 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPad

**From:** [Graham Shanley](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 9:45:43 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Graham Shanley

Address: [REDACTED]

Reasons: I hate to see valuable water flowing out to sea. While a dam is the obvious solution.

**From:** [graeme.gaunson](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 9:36:21 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Graeme Gaunson

Address: [REDACTED]

Reasons: We urgently need a dam for the increase population, reduction of flood water, also when in drought to sustain our farms & crops.

Sent from my Galaxy

**From:** [Sharyn O'Kane](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Wednesday, 14 April 2021 9:05:20 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Peter Whale

Address: [REDACTED]

Reasons: I DO support the recommencement of work on the proposed Dunoon Dam option

Sent from my iPhone

**From:** [Sharyn O'Kane](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 9:00:01 AM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Sharyn O'Kane

Address:

[REDACTED]

Reasons:

I DO support the recommencement of work on the proposed Dunoon Dam option

Sent from my iPhone

**From:** [coralie.zambelli](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 8:54:48 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Coralie Zambelli

Address: [REDACTED]

Reasons: With the amount of rainfall recorded in our area it is ridiculous to even consider not building the dam. Our area is exploding population wise and to not build a dam on land that has been purpose bought is ridiculous. Using our Aquifers is not the answer, nor are desal plants and toilet to tap sensible options. The cost alone for these projects are prohibitive compared the building a dam. Lets hope that common-sense prevails for once.

**From:** [Rhonda Hayes](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Wednesday, 14 April 2021 8:38:42 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Rhonda Hayes

Address: [REDACTED]

Reasons: If we do not plan for another dam now we will all pay for it in the future. The Dunoon Dam is the best option available and should be built.

**From:** [Robert Lovell](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 8:17:23 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Meryl Lovell

Address: [REDACTED]

**Reasons:** The alternative water sources above, are NOT a viable or reliable water source to a long term dam project. The "green" Rous committee members have typically relied on their minority uneconomic ideological bias without any firm foundation to what is actually required.



**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 8:14:50 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Allan McCarthy

Address: [REDACTED]

Reasons: For the future.....for all the good reasons...

**From:** [Len Johnston](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 8:11:37 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Len Johnston

Address: [REDACTED]

Reasons: aquifers are suffering, more expensive source of supply. Stated reasons for cancelling Dunoon Dam are minimal. Get on with the dam

**From:** [Robert Lovell](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 8:09:32 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Robert Lovell

Address:



**Reasons:** The alternative water sources above, are NOT a viable or reliable water source to a long term dam project. The "green" Rous committee members have typically relied on their minority uneconomic ideological bias without any firm foundation to what is actually required.

**From:** [Elio Zambelli](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Wednesday, 14 April 2021 8:06:14 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Elio Zambelli

Address [REDACTED]

Reasons: This dam is needed to provide our fundamental right of access to the easiest and cheapest supply of water by our councils. All the other supply options are not an option, especially using our aquifers.

**From:** [Bob Trevan](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Wednesday, 14 April 2021 7:00:40 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: bob trevan

Address: [REDACTED]

Reasons: I CANNOT SEE THE SENCE IN HAVING ALL THE OUR LOCAL RAIN WATER GO TO WASTE TO THEN HAVD THE NEED TO RECYCLE SEWERAGE WATER FOR HUMAN COSUMPTION .

**From:** [Gudrun Friedrich](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Wednesday, 14 April 2021 6:53:11 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Gudrun Friedrich

Address:



Reasons:

[BlueMail for Android](#) herunterladen

**From:** [Jeff Rankin](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Wednesday, 14 April 2021 5:54:58 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jeff Rankin

Address: [REDACTED]

Reasons: The whole of Northern Rivers and this Country Needs More Water Storage Dams to Survive and Demand for our FUTURE. MUST INCLUDE DUNNOON DAM.

Sent from my iPhone

**From:** [Elio Zambelli](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 13 April 2021 9:43:46 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoos Dam land disposal.

I DO support the recommencement of work on the proposed Dunoos Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPad



**From:** [Rick Endres](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 13 April 2021 9:40:09 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ricky Endres

Address: [REDACTED]

Reasons: It is ludicrous to sell the land where the Dunoon dam was proposed to be built. The dam needs to go ahead as the population in the Northern Rivers continually increasing. The other options put forward are not are not viable. The councillors that voted against the proposed dam have a very short memory as we nearly ran out of water in late 2001, early 2002. I'd like to see the councillors that voted against the dam go without water for 3 days and see how they are feeling! Water is life.



Virus-free. [www.avast.com](https://www.avast.com)

**From:** [Rhonda Newson](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 13 April 2021 9:39:32 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Rhonda Newson

Address:



Reasons: we need water and rain water is free. We don't want to drink toilet water..

Get [Outlook for iOS](#)

**From:** [Robert Buckley](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 13 April 2021 8:37:14 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Robert Buckley

Address: [REDACTED]  
[REDACTED]

Reasons: The future demands it . Population is growing, we don't want to become a 3rd world country, we might have some industry back one day .

**From:** [Fred Zanette](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 13 April 2021 7:57:37 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

**As a permanent water supply source:**

- I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.
- I DO NOT support desalination - The environmental impact and power consumption of this option significantly impacts global warming
- I DO NOT support potable water reuse (toilet to tap) as drinking water - Millions of dollars was spent on this option for Twoomba (QLD) and very strong resistance from the population meant that this option was never commissioned.

**Additionally,**

- I DO NOT support the proposed Dunoon Dam land disposal. It is short sighted and solely politically motivated
- I DO strongly support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Alfredo Zanette

Address: [REDACTED]

My family moved to the area in 1950 having immigrated from our home Country Italy. I have a very strong long term interest in the future of the region and have been aware of the water mismanagement issues over an extended period of time.

The political influence of the Greens on the land use, water use and agricultural/farming industry is disproportionate to the representation of the greens in the population.

They are adversely impacting the long term future of our region and the Dunoon Dam Option should be fully explored, costed and any impact reports completed -

The decision should be based on scientific research, genuine environmental impacts and benefits detailed and fully costed.

The future and economic prosperity of the region is of vital importance and all options, benefits, cost and economic benefits should be explored and form the basis for the decision on the Dunoon Dam Proposal

**From:** [Janelle Butcher](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 13 April 2021 7:14:41 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Janelle Butcher

Address: [REDACTED]

Sent from my iPhone

**From:** [Don Cox](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 13 April 2021 6:32:56 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Rob Lannoy

Address: [REDACTED]

Reasons: high rainfall, store it

Sent from my iPhone

**From:** [Don Cox](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 13 April 2021 6:30:50 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jean Lannoy

Address: [REDACTED]

Reasons: logical decision to store water

Sent from my iPhone



**From:** [Narelle Prior](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 13 April 2021 6:25:14 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Narelle Prior

Address: [REDACTED]

Reasons: We need more water

Sent from [Mail](#) for Windows 10

**From:** [Shanae Pirlo](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 13 April 2021 6:05:20 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Shanae

Address: [REDACTED]

Reasons: we need more dams because the current dams were only built to supply a certain local area and now Byron Bay and surrounding areas are more heavily populated we need more water to keep up with demand.

Sent from my iPhone

**From:** [Naree Pirlo](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 13 April 2021 5:44:07 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Naree Pirlo

Address:



Reasons: To ensure longer term water security for a growing region

**From:** [Naree Pirlo](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 13 April 2021 5:42:42 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Frank Pirlo

Address 

Reasons: To ensure longer term water security for a growing region.

**From:** [ana.grant](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 13 April 2021 5:29:01 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Ana Grant

Address: [REDACTED]

Reasons: need dam for future population

**From:** [Neil Scott](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 13 April 2021 5:26:48 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Neil Scott

Address: [REDACTED]

Reasons: To support our regions future growth to enable a solid supply in water for the next 100+ years. Common Sense

**From:** [Peter Butcher](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 13 April 2021 5:09:00 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

**I DO** support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Peter Butcher

Address: [REDACTED]

**From:** [Betty Clark](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 13 April 2021 4:50:47 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Betty Clark

Address: [REDACTED].

Reasons:

Sent from [Mail](#) for Windows 10



**From:** [Rob Lannoy](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 13 April 2021 4:32:15 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jean Lannoy.

Address: [REDACTED]

Reasons: I agree with all the above.

**From:** [Rob Lannoy](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 13 April 2021 4:31:05 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Robin Lannoy

Address: [REDACTED]

Reasons: I agree with all the above.

**From:** [Shane Barrett](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 13 April 2021 4:10:45 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Shane Barrett

Address: [REDACTED]

Reasons: The region is growing and we need to keep up with the growth of the population in the region. The dam idea is the simply the best way to move forward for the future. I do not support toilet to tap water.

**From:** [Peter Ahern](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 13 April 2021 4:07:24 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: P. D Ahern

Address:



**From:** [Trent Ianna](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 13 April 2021 3:09:04 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Trent Ianna

Address: [REDACTED]

Reasons:

Sent from my iPhone

**From:** [Frank Lombardo](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 13 April 2021 2:17:10 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Frank Lombardo

Address: [REDACTED]

Reasons: I believe this option was taken off the table too early and is actually a good solution to our water storage and supply issues as a community going forward. I believe that the greater community actually thinks this is a viable idea.

Sent from my iPhone

**From:** [Mark Whitten](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 13 April 2021 1:50:07 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

**From:** [Raymond Sanders](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 13 April 2021 1:44:10 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Raymond Sanders

Address: [REDACTED]

Reasons: We need water as nothing at all survives with out WATER



**From:** [Kerry Finch](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 13 April 2021 1:10:36 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kerry Finch

Address: [REDACTED]

Reasons: as a previous resident with many relatives still in the area it is a great concern to all who are trying to achieve the best possible logical cost effective long term outcome of an essential and basic need not only for themselves but also for future generations.

**From:** [Graham Baglin](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 13 April 2021 1:08:13 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Janee Baglin

Address: [REDACTED]

Reasons: As I have family and friends in Lismore and surrounds that this affects I think this is the most financially viable option.

Janee Baglin

**From:** [Michael Baglin](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 13 April 2021 10:34:42 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Michael Baglin

Address:



Reasons: I DO NOT support the proposed Dunoon Dam land disposal

**Michael Baglin**

**From:** [Judy & Peter Forsyth](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 13 April 2021 10:14:16 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Judy Forsyth

Address: [REDACTED]

Reasons: With the explosion in population for the area occurring now & in the future, the other options will not sustain the new population of this area.

Nor are the other options desirable to many long term residents.

**From:** [Libby Sharpe](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 13 April 2021 9:19:50 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Libby Sharpe

Address: [REDACTED]

Reasons: In support of a colleague

**From:** [hkstewart](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 13 April 2021 8:51:02 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Helen & Ken Stewart

Address:

Reasons: We need more dams

Sent from Helen's iPhone

**From:** [hkstewart](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Tuesday, 13 April 2021 8:51:02 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Helen & Ken Stewart

Address: 1/

Reasons: We need more dams

Sent from Helen's iPhone

**From:** [Tim Bullen](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 13 April 2021 8:32:39 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager, Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy. As a permanent water supply source: I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville. I DO NOT support desalination. I DO NOT support potable water reuse (toilet to tap) as drinking water. Additionally, I DO NOT support the proposed Dunoon Dam land disposal. I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region. Name: Address: Reasons:



**From:** [Jeff and Nita Graham](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 13 April 2021 12:08:42 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Nenita Graham

Address: [REDACTED]

Reasons: The dam is best for the future



Virus-free. [www.avast.com](http://www.avast.com)

**From:** [Jeff and Nita Graham](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Tuesday, 13 April 2021 12:03:49 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jeffrey Bruce Graham

Address: [REDACTED]

Reasons: Dam is by far the best option



Virus-free. [www.avast.com](http://www.avast.com)

**From:** [Paul Blanch](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 12 April 2021 9:56:11 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Paul and Mary Blanch

Address: [REDACTED]

Reasons:

Sent from my iPad

**From:** [Paul Blanch](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 12 April 2021 9:56:11 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Paul and Mary Blanch

Address:

Reasons:

Sent from my iPad

**From:** [Henry Hirschhorn](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 12 April 2021 9:17:30 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Uh

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Dr Henry L Hirschhorn

Address:



Reasons:

Fresh water is far healthier than either desalinated sea water or recycled sewage. There is always the chance of severe bacterial contamination of recycled sewage.

Sent from my Galaxy

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 12 April 2021 8:02:55 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Nancy Graham

Address: [REDACTED]

Reasons: Storage is vital

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 12 April 2021 8:02:00 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Don Cox

Address: [REDACTED]

Reasons: Dam should have been built by now

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 12 April 2021 8:01:32 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jill Cox

Address: [REDACTED]

Reasons: Common sense



**From:** [salina.runge](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 12 April 2021 6:52:04 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [Trent Ianna](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 12 April 2021 5:25:30 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name:

Address:

Reasons:

Sent from my iPhone

**From:** [salina runge](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCN) Strategy  
**Date:** Monday, 12 April 2021 4:55:05 PM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCN) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: salina edmonds

Address: [REDACTED]

Reasons: we have high rainfall a dam is the most cost effective sensible solution that may also be able to provide flood mitigation that would allow controlled releases improving river health.

Sent from my iPhone

**From:** [Stuart Trevan](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 12 April 2021 2:18:22 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

The cost to the tax payer of the alternative options (outside of a dam) .. is ideological buffoonery.

In an area that clearly has the capability to store a fresh water resource for long term cyclical environmental challenges, the dam is the simplest, low maintenance and sustainable option. No other earth works or vast power hog will benefit the rate payer... or the NSW tax payer. The environmental benefits and downstream commerce options are a win win for wildlife and produce sustainability.

Build the Dam thing... *for your children's children's sake !!*

**Stuart Trevan**

[REDACTED]  
[REDACTED]  
[REDACTED]

**From:** [Marlene McDonald](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 12 April 2021 1:23:53 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Marlene McDonald

Address:



Reasons: Dam is no brainer it is common sense to have a bigger dam in this region

**From:** [Craig McIntyre](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 12 April 2021 1:07:29 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Craig McIntyre

Address: [REDACTED]

Reasons: I support the dam

This email is intended only for the addressee and may contain confidential information. If you receive this email in error please delete it and any attachments and notify the sender immediately by reply email. Transport for NSW takes all care to ensure that attachments are free from viruses or other defects. Transport for NSW assume no liability for any loss, damage or other consequences which may arise from opening or using an attachment.

 **Consider the environment. Please don't print this e-mail unless really necessary.**

**From:** [Jocelyn Fisher](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 12 April 2021 12:51:42 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jocelyn Fisher

Address:



Reasons: Water Security

**From:** [Graham Askey](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 12 April 2021 12:34:36 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Graham Askey

Address: [REDACTED]

Reasons: It's ridiculous to be considering costly de-sal plants and water mining in the wettest area of NSW.



**From:** [Charles Mollison](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 12 April 2021 12:07:34 PM

---

---

**From:** Col Baker [REDACTED]  
**Sent:** Monday, 12 April 2021 11:38 AM  
**To:** [REDACTED]  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Charles Mollison

Address: [REDACTED]

Reasons: We MUST secure our water supplies in the best and cheapest way possible and a dam is best in this case.

[council@rous.nsw.gov.au](mailto:council@rous.nsw.gov.au)

**From:** [Jeanette Bennett](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 12 April 2021 10:04:36 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Jeanette Bennett

Address:



Reasons: A dam at Dunoon would be the most cost effective solution for future water requirements and insurance against drought. Why would you send water down the rivers and out to sea and then spend millions on recycling toilet water, desalinating sea water and disturbing the groundwater just to supply the region with water that would be already there?

**From:** [Fred Kay Poole](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 12 April 2021 9:45:55 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Scott Poole

Address: [REDACTED]

Reasons:

Sent from [Mail](#) for Windows 10

**From:** [Fred Kay Poole](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 12 April 2021 9:45:00 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Craig Poole

Address: [REDACTED]

Reasons:

Sent from [Mail](#) for Windows 10

**From:** [Fred & Kay Poole](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 12 April 2021 9:41:28 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Fred Poole

Address: [REDACTED]

Reasons:

Sent from [Mail](#) for Windows 10

**From:** [Fred Kay Poole](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 12 April 2021 9:40:38 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Kay Poole

Address: [REDACTED]

Reasons:

Sent from [Mail](#) for Windows 10

**From:** [Mez](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 12 April 2021 9:19:19 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Mez Fisher

Address: [REDACTED]

Reasons: I support the Dam as being the most cost-effective, sensible approach for water catchment in a region that has the highest rainfall in the state. It is one big water tank for the benefit of all, ensuring the future water security for our children and grandchildren.

In terms of environmental concerns, the other options identified are "false green", requiring more intensive energy, costly infrastructure and ongoing maintenance and repairs that will add up to causing greater environmental harm over their limited lifespans in the decades to come.

In terms of indigenous heritage concerns and koala populations, should any be genuinely shown to exist in an area largely 'denuded' of all natural landscape in the last century, I believe these can be mitigated for the greater good of all Australians living in this region by strategies to remove, preserve and/or educate with informative, respectful walkways and exhibitions built into the larger dam proposal.

I strongly urge Rous County Council to pursue the Dunoon Dam proposal and recommence work on the dam as the preferred option for ensuring our future water security needs.

Kind regards,  
Mez Fisher

**From:** [Graham Christie](#)  
**To:** [Records](#)  
**Subject:** Revised Draft Integrated Water Cycle Management (IWCM) Strategy  
**Date:** Monday, 12 April 2021 8:02:26 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Thank you for the opportunity to comment on the Revised Draft Integrated Water Cycle Management (IWCM) Strategy.

As a permanent water supply source:

I DO NOT support groundwater (aquifer) harvesting at Woodburn, Tyagarah, Newrybar or Alstonville.

I DO NOT support desalination.

I DO NOT support potable water reuse (toilet to tap) as drinking water.

Additionally,

I DO NOT support the proposed Dunoon Dam land disposal.

I DO support the recommencement of work on the proposed Dunoon Dam option, so that reports may be completed which may result in the dam proposal being identified as a new water supply source to ensure long-term water supply security for the region.

Name: Graham Christie

Address: [REDACTED]  
[REDACTED]

Reasons: We the residents of this area need good reliable water at the most cost effective solution. A dam is the most cost effective and flood reduction strategy available. We need more than 12 months of drought free water ! The whole of Australia needs more and bigger dams to harvest some of the wasted flood waters . To have a strategy like this disbanded because of pressure brought to bear by environmentalists and indigenous groups is ridiculous. The population of this area [and others] is continuing to expand at an alarming rate therefore this type of strategy must proceed. Look at the benefit to the WHOLE long term community when making your assessments and stop worrying about the selfish desires of the noisy minority who are trying to ruin this country ! Wake up !!

Sent from [Mail](#) for Windows 10



**From:** [David Shume](#)  
**To:** [Records](#)  
**Subject:** revised draft integrated water cycle management (IWCM) strategy  
**Date:** Thursday, 13 May 2021 3:38:01 PM  
**Importance:** High

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager

Thank you for giving me the opportunity to comment on the draft integrated water cycle management (IWCM) strategy.

As a resident in Ballina and a Business owner in Alstonville I do not support as a permanent water supply:-

- Local aquifer's that you have listed/proposed
- Desalination plant
- Toilet to Tap initiatives

I do however support the building of the Dunoon Dam and certainly object to the proposed sale of the land at the proposed Dunoon Dam site.

Regards

David

David Shume

Director | Financial Adviser | SMSF Specialist™



Shume & Associates is a Corporate Authorised Representative of Wealth Integrity Pty Ltd, Australian Financial Services Licence No. 499766.

Liability is limited by a scheme approved under Professional Standards Legislation. This message and any attachments are confidential to Wealth Integrity Pty Ltd. It is your responsibility to check any attachments for viruses and defects before opening, searching or sending them on.

DISCLAIMER: Any general advice in this email does not take account of your personal objectives, financial situation and needs. Read the relevant Product Disclosure Statement before acquiring any product mentioned in this email. This email is confidential and is for the intended recipient only. If you are not the intended recipient do not use or rely on this information.

**P** Please consider the environment before printing this email

**From:** [aussiecurtin](#)  
**To:** [Records](#)  
**Subject:** Revised Draft IWCM (Future Water Project 2060)  
**Date:** Wednesday, 26 May 2021 11:46:39 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Dear General Manager,

Please pass on this correspondence to all councillors.

I do not support the Revised Draft Integrated Water Cycle Management (IWCM) Strategy in it's current form for public exhibition.

I request all councillors to rescind the decisions of the December 2020 board meeting to exclude the Dunoon Dam from the IWCM "FWP 2060".

This email requests councillors reintroduce the Dunoon Dam as an option and complete the necessary further investigations. It is essential that these findings be reported back to all Northern Rivers residents.

I strongly oppose any interest in disposal of the proposed Dunoon Dam land site as well.

The actions and decisions taken by certain members of the Rous board are highly questionable and insulting to the majority of constituents and water rate payers serviced by Rous County Council.

I am a community member who has taken the time to reading and understanding the complexities of the issues at hand in this IWCM project. I have listened to people on all sides of the conversation including locals in the Water Alliance, Northern Rivers and the out of area university professors whose research the Water Alliance spruiks. Stuart White and Stuart Khan included. I have read the Water Services Australia "All Options on the Table" paper and other material sent to me by previously mentioned university academics.

Most importantly, I have discussed the IWCM with local mums and dads, families, community groups, business owners and the local workforce who will wear the impacts of the decisions you make and the direction Rous takes under your stewardship.

Almost all people I spoke with and listened to, do not know that you are making decisions that will have such a big impact on them.

You MUST understand this.

As councillors, ask yourselves whether you are listening to all opinions in the community or just the opinions that you want to hear?

Be honest with yourselves.

I request all 8 councillors to follow the advice of Water Services Australia and genuinely keep "All Options on the Table". Do so, until such time that Rous management, the community and yourselves as councillors are fully understanding of the ALL the impacts – social, environmental and economic - of the decisions you make.

How and why could you exclude the Dunoon Dam as an option on the table is confusing. Even more so after the chair's public comments throughout 2020. Complete all the investigations.

Most importantly, as the All Options on the Table report highlights often. CONSIDER OPTIONS...."WITHIN THE LOCAL CONTEXT".

The northern rivers is a naturally and organically growing area. Lismore and Casino will likely follow the coastal growth as happens in NSW when affordability goes west of the expensive coastal fringe. The current housing crisis and Covid pandemic flight from big cities to regional seaside areas means you must consider this growth in your decisions in the longest of timeframes.

Now is the time in the current economic, interest rate and borrowing market to continue investigating options with whole of life affordability that offer drought resilience and water security beyond our lifetimes.

There is no more road for you to kick the "can" down.

Do it once, do it right.

Thank you for the opportunity to have this say.

Good luck and kind regards,

Austin Curtin  
Farmer

[REDACTED]  
[REDACTED]



[REDACTED]

ROUS COUNCIL RE DUNOON DAM. I am in favour of this dam proposal.

TO WHOM IT MAY CONCERN.

I wish to strongly object to your councils decision to not proceed with the dam at DUNOON on the basis of 1000 objections against the project.

I would ask the following questions in regard these objections.

Is it not appropriate to reject any objection from persons outside the relevant council areas? If not could you please advise me of the number of objectors with addressors outside the relevant areas.

That all objectors who are not on an electoral role in the relevant areas be also be rejected.

The area which is supplied by Rous Council will in the future have a huge increase in population. I have lived in the area for almost 80 years and have witnessed a huge increase in the population in that time. In that time i have experienced living on dairy farm when tank water was only used for drinking and cooking. All other water was drawn from a small creek or limited small well. This was the same for rural residents. We all had a bath once a week,

The area has changed and will continue to change into the future at a greater rate. There will be a greater increase in the number of persons living in rural areas which are not connected to your water supply.

However these residents during dry periods can afford to pay for truck loads of water to maintain their rural life style.

In the 1980s a proposal was put forward to construct an international rowing and kayaking course at Tyagarah , The proponents appeared before a commissioner at sitting in the old council chambers in Mullumbimby.

The Byron greens appeared and their main objection was that the evaporation rate from the "big ditch" would exceed the input from the ground water and the area would become a dust bowl . Byron shire was at the time under a state government administrator. I would hope that ground water extraction in the Tyagarah area has no negative result.

The commissioner at the time recommended that further investigation should be carried out. This proposal did not proceed due to green influence on council.

It is well documented that bore water supply is not a infinite supply.

Towoomba city council a number of years age conducted a pole on using recycle water for potable water supply. The result of pole is well known, but may be forgotten

The cost of installing and maintaining water desalination plants and the the risk of the cost of keeping them operational when not in use. One only needs to look at the cost of the Sydney and Gold Coast systems. It is my under standing that the plant on the Gold Coast never went into production.

I would implore that the council to NEVER SELL THE LAND THAT WAS REQUIRED FOR DUNOON DAME IT WILL BE REQUIRED IN THE FUTURE.

I would suggest that the Dunoon dam is a State SIGNIFICANT DEVELOPMENT AS I SURE YOUR COUNCIL WILL REQUIRE STATE AND FEDERAL FUNDS FOR THIS DEVELOPMENT.

The Tweed Council is in the proses of increasing the level of the CLARRIE HALL DAM. Sydney water board is considering raising the level of the WARRENGAMBA DAM.

In this of very high rainfall 90% of the time a dame is the most effective and efficient way to insure reliable and acceptable water supply for this region in the future.

WOULD IT BE MORE ECONOMICAL TO CONDUCT A REFERENDUM IN CONJUNCTION WITH THE UP COMING LOCAL GOVERNMENT ELECTIONS .

In my past experience of witnessing various groups protesting about a large number of projects which i had some involvement in.They all proceeded in some way with very little change. I am sure that if you asked the persons in the area what was the most destructive project in their area after a time laps of 10 years, they would have to stop and scratch their heads.

I have lived in the [REDACTED] all my life of 77 years and have witnessed the rapid development of th [REDACTED] y continue into the future.

I am sure that with the large number of health conscious persons in this area i am sure that they would not wish to dink recycle water in this so called green area.

Having just returned from an interesting meeting with you consultant at a community consultation meeting in Byron Cavanbah centre.The meeting was interesting to the point that I was the only member of the public in attendance from 9am to 11.15am.

This shows the lack of interest from community in the Byron shire.Possible reasons being that the area consists of those who are very well off and are able to pay for their water no matter the costs. The remainder are workers who cannot afford to take time of work during the day. After hours their time is taken up with family duties.

LETS CUT TO THE CHASE.

This development should be designated as state significant and taken over by the state government.

That in conjunction with the local government elections a referendum be conducted. Just a simple YES or NO. Note those who are customers of Rous are entitled to vote only.

Please do not sell the land it will be required for a dam in the future.

Yours faithfully  
Jeff beer.

To; Rous County Council

From; Craig Groves



#### Consideration of the Future Water Project 2060

I would like to state that I object to the Council's strategy for future water availability stated in their plan.

Reasons;

- The cost of infrastructure for desalination and/or recycled reused water is quite prohibitive and needs to be used 24/7 to gain a long term financial benefit, not as a standby or reserve if the storage water fails.
- The psychological hurdles of convincing your clients that desal water or recycled water is okay for general use.
- The lack of promotion of 'micro' storage and use, (household and commercial dwelling storage tanks).
- In an above average rainfall area we should be trying to harvest and store run off in dams.

Thank you.

**From:** [Jan Beer](#)  
**To:** [Records](#)  
**Subject:** ROUS WATER/JEFF BEER  
**Date:** Friday, 28 May 2021 8:11:34 PM  
**Attachments:** [rous c0uncil.pdf](#)

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

**From:** [REDACTED] on behalf of [Paperform](#)  
**To:** [Andy Sibley: Customer Service Team](#)  
**Subject:** Rous Website Feedback - 2021-04-22 08:04:29  
**Date:** Thursday, 22 April 2021 8:04:35 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

## Website feedback form

**Submitted At**

2021-04-22 08:04:29

**Your name**

steven clarke

**Your email**

[REDACTED]

**Are you familiar with Rous County Council and what we do?**

Yes

**List 3 words you associate with us.**

bulk water supply

**What were you looking for when you came to our website?**

the plan

**Did you find what you wanted?**

Yes

**How easy was it to find what you wanted?**

easy

**I had a good impression when I first arrived to the website.**

agree

**I found the information I needed quickly and without frustration.**

agree

**The information on the website makes it easy to understand what Rous County Council does.**

agree

**It was easy to navigate the website.**

agree

**The website information assisted me with what I was trying to accomplish.**

agree

**The content was written in a user-friendly manner.**

agree

**I would visit and use this website again.**

agree

**Suggestion box**



the dam is the best solution and the cheapest for the community  
build dam

[REDACTED]

[REDACTED]



**Richmond  
Valley  
Council**

Telephone Enquiries to:  
Vaughan Macdonald

**[REDACTED]**  
**[REDACTED]**  
**[REDACTED]**  
council@richmondvalley.nsw.gov.au  
www.richmondvalley.nsw.gov.au

ABN 54 145 907 009

26 May 2021

Mr Phillip Rudd  
General Manager  
Rous County Council  
PO Box 230  
LISMORE NSW 2480

By email: [council@rous.nsw.gov.au](mailto:council@rous.nsw.gov.au)

Dear Mr Rudd

### **Future Water Project 2060: Submission**

At the Council Meeting of 20 April 2021, Richmond Valley Council resolved to make a submission to Rous County Council's revised *Future Water Project 2060* public consultation process.

Council responded to the original exhibition of the Future Water Project in August 2020, expressing its support for further investigation of the full range of options identified in the study. When the Dunoon Dam proposal was subsequently removed from the options to be investigated, Council wrote to Rous County Council in February 2021 expressing its concern at the decision and re-iterating its support for all options to be fully investigated and considered.

Despite these representations, Council notes that the Dunoon Dam proposal continues to be excluded from the list of options in the current Future Water Project consultation. Our Council is deeply concerned by this decision.

Water sustainability is an issue of utmost importance for communities in the Northern Rivers and Council recognises the role that Rous County Council plays in supplying sustainable and safe drinking water to more than 110,000 people in our region.

In the Richmond Valley, Rous supplies bulk water to the Mid-Richmond towns and villages of Broadwater, Rileys Hill, Evans Head, Coraki and Woodburn. Our Council relies on this supply to support continued growth in this region and we rely of Rous to take the lead in regional water planning.

Responsible and realistic long-term planning for regional water security is critical to the Northern Rivers councils. It will help to future-proof drinking water supplies, support increased growth and prosperity and strengthen resilience in the face of changing climate conditions. In a region that has recently experienced the challenges of sustained drought and bushfire, a secure and reliable water supply is vital. That is why our Council finds it hard to fathom why potentially viable options for water security have been excluded from the strategy, while other less viable and sustainable options remain.

Although Richmond Valley Council is yet to form its position on the Dunoon Dam proposal, it believes the decision to cease investigation into the dam and sell the land before all other alternative options have been fully explored, costed and assessed, is not in the best interests of our regional community. There is no guarantee that Rous can deliver on its proposals for

*Love where we live and work*



further development of groundwater, nor gain the necessary community support for large scale desalination or direct potable reuse options.

Richmond Valley Council is currently undertaking its own investigations to improve water security for the Casino water supply, in the face of a changing climate. This study will consider a number of options, including additional off-stream storage at Casino, raising Jabour Weir, exploring groundwater sources, or connecting to the Rous County Council regional supply.

Given the limited groundwater resources in our district, and the water quality challenges of the Richmond River catchment, Council expects that connection to RCC will emerge as a strong option in the study. In this regard, the Dunoon Dam proposal would be a significant benefit to our community and Council supports continued investigation into this option.

Council is also concerned with the proposal to transfer the Mid-Richmond communities from a reliable safe water supply from Rocky Creek Dam to a potentially less reliable groundwater source by 2025.

The Mid-Richmond communities have previously only used this supply in emergencies and two of the bores previously used have now been compromised by the Pacific Motorway construction. New bores will be required. There is no guarantee that this water source is sustainable over long-term usage and, as yet, there has been no comprehensive assessment of potential impacts on groundwater dependent ecosystems nor any indication as to how much this change will cost our community in increased water pricing.

It will be at least two years, according to the proposed schedule in the IWCM, before the Mid-Richmond community may have a clearer answer to these questions, following further investigations. In the meantime RCC may have already disposed of the Dunoon Dam site, leaving our communities without a secure solution. This is of great concern to our Council.

While the IWCM concludes the anticipated production from the Woodburn borefield will be sufficient for future needs, it should be noted that these demand forecasts have been based on pre-Covid population projections and development patterns. The past six months has shown how rapidly these projections can be surpassed and how quickly the way that people choose to live and work can change. It will be imperative to revisit and test the yield analysis and demand forecasts in the early stages of this project.

Council also has concerns regarding the potential cost of the borefield project, both in the pre-construction and construction phases, as well as the ongoing operational costs of the scheme. We note that to achieve anticipated production, the borefield pumps would need to operate 22 hours per day, and that providing adequate drinking water quality may require some 10 water treatment processes.


Council is concerned that, of the five groundwater options presented, the Woodburn borefield project represents the highest cost per ML of water supplied over the life of the asset. More than \$36 million will need to be invested before a single drop of water is supplied, with operating costs exceeding \$52 million over the life of the asset. This high level of investment will result in a yield benefit of just 698 ML of water per annum and Council is concerned that Richmond Valley customers will carry the cost.

At present, Richmond Valley Council applies the same water access and usage charge to all of its customers, regardless of whether their water supply is sourced from RVC or Rous. Council is concerned that the level of capital investment envisaged by Rous to activate its groundwater projects will inevitably result in an increase in the cost of bulk water for constituent councils and place pressure on our capacity to maintain consistent and affordable water pricing for our communities.

While Richmond Valley Council acknowledges that Rous is proposing a range of water security options in its Future Water Project, it is concerned that many of the benefits envisaged in the strategy may ultimately not be achieved because they are outside of RCC's immediate control.

Achieving effective demand management relies on equal and active support from all of RCC's constituent councils. Similarly, supplementing the supply through alternative sources such as groundwater, desalination and potable reuse relies on local communities directly affected by the proposed borefields and desalination plants being willing to accept these projects in their midst.

For these reasons our Council believes it is premature to abandon the Dunoon Dam option without first completing the required investigation and assessment processes. Richmond Valley Council would once again urge Rous County Council to ensure that all water security options for our region remain on the table and are rigorously and objectively assessed upon their merits.



Vaughan Macdonald  
**General Manager**

**From:** [Julie Clark](#)  
**To:** [Records](#)  
**Cc:** [Noeline Smith](#)  
**Subject:** RVC submission to Rous Future Water Project 2060 - May 2021  
**Date:** Friday, 28 May 2021 12:23:57 PM  
**Attachments:** [RVC submission to Rous Future Water Project 2060 - May 2021.pdf](#)

---

Good afternoon

Please find attached Council's submission to Rous Future Water Project 2060.

Kind regards

Julie

**Julie Clark**

Personal Assistant to the General Manager and the Mayor



NOTICE - This message and any attached files may contain information that is confidential and/or subject to legal privilege intended only for use by the intended recipient(s). If you are not the intended recipient or the person responsible for delivering the message to the intended recipient, be advised that you have received this message in error and that any dissemination, copying or use to this message is strictly forbidden, as is the disclosure of the information therein. If you have received this in error, please notify the sender immediately and delete the message. Any views or opinions expressed in this message or attached files are those of the sender and do not necessarily coincide with those of Richmond Valley Council.

While all care has been taken to ensure this message and attachments are virus free, Richmond Valley Council accepts no responsibility for damage caused by this message or attached files.

**From:** [nsomer nsomer](#)  
**To:** [Records](#)  
**Subject:** Save Dunoon Dam  
**Date:** Wednesday, 21 April 2021 5:47:54 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

I would like to add my name to the petition to save the Dunoon Dam.

Thank you,  
Nancy Hodgson

**From:** [Daniel Simpson](#)  
**To:** [Records](#)  
**Subject:** Submission - Future water Project 2060  
**Date:** Thursday, 22 April 2021 9:40:34 PM  
**Attachments:** [Outlook-zlheyvrl.png](#)

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

My name is Daniel Simpson, I reside at [REDACTED], and I wish to make a submission regarding the future water strategy 2060.

I am extremely disappointed in the direction that Rous County Council has taken regarding securing the region's water supply into the future.

Excluding Dunoon Dam from further investigation along with the currently proposed options is in my view, not only short-sighted but at odds with the council's mandate to ensure all options are properly investigated to ensure the best possible result for the region.

Furthermore the notion that land that has been strategically acquired over many years should the dam come out as a preferred alternative is preposterous! As a publican, I can tell you I don't believe this would pass the pub test. As a minimum, this land should be held for potential use in the future if the other options of surface water, desalination, or recycled water are unable to fulfill our future volume requirements.

I would like to point out that I understand that the dam has both environmental and indigenous heritage issues. I do not necessarily prefer the dam over the other options which all have environmental impacts and the potential for community acceptance problems. I am advocating for all the options to be left on the table and properly investigated using a balanced scorecard that takes into consideration all of the issues including the whole of life cost, environmental, heritage, and any other pertinent issues.

Unfortunately, at least on the surface, it appears that the Rous council has been politicized and is choosing to vote along party lines rather than in the best interests of our collective communities.

I strongly urge Rous County Council to reconsider the removal of the dam as an option and hold onto land that has been acquired in case it is needed into the future. I ask what harm can come from holding onto the land!

Thank you





**Daniel Simpson** MANAGING DIRECTOR





**From:** [Bryan Douglas](#)  
**To:** [Records](#)  
**Subject:** Submission - Future Water Project  
**Date:** Friday, 28 May 2021 2:48:04 PM  
**Attachments:** [Submission Rous County Council May 2021.pdf](#)

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

To whom it may concern

Please find attached Save Alstonville Aquifer's submission in response to the Future Water Project 2060.

Yours faithfully

Bryan Douglas  
(or and on behalf of Save Alstonville Aquifer)


**From:** [Jasper Kent](#)  
**To:** [Records](#); [Jasper Kent](#)  
**Subject:** Submission : Rous County Council Future Water Project 2060.  
**Date:** Thursday, 27 May 2021 9:31:39 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

**Submission to Rous County Council for Future Water Strategy**

Submission by

Jasper Kent  


I wish to express my objection to the Rous County Council Revised 2021 Future Water Project 2060

When, in December 2020, it was announced that Rous County Council had moved to abandon its previously announced decision to proceed with the construction of an additional dam to meet projected water needs in the Rous Water supply area, I was perplexed.

This decision appears to be an irresponsible move by the Council to abandon the dam option, in view of the fact that no comparable proposal for a sustainable supply of water to meet future needs has yet been developed.

To meet that anticipated shortfall, the 2014 [Future Water Strategy](#) recommended an approach to significantly improve water conservation over 10 years and investigate new water sources. Specifically, to:

- *maximise water efficiency through demand management and conservation;*
- *investigate increased use of groundwater as a new water source;*
- *investigate the suitability of water re-use as an additional new water source;*

Since 2014 the initiatives taken by Rous Water to improve water use efficiency are commendable.

Waste water re-use strategies which have been adopted are also commendable. These measures have been very effective in managing our water resources as the population of the area has increased.

However, as the population of the area continues to increase, further efficiency measures will have a declining marginal return, and in some cases result in other unintended inefficiencies.

For example: maximising water efficiency through demand management and conservation through the increased use of private rainwater tanks using roof top catchments.

This can certainly be beneficial as a supplementary supply.

It has the advantage of collecting water from very low rainfall events during dry periods when surface runoff in a dam catchment does not occur.

However, as most urban rainwater tanks, if used as an alternative water supply to mains water, would in most cases require an electric pressure pump, making water access dependent upon electricity, which would result in an increase in demand for electricity. This is problematic at a time when electricity costs are increasing and the community is endeavouring to develop an ecologically sustainable power supply.

Rain water tank dependent households are also often dependant on Rous Water for supplementary water during extended dry spells.

*The increased use of groundwater as a new water source* may also have some limited benefits.

However, investigations so far have already identified high ongoing costs of treating the water as well as the environmental impact resulting from a sustained drawdown of these water resources.

*Water re-use as an additional new water source* may provide some limited potential. However, Rous Water has already acknowledged that this potential is limited as recycling of waste water for parks, gardens and other non-potable water uses is already under implementation.

*More recent suggestions of desalination as a source for future needs* is also an option which comes with very high costs in terms of initial investment costs as well as operational costs and environmental impacts.

This area is fortunate to be one of the higher and more reliable rainfall areas on this continent. The people of this area and visitors to this area have benefited from the existing water infrastructure which has been built to provide a reliable source of quality water at an affordable cost with minimal environmental impact.

The Dunoon Dam proposal is the most efficient extension to the existing infrastructure making the most efficient use of that existing infrastructure.

Utilising water through natural desalination which occurs by means of solar energy and the natural processes of the water cycle which brings regular rainfall to the Nightcap Range makes a lot more ecological sense than a high cost high maintenance desalination factory on our coastline.

The proposed Dunoon water storage occupying 253ha has the smallest environmental footprint of any of the proposed alternatives. The resulting water body could actually be a very attractive open space: a new and enhanced habitat with enhanced community amenity.

The Environmental Impact Assessments commissioned by Rous Water do show that there will be some impact.

However, all of these impacts can be minimised and indeed most of these negative impacts can be alleviated and as the **Terrestrial Ecology Impact Assessment** states:

‘.....there are also large areas within the study area (*proposed dam location*) and around it that were once rainforest or wet sclerophyll forest but are now infested with weeds. These areas could benefit from improved management as part of offsets for the project. This has the potential to reduce the significance of the impact of the dam, if managed appropriately.’

As with any endeavour which seeks to provide community benefit there will be members of our community who will be challenged by a personal cost, a loss of amenity or change which they struggle to accept or come to terms with. These costs need to be acknowledged and appreciated by our community. For some in our community, their willingness to accept these personal costs will be a major contribution to the success of the project, providing lasting benefit to our community for generations to come.

In the case of our existing infrastructure, many members of our community have lost amenity or land use options to make way for water mains which have been constructed to provide a reliable water supply to our urban communities.

None of us own the water. None of us can make water, but it is essential to all of us and our children. If we work together and play our part in sharing this wonderful resource we will grow to be a stronger and more united community.

Thank you for your consideration.

Jasper Kent



**From:** [Jack Priestley](#)  
**To:** [Records](#)  
**Subject:** Submission Future Water for Our Region  
**Date:** Wednesday, 26 May 2021 6:12:55 PM  
**Attachments:** [Future Water Project 2060 Securing Water Supply for our Region.docx](#)

---


**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Thank you for the information you gave me on the phone to submit my Submission through this email.

I have attached it for your attention.

Kind Regards,

Jack Priestley

 Resident and Rous water consumer

**From:** [Russell Batson](#)  
**To:** [Records](#)  
**Subject:** Submission of objection  
**Date:** Wednesday, 26 May 2021 8:42:18 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Phillip Rudd

Please find my submission of objection to FWP 2060

Regards Russell Batson

**From:** [Pollyanna Kingsley](#)  
**To:** [Records](#)  
**Cc:** [Cr Sharon Cadwallader](#); [Cr Keith Williams](#); [Cr Basil Cameron](#); [Cr Simon Richardson](#); [Cr Darlene Cook](#); [Cr Vanessa Ekins](#); [Cr Sandra Humphrys](#); [Cr Robert Mustow](#)  
**Subject:** Submission on Revised Future Water Project 2060 - Integrated Water Cycle Management strategy  
**Date:** Tuesday, 25 May 2021 5:17:29 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

To: General Manager, Rous County Council

council@rous.nsw.gov.au

PO Box 230, Lismore NSW 2480

My Full Name: Pollyanna Kingsley

Address: [REDACTED]

Postcode [REDACTED]

\*PERSONALISE your feedback here by introducing yourself, and sharing the reasons why you want our water supply to come from alternative sources to the Dunoon Dam.

I strongly appreciate the revision of the Water Future Project 2060, and the decision to remove the Dunoon Dam from further consideration in the revised IWCM, and I also acknowledge the complexity of the work Rous does to provide water for our region.

I SUPPORT these aspects of the revised IWCM, for the reasons given in the IWCM

- Water loss (including leak) management focused on Rous assets
- Section 15.4.2, development and implementation of direct potable reuse scheme beginning with a pilot scheme
- Section 15.4.3, indirect potable water reuse, especially its potential to recharge harvested aquifers
- Sustainable groundwater usage NOT from the existing upper level Alstonville aquifer used by farmers but from the untapped Alstonville deeper aquifer
- Smart metering
- Drought management/ contingency planning
- Sustainably powered temporary desalination plants on the coast in times of drought
- The disposal of land zoned for the Dunoon Dam, set out in Table 41

I DO NOT SUPPORT the Dunoon Dam.



I reject attempts by a minority of councillors continuing to campaign for the dam. The revised IWCM clearly states, “..based on the MCA [multi-criteria analysis], the most favourable scenario is groundwater.”

As the IWCM recognises, the Dunoon Dam has been, and continues to be, strongly rejected by the community on many grounds, including:

- Destruction of important Widjabul Wia-bal heritage, including ancient burial sites. (1)
- Destruction of an Endangered Ecological Community of Lowland Rainforest, in particular the very rare warm-temperate rainforest on sandstone in The Channon Gorge, and impacts on endangered wildlife. (2)
- Lost opportunity to invest in system-wide water efficiency and stop potable water wastage. Only 2% of the Rous supply is used for drinking, the rest is down the toilet and in the garden. Water efficiency is the cheapest & fastest way to ensure supply-demand balance. By focussing on system efficiency, Sydney added an additional 950,000 people without a rise in consumption. (3)
- 21st century water security requires diversity in water sources. Adding another dam to the portfolio decreases the drought resilience of the water system for our region. (4)
- Industrial/construction zone for The Channon/Dunoon community; noise, machinery, trucks, visual impact. Ongoing sound impact from pump house etc.

The IWCM recognises the Dunoon Dam as an inferior option compared to a “diversified portfolio of actions to meet the region’s water security needs”. I object to the wording of Section 8.13 as follows: The last sentences should read: “Further detailed studies would have been required prior to a decision to proceed with the dam option. These studies were expected to take three years to complete”, as further studies related to the dam are now redundant.

I urge Rous County Council to adopt the revised IWCM as exhibited and to proceed to implement it with urgency. This will lead our region forward with wise and well informed water options for a sustainable future.

(1) Ainsworth Heritage, Cultural Heritage Impact Assessment, 2013

(2) SMEC Australia, Terrestrial Ecology Impact Assessment, 2011

(3) Metropolitan Water Plan 2006, NSW Government. Exec Summary section of the doc

<https://www.dropbox.com/s/pu9898oq6kocrph/NSW%20Govt%202006%20MWP%20summary.pdf?d>

(4) Australian Water Services Association, All Options on the Table, 2020

Yours sincerely,

Pollyanna Kingsley



[REDACTED]

---

This email was sent by Pollyanna Kingsley via Do Gooder, a website that allows people to contact you regarding issues they consider important. In accordance with web protocol RFC 3834 we have set the FROM field of this email to our generic no-reply address at campaigns@good.do, however Pollyanna provided an email address [REDACTED] which we included in the REPLY-TO field.

Please reply to Pollyanna Kingsley at [REDACTED]

To learn more about Do Gooder visit [www.dogooder.co](http://www.dogooder.co)

To learn more about web protocol RFC 3834 visit: <https://tools.ietf.org/html/rfc3834>

**From:** [Greg Slade](#)  
**To:** [Records](#)  
**Cc:** [Cr Cate Coorey](#); [Cr Sharon Cadwallader](#); [Cr Keith Williams](#); [Cr Basil Cameron](#); [Cr Darlene Cook](#); [Cr Vanessa Ekins](#); [Cr Sandra Humphrys](#); [Cr Robert Mustow](#)  
**Subject:** Submission Re: Revised Future Water Project 2060 - Integrated Water Cycle Management strategy  
**Date:** Wednesday, 19 May 2021 7:00:07 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

To: General Manager, Rous County Council  
council@rous.nsw.gov.au  
PO Box 230, Lismore NSW 2480

Greg Slade  
[REDACTED]

I really think we need to build the dam for water security in the future

Yours sincerely,  
Greg Slade  
[REDACTED]

---

This email was sent by Greg Slade via Do Gooder, a website that allows people to contact you regarding issues they consider important. In accordance with web protocol RFC 3834 we have set the FROM field of this email to our generic no-reply address at campaigns@good.do, however Greg provided an email address [REDACTED] which we included in the REPLY-TO field.

Please reply to Greg Slade at [REDACTED]

To learn more about Do Gooder visit [www.dogooder.co](http://www.dogooder.co)

To learn more about web protocol RFC 3834 visit: <https://tools.ietf.org/html/rfc3834>

**From:** [Richard Molony](#)  
**To:** [Records](#)  
**Cc:** [Cr Cate Coorey](#); [Cr Sharon Cadwallader](#); [Cr Keith Williams](#); [Cr Basil Cameron](#); [Cr Darlene Cook](#); [Cr Vanessa Ekins](#); [Cr Sandra Humphrys](#); [Cr Robert Mustow](#)  
**Subject:** Submission Re: Revised Future Water Project 2060 - Integrated Water Cycle Management strategy  
**Date:** Monday, 24 May 2021 4:30:31 PM

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

To: General Manager, Rous County Council  
council@rous.nsw.gov.au  
PO Box 230, Lismore NSW 2480

From: Richard F Molony

Please build the dam. It is the obvious and best way of contributing to long term water availability.

I find the arguments against it spurious, and the proposed alternatives somewhat naive.

Yours sincerely,  
Richard Molony

---

This email was sent by Richard Molony via Do Gooder, a website that allows people to contact you regarding issues they consider important. In accordance with web protocol RFC 3834 we have set the FROM field of this email to our generic no-reply address at campaigns@good.do, however Richard provided an email address [REDACTED] which we included in the REPLY-TO field.

Please reply to Richard Molony at [REDACTED]

To learn more about Do Gooder visit [www.dogooder.co](http://www.dogooder.co)

To learn more about web protocol RFC 3834 visit: <https://tools.ietf.org/html/rfc3834>



## SUBMISSION IN RESPONSE TO ROUS COUNTY COUNCIL'S FUTURE WATER PROJECT 2060

May 2021

### **Introduction**

Save Alstonville Aquifer is a community organisation formed to protect the Alstonville basalt plateau aquifer (known more commonly as the Alstonville Aquifer). Many residents on and around the Alstonville Plateau consider the Alstonville Aquifer to be in long-term decline. Given this decline, Save Alstonville Aquifer is alarmed at the announcement by Rous County Council to rely significantly on the Aquifer to meet future water needs of the region's rapidly growing population.

### ***Stressed nature of Alstonville Aquifer***

The best recent publicly available technical information we have on the Aquifer is the NSW Government's Draft Regional Water Strategy for the Far North Coast released in October last year and the NSW Chief Scientist and Engineer's Report of October 2019. Both reports emphasise our limited understanding of aquifers.

The Draft Water Strategy states:

*Data gaps are limiting our understanding of groundwater resources and the way we manage them... Given the expected continuing demands on groundwater, we need to improve our understanding of the interaction between surface water and groundwater resources in the Far North Coast to enable us to make decisions to improve the resilience of our water sources.'*

The Chief Scientist's report states:

*In groundwater studies and management, there will always be a level of uncertainty associated with predictions (for example, recharge rates) ... due to the complex and heterogeneous nature of groundwater movement. This is particularly evident in fractured rock systems.*

Evidence pointing to decline of the Alstonville Aquifer system as far back as the 1990s is noted in the following commentary in the Chief Scientist and Engineer's Report:

- Data from Bilge (2003) indicate that the total outflow between 1993-2001 from the deep aquifer exceeded inflows.

- Publications from Brodie & Green (2002) and Ballina Shire Council (2004) identified water decline and stress.

Anecdotal evidence from local residents reinforces the decline in aquifer and aquifer-connected creeks and springs. Such decline is particularly evident in prolonged periods of low rainfall.

In view of the foregoing, it is difficult to comprehend why Rous County Council believes the Alstonville Aquifer can play any role in meeting our region's future water needs. The Council has not provided any technical studies justifying such an assumption.

### ***Dunoon Dam***

The decision by Rous County Council to abandon construction of Dunoon Dam is an abrupt departure from pronouncements in the months and years leading up to the announcement. All the technical evidence reported by the Council before the announcement suggested Dunoon Dam was the best solution in meeting the region's long-term water needs.

### ***Recommendations***

Save Alstonville Aquifer recommends Rous County Council:

1. Abandon its decision to extract water from the Alstonville Aquifer.
2. Recommence investigation of constructing Dunoon Dam and as part of this process refrain from selling land previously acquired for dam construction.

**From:** [Gary Buchanan](#)  
**To:** [Records](#)  
**Subject:** SUBMISSION Rous Future Water Project 2060  
**Date:** Friday, 28 May 2021 4:44:41 PM  
**Attachments:** [WATER SUBMISSION.docx](#)

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

**From:** [Monica Pimm](#)  
**To:** [Records](#)  
**Subject:** Submission to Future Water Project  
**Date:** Friday, 28 May 2021 4:03:18 PM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

## **Future of Water in our Area – to Dam or not to Dam?**

As a participant of the Rous Water Future Water Strategy community consultation from 2011 – 2014 I have read and continue to read a lot of the evidence for and against the proposed Dunoon Dam. I would like to say why I strongly support the building of a dam.

### **Population growth, climate change and current limitations:**

The original Rocky Creek dam was built in 1953, and was designed to service 25,000 people but with growth along the coast it now generously services 100,000. This regions' population will keep on growing and our current supply is practically at its limit, even though we already use less water per capital than we used to. Added to that, scientists predict that with climate change we will probably have fewer but heavier rain events. This area already receives the highest rainfall in NSW but most of it just flows away down our rivers during floods. An extra dam is the perfect way to catch this type of rainfall and store it naturally. The planned Dunoon dam will hold more than three times the capacity of Rocky Creek Dam and should therefore increase our ability to last through drought by 4 times – from one year of no rain to four years.

### **Finances and disruptions to the community and the environment:**

A dam is also the cheapest and the least disruptive to our environment and communities because water can be piped directly to the Rocky Creek purification plant and all other infrastructure is already set up to purify and distribute the natural and pure water that falls from the sky. Compare this with the environmental and community disruptions needed to set up all the industry and pipelines, necessary for the desalination plant with associated power generation, or for drilling and fracking for underground water and piping all over the country for recycled water options. These can be good backup options, but a

dam is the easiest and cheapest. It will also give us the purest and most natural water.

### **Problems with Desalination:**

Of the other options desalination is the most expensive, much more than the dam, and it needs a power generation plant to be running continually, even when we don't need the water. The brine, which is the left over after the pure water has been extracted is a serious issue. You can't just pump that back out to sea. It's also heavily energy intensive – where will that energy come from? Will it also be environmentally and community friendly? So you've got the most expensive possible source of water you can have, and it has to run all the time, not just in drought conditions, uses huge amounts of energy and produces a huge waste problem. To me, it doesn't make sense.

### **Problems with underground water:**

We still don't understand a lot of the impacts water mining has on our groundwater basins, and how they interact with each other. By mining, we may encourage saline water into the system and affect the stygofauna – the creatures that live there. With fracking we could damage our water table and the water obtained can be too high in minerals. If we didn't want to frack for oil at Bentley, why is fracking for water now OK? Underground water is part of the Earth's sacred inner life that we know little of – how about we stop water mining, and just catch and cherish what is given from the sky? And in drought, won't underground water also be affected as less water is entering the system? Lets leave the underground water for the trees that need it in drought so they at least can survive.

### **Problems with recycling for drinking:**

Recycling water from our sewerage treatment works would require retrofitting all the local houses – at an incredible expense. Yes it would be purified – and we think we know how to take out what is not good for us – but we don't know everything and perhaps there are other smaller particles that can affect us that are not filterable. And there is human error to consider – when the original



product is sewerage (not rainwater) perhaps a simple mistake could cause a huge outbreak of disease, which is why the health department hasn't approved using recycled water for drinking water anywhere in Australia. Traces of Covid are regularly found in sewerage, for example. I really would not like to drink water that had been through a sewage works, possibly contaminated with drugs, medications endocrine disruptors, hormones, Covid virus and a million other nasties that we may not even yet know about? Would you like to drink, shower, cook, bathe your children and wash your clothes in this water?

Even if water is recycled for gardens and toilets, it needs to be stored somewhere and duplicate piping needs to be installed everywhere. This is easier in new developments but impractical for established housing. Lets keep supporting household tanks for toilets and gardens with minor plumbing needed, and a dam for our drinking water. I doubt that recycled water would be able to replace a dam, as a lot of it is already being used elsewhere (at golf clubs and parks for example).

Not a single facility in NSW has been licenced for potable reuse anywhere even if we did get it to that standard, for potable reuse, we would be required to put it into the catchment system somewhere upstream, so that it took six months to flow into the dam. Even if you've got it to drinking water standard! We have pure fresh water falling as a gift straight from the sky – what could be better than that? Lets use this and keep our water as pure as we can.

### **Rainforest:**

Yes, the dam will flood a small area of natural rainforest, but the majority of the proposed area of the dam (approximately 80%) is open pastureland or scrubby regrowth. As a founding member of Friends of the Koala I have grown and planted many hundreds of trees and I would never suggest cutting down or flooding trees unnecessarily. But trees and rainforest can be planted and be coming towards maturity from 20 years. You can see this has been done at the Rocky Creek Dam parklands, Victoria Park and many other farms in this areas where cleared land has been completely revegetated with rainforest trees, e.g. Brookfarm. Chris Byrne of Big Scrub Landcare says that over the past 30 years 2.5 million trees have been planted to create over 600 hectares of new rainforest, increasing the size of rainforest in the region by 70%. And koala trees can be planted and usable for koalas in three years. This is such good work, let's keep it up. Rainforest brings rain.

### **Indigenous Sites:**

I am white and acknowledge that I live on land stolen from the Bundjalung peoples. I know that the welfare of the traditional owners is inextricably linked with regeneration of the culture and care of the land and I think this is related to the welfare of us all as we grow together again, as one community with many cultures. I know that the protection of sacred sites is very important and that there have been too many times where there has been no respect given. We are told there are significant sites and graves in the area to be flooded and I respect these claims.

I do want to say though, that water is necessary for all, and our supply is stretched and could become less and less reliable. With respect, many settler cemeteries in this area have had to be relocated over the years to make way for roads or other developments – e.g. the “glowing cross” cemetery at the beginning of Nimbin Road, the one at the end of Ballina's Missingham bridge and the one at Barham Street also in Lismore. If there are significant relics remaining, could not culturally appropriate ceremonies be held and memorials erected safely within the Dam surrounds. Even if the sites are left and flooded, they will be there still, untouched, possibly forever. With all the alternative proposals there will be many other areas to be fracked, bored, pipes laid in, and built on and will there not very likely be many more significant sites in all those areas too? Cr Humphrys has spoken about the successful removal of Aboriginal artifacts when the Cotter Dam was raised in the ACT, and the protection of the endangered Macquarie Perch in that case. Could we not find a middle ground of respect and learning?

### **Price of Water:**

All of us need fresh water to drink. As it becomes scarcer it will become more expensive and this will affect all. With a the most expensive water in the state already, and also a high proportion of low-income earners, this needs to be considered. The dam will give lowest prices over its life.

### **Giving all people a say:**

Of the 110,000 people now receiving Rocky Creek Water only 900 of the 1168 submissions rejected the Dunoon Dam – what of the other 109,000 people in this area who didn't have a say? Surely they should be considered in the decision making – let's ask them when we have our next drought and serious restrictions!! Next Council Elections in September this year could be a chance to ask everyone by including a question with the voting papers. If Rous are to be ruled by public submissions, there should be a referendum.

### **Federal Dam:**

Rous water has been commissioned to supply us with clean, drinking water and has done all the studies and tests but this delay and procrastination has been going on since the Federal Dam was rejected in 1995. After that, Rous found the Dunoon dam to be the next best solution - unless we have another look at the Federal Dam? Perhaps that is worth another look?

### **Dam Advantages:**

After time the dam itself become will become a living habitat for many aquatic species, and the surrounding areas will be revegetated, increasing habitat for land creatures as well. It also becomes a valuable resource for the people of the area. Rocky Creek Dam is one of the most locally visited and beautiful natural tourist sites in the area. The Dunoon Dam could be another beautiful local beauty spot.

### **Summary:**

We don't want to spend more for water, and we want to turn on the tap and get fresh pure water. The longer we leave it the more costly it gets, so let's leave Rous Water to get on with the job, NOW!.

M Hall, Lismore.

Submission to Rous Water re Future Water Project 2060 plan.

## DAMS

### The big picture.

We build dams and then populations and agricultural/industrial users increase. Along with this we destroy some of the best vegetation and richest habitat in the area because we are often destroying areas with regular water supply.

We realise that the dam we built is not big enough and we need to build another one.

We build another dam (and destroy more of our environment), or raise the wall, and for a while we are ok then.....

We need to build another dam.

This process has been repeated many times all over the country and is not sustainable in the long run. We need to explore other options like more densely populated areas in the world have done.

## OR

We build another dam and its use is restricted to domestic consumers only.  
Good luck getting that passed in a prime agricultural area.

## WHAT ARE OUR CHOICES

I am not well versed in this area but Rous has identified a range of alternatives that are worth considering, unfortunately all of these involve pumping water here or there to treatment plants or other facilities which requires electricity.

The last thing we need as a planet is increased use of electricity so the logical solution is for Rous County Council is to pursue the supply of renewable energy in conjunction with the adoption of its other water supply alternatives.

As a starting place the promised water recycling plant proposed for Perradenya which is years overdue could be built.

Chris Moran



27/4/21.

**From:** [Kevin Walsh](#)  
**To:** [Cr Sharon Cadwallader](#); [Cr Keith Williams](#); [Cr Basil Cameron](#); [Cr Simon Richardson](#); [Cr Darlene Cook](#); [Cr Vanessa Ekins](#); [Cr Sandra Humphrys](#); [Cr Robert Mustow](#); [Records](#)  
**Cc:** [REDACTED]  
**Subject:** Submission: Future Water Project 2060  
**Date:** Monday, 12 April 2021 2:15:51 PM  
**Attachments:** [IMG\\_20210412\\_0001 copy.pdf](#)  
[IMG\\_20210412\\_0001.pdf](#)

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

**From:** [Bill](#)  
**To:** [Records](#)  
**Subject:** Submissions Water strategy - Build the Dam  
**Date:** Wednesday, 26 May 2021 10:18:25 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

Good morning

I wish to express my displeasure with the total lack of competency by a number of Rous Councillors.

Councillors are elected to represent the whole community and are expected to examine the needs of the whole community before voting for important long term community infrastructure. I can understand that some councillors are not keen on building dams however to vote to stop any future dam options and pursue only ground water and desalinations smacks of total stupidity and lack of vision.

Worse still the advertised intention to sell the land where the Dunoon Dam was proposed to be built is complete incompetence.

Please put the dam back on the list of options and go through the process of a rigorous examination of the options.

If Council is not capable of examining all the options please transfer the whole process onto an Authority who can carry out a complete and proper process .

ie CSIRO, Public Works or Sydney Water .

Regards Billm

**From:** [Garry Hall](#)  
**To:** [Records](#)  
**Subject:** Support of the Dunoon Dam Proposal  
**Date:** Wednesday, 19 May 2021 8:35:41 AM

---

**CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.**

I would like to add my support for the Dunoon Dam proposal.

As a community, we require reliable, clean water to conduct our normal daily activities. As a community, we have shown that we do not take our water resources for granted and conserve water by using wisely and reusing. Water consumption has reduced per individual by 50% since 1995 (RCC website May 2021) with the adoption of water conservation measures, efficiency, and community education. Even with our best efforts to conserve water, more water will be required to secure enough reliable, clean water for population increase and future generations.

Climate cycles existed well before the first people arrived, approximately 60,000 years ago, and will continue into the future. Historical climate data from the Bureau of Meteorology indicate many extended periods of little rain, many short periods of excessive rain, and periods of average rainfall. Observations such as sedimentary rock layers and growth rings in trees show that wet and dry climate cycles have been occurring well before the Bureau of Meteorology started recording climate data.

I support the Dunoon Dam and/or increasing the capacity of the Rocky Creek Dam.  
I also support desalination, only if an economically reliable energy source can be secured.

Many people supporting a groundwater resource are the same people who rallied with great commitment against CSG mining in our local area, claiming the unknown effects of underground aquifers. I do not support extensive groundwater as a resource for this same reason. I do not support CSG mining.

I believe that constraints such as koala habitats and aboriginal heritage can be managed, as they have been with other civil engineering projects where there is a need to balance future requirements and environmental values.

We should take advantage of our climate cycles by storing excess water to provide a reliable, clean water supply for future generations.

Garry Hall

[Redacted]  
[Redacted]

**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** The Dunoon dam  
**Date:** Tuesday, 4 May 2021 8:50:03 AM

---

CYBER SECURITY WARNING ? This message is from an external sender ? be cautious, particularly with hyperlinks and/or attachments.

It is a yes from me

Sent from my iPhone



**From:** [REDACTED]  
**To:** [Records](#)  
**Subject:** Water submission  
**Date:** Monday, 3 May 2021 9:43:03 AM  
**Attachments:** [Rous County Council.docx](#)

---

CYBER SECURITY WARNING – This message is from an external sender – be cautious, particularly with hyperlinks and/or attachments.

Please see attachment.

## **SUBMISSION RE Rous Water Future Water Project 2060: Integrated Water Cycle Management Strategy**

Further to my online submission, I again voice my strong objections to the revised strategy as outlined and reiterate my astonishment and frustration at Rous County Council's inexplicable decision to exclude construction of a second dam at Dunoon as an option in its Future Water Project 2060. It has done this despite, to the best of my knowledge, all previous such studies concluding a new dam is the best option for meeting this rapidly-expanding region's future water needs.

From what I can gather, even based on Rous Water's own life cost projections for the various options presented, a new dam reportedly comes out on top by a country mile on a cost-benefit analysis, yet the only options the public are being presented with for meeting our future water needs are the most costly for water consumers over time. It simply makes no sense and Rous County Council delegates, for whatever reason, are clearly breaching their duty to constituent councils and water consumers to present and consider ALL the available options, including a second dam, to ensure the best long-term outcomes.

I don't intend here to get into the pro and cons of the options currently being presented by the council, even though it seems to me the cons of most far outweigh any pros. My prime concern is council's total exclusion of a dam option from the mix. The arguments in favour of a second dam are so glaring obvious the inability of council to grasp this astounds me and many others concerned with this issue. It concerns me this important debate, as with many other like issues, is being hijacked by a vocal minority to the long-term detriment of the silent minority, and that many of the arguments being used to oppose a second dam option are the same old arguments always rolled out by the anti-everything lobby to oppose any form of development, especially if it has the word 'dam' in it, no matter how beneficial it is to the community as a whole.

The second Dunoon dam option clearly needs to be back on the agenda and any failure to do so should be regarded as being irresponsible in the extreme. The current Rous County Council needs to take a leaf out of the book of the Lismore City councillors from 1937, who had the remarkable foresight to recognise the need for a dam to provide for the future long-term water needs of their community. Due to their vision Rous County Council was constituted in 1940 and authorised by the NSW Government to investigate a scheme to supply water to Lismore, Byron, Bangalow, Evans Head, Woodburn, Broadwater and Coraki. As a direct consequence of this Rocky Creek Dam was born and completed in 1953 and, as the adage goes, the rest is history.

While the original architects of Rocky Creek dam are judged very kindly by history, by comparison I fear the current Rous County Council will be judged very harshly in the future if it continues with its short-sighted anti-dam stance.

Rocky Creek dam has been the absolute saviour of the Richmond region. Where would we have been without the dam and its quality water supply - we'd still be a backwater made up of a few towns and villages. None of the enormous growth we have experienced, in the past two decades especially, would have been possible without Rocky Creek dam. It has been the absolute saviour and lifeblood growth areas like Ballina, Alstonville and Lennox Head, which were already running out of drinking water when they connected to the Rocky Creek water supply as far back as 1988. None of the massive residential and industrial expansion that has occurred since in the Ballina Shire, Lismore and Byron Shire would have been possible without Rocky Creek dam, or another dam built

somewhere else. So instead of doing all in its power to block consideration of a second dam, the current Rous County Council need only look to the lessons of the past to determine where the future lays.

However, while Rocky Creek dam has been able to meet the huge increase in demand on its water resources up to now, it can't be expected to keep up with that demand into the future. In the overall scheme of things, Rocky Creek, at only 14,000ml capacity, is a relatively small dam, and now is the time to start planning for a second dam to support the massive growth and population expansion certain to continue in this region, now regarded as one of the fast-growing in Australia. The sorts of options being canvassed by Rous in its latest strategy simply don't cut the mustard.

I can remember not too many years ago, during our last prolonged drought, Rocky Creek dam almost running dry requiring the imposition of severe water restrictions and the emergency use of Rous' purpose-built pumping station to draw water from the Wilsons River at Woodlawn to augment the supply. With Rocky Creek dam already struggling to meet demand in a drought scenario, how does Rous realistically expect to meet demand 10 to 20 years from now based on current population growth trends, without even taking into consideration to potential impacts of climate change on our rainfall patterns. Now is the time to start planning to future proof our water supply by way of a second dam, not in 20-30 years' time when the water is running out.

In the final analysis if Rous Water were to ask consumers to choose between paying this much for their water under a second dam option or, based on Rous' own costings, up to double or treble the cost on the other options being proposed, would do you think the vast majority would say? Undoubtedly, they would clearly choose the cheapest option. This is why a second dam needs to be on the table now, so Rous Water consumers are given the full range of costings and options.

I also want to know if Rous County Council delegates have canvassed their constituent councils to gauge their views on a second dam option. Also, if Rous is so certain of its position, should it not consider giving all its water users a say on the matter - why not in the form of a referendum conducted in conjunction with the next local government elections later this year. That would be a true and accurate measure of public support for a full range of preferred option/options – a dam included.

Rous Water's prime responsibility to its constituent councils and consumers should be to provide a secure, long-term water supply at the least cost possible and to consider ALL available options to meet that responsibility. For council not to include a new dam in any considerations for meeting future water needs is a total dereliction of that responsibility. I, for one, would urgently urge council to get on with the important task it is entrusted with, including the immediate reinstatement of a second dam option.

Yours sincerely,

Gary Buchanan

